

AUGUST 1951 • 25 CENTS

# AIR TRAILS



**CHASE Wins  
JET RACE!**

see page 19



**Model World's First Rocket Plane**




# train for security!

*answer this country's urgent need*

*for more trained mechanics  
on the home front!*



AIRCRAFT MECHANICS



ENGINE MECHANICS



ENGINEERING DRAFTING (AIRCRAFT)



JET ENGINE OVERHAUL

Thousands and thousands of young men, like yourself, have been trained and placed in good paying positions by California Flyers School of Aeronautics. Today your opportunities are brighter than ever before. The expanding aircraft industry needs men...men...and more men to fill good paying positions as qualified Aircraft & Engine Mechanics. For security...a bright future...and a good paying position, start your training at California Flyers today. For many years, California Flyers has trained men to qualify for their CAA Aircraft and Engine Mechanic's license. From there they have advanced to greater and more profitable positions in the aviation industry. You can be one of these men! Act today. Send for complete free information.



**SCHOOL OF AERONAUTICS**  
ADJACENT LOS ANGELES AIRPORT • INGLEWOOD 1, CALIF.

## CALIFORNIA FLYERS

School of Aeronautics, Dept. AT-8  
1720 W. Florence Ave., Inglewood 1, Calif.

Please send me illustrated brochure containing full information about courses, tuition, etc. and application blank. I understand this will not obligate me in any way.

### I AM INTERESTED IN THE FOLLOWING:

Master Aircraft and Engine Mechanic ☐ Aircraft Mechanic ☐  
Engine Mechanic ☐ Jet Engine Maintenance & Overhaul ☐  
Engineering Drafting (Aircraft) ☐ I am Veteran ☐ non-Veteran ☐

Name \_\_\_\_\_ Age \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

THERE IS NO FLYING INVOLVED in AVIATION MECHANICS  
COURSES of CALIFORNIA FLYERS SCHOOL of AERONAUTICS



# The *Sting* of the SCORPION!



From the nose of Northrop's F-89 Scorpion spouts a hail of metal as six 20-millimeter cannons deliver fire power that literally *blasts a target to bits!*

But this fire power would be useless without a plane designed to bring the sting of the Scorpion into the right position at the right time.

It is the creation of powerful defenders like the Scorpion that offers a challenge to you who plan to enter aviation. And here is what you can do to meet the challenge.

Give yourself the best possible education in aviation by enrolling at PARKS COLLEGE.

At PARKS, theory plus practical application, will give you the greatest advantage in meeting the challenges of the aviation industry . . . and in equipping yourself to offer the most to aviation — commercial or military.

Next PARKS enrollment dates September 6, 7, 8 — Fall Semester. Applicants must be graduates from a 4-year high school, of good moral character and demonstrated ability.


APPELHANE

## AIR FORCE ROTC

Complete your schooling — without interruption — and receive a commission as a Second Lieutenant in the United States Air Force Reserve.

Fill out and mail this coupon today for additional information

## PARKS COLLEGE OF ST. LOUIS UNIVERSITY



2081 CAHOKIA ROAD

EAST ST. LOUIS, ILL.

PARKS COLLEGE OF SAINT LOUIS UNIVERSITY  
2081 Cahokia Road, East Saint Louis, Illinois

I am interested in:

☐ Air Transportation

☐ Aeronautical Engineering

☐ Aircraft Maintenance Engineering

Name..... Age.....

Address..... Zone.....

City..... State.....





Cover: Chase Assault  
Transports—S.C. Smith

- 10 Showcase
- 12 Air Notes
- 14 Airmen of Vision
- 19 First U. S. All-Jet Transport
- 22 Air Progress: Convair—D. Rolfe
- 24 Birth of the Midgets—C. S. Logsdon
- 26 Flying Flattops
- 28 Development Highlights
- 30 Hawker P-1081 Jet Fighter
- 32 Screamin' Demon—Bill Wisniewski
- 35 Design Competition: Towline Gliders
- 38 Carving a Pilot's Head—A. Kochman
- 39 Wittman's "Big X" & "Buttercup"
- 40 Elementary Modeling: Engines
- 44 First Rocket Plane Model—Musciano
- 47 Dope Can & Western Roundup
- 48 Tiny Tim
- 50 Model of Month—Cleveland's P-26A
- 51 Sketchbook—Drawings by Thomas
- 52 Motor of Month: Dooling Designs
- 56 Foreign News-Notes
- 58 Pushie
- 62 Sketchbook No. 2
- 66 Questions and Answers
- 68 Peculiar Planes Quiz

Editors: Albert L. Lewis, Art Director: W. F. Tyler,  
Technical Editor: Alexis Dawydoff, Editorial Pro-  
ductions: Carl Hoppel, Editorial Assistants: Rose  
Borello and Rosalba Accardi.

CORRESPONDENTS: Washington: Kendall K. Hoyt,  
West Coast Modeling: Dick Everett.

# STREET & SMITH PUBLICATIONS, INC.

President..... Gerald H. Smith  
Executive Vice President..... Ralph R. Whitaker, Jr.  
Vice President and Secretary..... Arthur P. Lawler  
Treasurer..... Thomas M. Kaiser

Walter J. McBride, Advertising Mgr., 573 Madison  
Ave., New York 22; Frank C. Smith, Mid-Western  
Adv. Mgr., 230 No. Michigan Ave., Chicago 1; West  
Coast Adv. Representative, Kimball, Menne Co.,  
1052 W. 6th St., Los Angeles 17, Calif.

AIR TRAILS published monthly by Street &  
Smith Publications, Inc., at 573 Madison Ave.,  
New York 22, N.Y. Entered as second class mat-  
ter at the post office at New York, N.Y. Author-  
ized as second class mail. Post Office Dept.,  
Ottawa, Canada. Copyright, 1951, by Street &  
Smith Publications, Inc. 25¢ per copy—\$2.50 per  
year, \$7.50 per year in countries of the Pan-  
American Union; \$3.00 per year in Canada;  
\$10.00 per year elsewhere. This issue is Vol.  
XXXVI No. 5. Please advise us if you move;  
allow four weeks for change of address. Give old  
and new address when notifying us. Subscription  
correspondence should be addressed to Subscrip-  
tion Dept., Street & Smith Publications, Inc., 304  
E. 45th St., New York 17, N. Y. All characters  
used in fiction and semi-fiction stories in this  
magazine are fictitious. We cannot accept re-  
sponsibility for unsolicited manuscripts or art  
work. Any material submitted must include  
return postage. Printed in the U.S.A.

## THE READERS WRITE: All Communications to the Air Trails editorial offices should be addressed to Air Trails, 304 E. 45th St., New York 17, N. Y.

**The First Turbo-Prop Plane . . .** In Andrew R. Boone's article "Here Come the Turbo-Props," he makes the amazing statement that the Convair XP5Y-1 was the first turbo-prop airplane in the world to take wing. Surely one of you people knows enough history to have corrected him. In England on March 24, 1948, the prototype Boulton Paul Balliol trainer powered with an A.S. Mamba prop-set made its first test flight—some time before the XP5Y-1, I should think!

Graham E. Martin, Bristol, England

● Sorry, cousin. It was certainly not our intention to depreciate the efforts of others in connection with the development of turbo-prop aircraft. The author was discussing the American effort; the U. S. designation was dropped inadvertently.

**Clipper Chisai Time . . .** In the article accompanying the plans for a slick loading PAA-Load model called Clipper Chisai, it gave its times, and I quote: "With 15 secs. engine run, R.O.G., payload abroad, the total endurance clocked in at about 75 secs, for half a dozen consecutive flights."

In my opinion this is lousy time. Didn't Frank Ehling hit 13 mins. to take first place at the 1950 Nationals?

Charles Sherman,  
St. Olaf College, Northfield, Minn.

● Practically in the same mail we received this letter from Japan from another Sherman—the Clipper Chisai's designer and father of Pan American's PAA-Load Event:

Once again I am indebted to you for a generous and artistic presentation in Air Trails. This time, of course, I refer to the beautiful treatment you gave Clipper Chisai in the May, 1951 issue. I am particularly impressed and gratified by the extremely fine work of your artist(s) in preparing the cutaway perspective. Having done some less complicated work of this sort, I appreciate keenly the effort and patience required. I hope you will do me the favor of passing on my sincere appreciation.

Should you be harboring any reservations that Clipper Chisai won't hold her own in competition, I think I can put your mind at ease by stating that her biggest need at the moment is a dethermalizer. Must confess I had believed in the past that the PAA-LOAD Occupant would act as sufficient dethermalizer. I still believe this is O.K. in principle, but the size and weight of the Occupant should be increased if we are to be certain the principle will work well enough to bring the model down during good flight atmosphere conditions. (I'm not proposing to change the rules now!) Anyway, on account of the conditions were good last Saturday, and Clipper Chisai had a new Wasp .049 strapped on her nose, and she got hand-launched in a gusty wind, and said Wasp whined 25 seconds instead of 20; Chisai flew O.O.S. in about 10 minutes and spent the weekend in the woods! Further, on account of there was a rainstorm all night and Chisai was fully exposed in a treetop, when she was finally retrieved, her frame was warped, her skin ripped and her finish ruined. The good Iwata brothers have undertaken her hospitalization and will doctor her up to same as new except—at my request—they are replacing her beautiful PAA silver and blue finish with an all-over coat of visibility orange color!

In case you're interested in how performance was improved (using for reference the drawings on page 50 of the May issue), here's how:

1. The nose is cut off at F3; a  $\frac{1}{8}$ " sheet balsa bulkhead installed there, to the front of which is glued the maximum size possible flat-bottomed U-shaped frame of  $\frac{1}{8}$ " sq. balsa. This frame acts as a "home" for the plywood firewall engine mounting.

2. A  $\frac{1}{8}$ " sheet plywood firewall is cut rectangular shape (to fit into the U-shaped "home") except rounded at top to conform to shape of upper nose cowling. Wasp .049 engine is mounted on this firewall as high as possible. Wire hooks are secured to engine by main engine assembly bolts.  $\frac{5}{16}$ " diameter x 3" pitch propeller is used.

3. A  $\frac{1}{8}$ " hardwood dowel is installed through the fuselage just below crutch at position F5. Rubber bands from ends of this dowel attach engine and firewall by gripping wire engine hooks. This allows easy and immediate thrust line adjustments by inserting spacers behind firewall.

4. Wheels are replaced by lighter ones of smaller frontal area but same diameter.

5. The  $\frac{1}{8}$ " sheet floor is moved from between F6 and F7 to between F5 and F6. The

Occupant is moved forward until his front is at F5. (With the Occupant's place here, don't try to fly without him!)

6. A  $3/32$ " x  $1/4$ " sheet is placed flat under leading edge of stabilizer back of F19.

Probable reasons for increased performance are:

a. More power. b. Power more efficiently applied; raised thrust line requires less downthrust. c. Sharper turn; due to shorter nose moment arm and less lateral area in front of C. G. d. Less resistance; due to decreased frontal area of wheels and decreased angular difference between wing and stabilizer. e. Lighter weight; weight saved by lightening nose and wheels.

So much for Clipper Chisai to the moment. But, since you know that fine models are usually developments rather than original inspirations, I warn you that I believe Chisai is worthy of further development and that you may hear more from her!

Dallas B. Sherman

**One Astrodome Missing . . .** Congratulations to you and Douglas Rolfe on the cutaway of the B-50D. Having worked on B-17s, B-29s and B-50A's while in the Air Force, I was very much interested in this article. I had only one fault to find. I believe your top view of the XB-29 is wrong. As I remember, the astrodome on the XB-29 was teardrop shape and located directly aft of the top pilot's windows. Am I right?

Bud Everett, Haddonfield, N. J.

● You are. The XB-29's astrodome had a teardrop shape and was mounted directly behind and above the pilot compartment. It "vanished" in the process of printing the black silhouette.


**Altitude Record . . .** I had an argument with my science teacher about what airplane had reached the highest altitude. Will you please settle that argument by naming it?

Harry Burkizen, Jersey City, N. J.

● Present altitude record for airplanes is 59,425 ft. held by British pilot John Cunningham. It was established in March 1948 with a deHavilland Vampire fighter.

**Don't Alter a Jet . . .** According to everything I've read, a model jet engine is a carefully tuned "pipe" and any alterations are out of order, in fact, will probably ruin same. I refer to your June "Sketchbook."

Peter Franklin, New York City



● AT agrees. No alterations or additions should be made to any model jet engine.

**Miss Quito Buzzes Prairie . . .** In your December edition I found two AA planes which I built and flew over the winter months. Miss Quito has made well over 75 successful flights and is still as good as new. Its longest flight was about one mile distance. It is almost impossible to fly out of sight here in Saskatchewan. The other plane I made was Hi-Pressure Pete which I have not had the opportunity to try yet because of the snow.

Frank Paisly, Plunkett, Sask., Can.

**Speed and Bubble/Flush Canopies . . .** Which was faster, the model Republic P-47 with the bubble canopy or the flush canopy? What about the F-51 with bubble or flush canopy? And what happened to the Grumman lightplane, the Kitten? I saw a picture of it once and I've never heard of it since.

David Kingman, Merrick, N. Y.

● Sorry, we cannot give you a positive answer as to speed difference between flush and bubble canopies. Perhaps some of our readers who have flown both can give us their opinions, which we will be glad to publish.

The Kitten was an experimental attempt by the Grumman Aircraft Engineering Company to get into the light personal aircraft field. They abandoned the idea long ago.

(Continued on page 9)





# 1718

**THE DRAFT**

(AGE 18—  
WRITE FOR INFORMATION)

**AGE 17—THE MOST IMPORTANT STEP**  
(AGE 16—STAY IN SCHOOL) If you want the **AIR FORCE** or **ESSENTIAL WORK** you must train for it . . . before it is too late.

At 17 whether you realize it or not, you **MUST** make a vital decision—Whether you will prepare yourself for maximum service to our defense program—for better military qualification—for a future civilian career in connection with either military or defense—or whether to continue your present routine and take a chance on the future.

**WISE YOUNG MEN ARE ACTING NOW.** They are gaining skills that will qualify them for better positions in either military or defense fields. At 17 you still have time for training. **AVIATION IS AN ESSENTIAL INDUSTRY IN PEACE OR WAR**—and the **FUTURE** for one trained in Aviation can be almost without limit. **SO DON'T DELAY WHILE YOU HAVE TIME FOR THIS TRAINING.**

Since 1929 CAL-AERO has trained young men for Aviation Careers through peace and war, specializing in—

**AERONAUTICAL ENGINEERING**  
**MASTER AVIATION MECHANICS**  
**JET ENGINE**  
**Maintenance & Overhaul**



**BE WISE—PROTECT YOUR FUTURE**

**TRAIN IN  
SUNNY SOUTHERN  
CALIFORNIA**

EST. 1929  
**CAL-AERO**  
**TECHNICAL INSTITUTE**

**GRAND CENTRAL AIR TERMINAL**  
GLENDALE 1, Los Angeles County, CALIFORNIA

## MAXIMUM TRAINING IN MINIMUM TIME

**TO MEN 18 OR OVER**—Regardless of your draft status, let us send you information about Aviation Training for defense and eligibility for military preference.

**TO PARENTS**—If your son is approaching the draft age, give him a chance to get this finest training. It may be important to him; and to you!

**CAL-AERO is an accredited higher institution**, listed by the U. S. Office of Education. Engineering Curriculum approved by E. C. P. D. . . . recognized by the U. S. Air Force and the U. S. Navy—Cal-Aero Engineering graduates are qualified educationally to become **AIR FORCE CADETS**, **NAVAL AVIATION CADETS** and **OFFICER CANDIDATES**.

During World War II Cal-Aero was first and trained more than 26,000 pilots and 7500 technicians for the military Air Forces, in addition to our civilian graduates going into essential aircraft work.

**TODAY**—Cal-Aero is again first in training military personnel, under contract to the U. S. Air Force, in addition to our regular civilian program — **WHAT BETTER RECOMMENDATION WOULD A SCHOOL HAVE?**

**APPROVED FOR  
VETERANS**

**DON'T DELAY • MAIL TODAY**

CAL-AERO TECHNICAL INSTITUTE, Grand Central Air Terminal,  
Glendale 1, Calif. • Send full information and free catalog, immediately.

☐ **AERONAUTICAL ENGINEERING**  
☐ **MASTER AVIATION MECHANICS**  
☐ **JET ENGINE—Maintenance and Overhaul**

**HOME STUDY COURSES**  
☐ AERONAUTICAL DRAFTING ☐ AIRCRAFT BLUEPRINT READING  
☐ STRESS ANALYSIS AND DESIGN

NAME \_\_\_\_\_ AGE \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_  
HIGH SCHOOL ATTENDED \_\_\_\_\_ ZONE \_\_\_\_\_  
Check one: ☐ Veteran ☐ Non-Veteran  
GRADUATED: YES ☐ NO ☐  
AT-8







# Complete FLYING OUTFITS

WORTH TWICE OUR COMBINATION PRICE!

**WE WILL SUPPLY**  
A complete flying outfit with your own choice of any advertised engine or plane—and save you money. Just order from us or write for price.  
**IF IT'S ADVERTISED, WE HAVE IT**


**IT ISN'T OFTEN** that you get the chance to buy, at less than half price, a U-Control Plane, Engine and All-Accessory Outfit with your own choice of a well-known FACTORY ASSEMBLED ignition or gto engine. Everything carries the famous America's Hobby Center as well as the manufacturer's guarantee.

Even if you are a beginner, you won't have trouble building and flying any of these flying outfits, full-size plans of any easy-to-build and fly plane, every accessory you will need, complete instructions, etc. If you are an old-timer at building and flying model planes, we don't have to tell you what these bargain outfits are really worth.

Thousands of these complete units have already been sold. They have met with enthusiastic reception because they represent a value unheard of before in the modeling field. The price is so low that we cannot sell to dealers. You really save from \$10 to \$12 by buying the complete, packaged unit—everything is engineered by experts for a perfect flying combination.

**YOUR OWN CHOICE OF ENGINE, PLANE, PLUS ALL ACCESSORIES, INCLUDING:** Correct size finished propeller • 3-way plug wrench • Presto Engine starter with handle and cord • Speed indicator tables • Log Book • Motor cover • Spark or gto plug with gasket • Complete engine instructions • 24 page Gas Engine Theory Manual • Engine adjustment chart • Metal fuel tank and gas line • Metal Battery box • Wilco Quality Coil • 12" Hi-tension lead wire and end clips • 18" insulated ignition wire • Ignition slide switch • Coil holder and mount • Everlast condenser • SAE #70 Oil • 4 Ignition wiring lugs • Spark plug gauge set • 2 plane identification tags • 72 insignias • GIANT book on Control-liners, How to build and fly them • Cement • Sandpaper • "Pro" all-metal knife and blade • Metal boltcrank with bolt, nut and washer • Elevator horn • Elevator hinges • Lead-in wire • Push-rod wire • U-Control handle • 100 ft U-Control stainless steel wire reel • Membership in Modelcrafters of America • 64 pg 2-color catalog • Postage • Packing • Insurance. Ignition parts not needed with gto-engine not included.

**YOU WON'T GET OTHER BARGAINS LIKE THESE!**



TRAIL BLAZER Model Plane with curved lower fuselage-half, fully formed aluminum upper half. Balsa sheet wing, no tissue used. Balsa tail surfaces, plywood engine mount. Schematic drawings with step-by-step plans. Rubber wheels, detail paint schemes. 24" wingspan.


**PLUS ALL ACCESSORIES LISTED ABOVE**

## NEW .099 UNITS


**Includes all 3 items**

For ease of assembly, for trouble-less operation and for real effortless U-Control flying, these units are the answer to the modeler's dream. Even the beginner will have no trouble in assembling the outfit in one evening and be completely ready to fly the next morning.

**1 You get your choice of**



**2 PLUS** Your choice of 2 completely prefabricated kits



**3 Plus all accessories**

**COST ONLY** McCoy 9 Gto Outfit **\$10.95**  
O.K. Cub .099 Outfit **\$ 9.95**




## AA FLYING OUTFITS

These are the new pint-size gto engines that are as tiny as 1 1/2 ounces! but develop plenty of power for free-flight or U-control flying.

**Your own choice**



**Plus** your choice of planes:



**Plus all accessories**



## 5 ACES OUTFIT

The biggest bargain we have ever offered. Over \$10.00 of merchandise for only \$5.55.

**1 YOUR CHOICE OF**



**2 PLUS** your choice of 4 prefabricated Scientific 22" span u-control planes.



**3 PLUS ALL ACCESSORIES**

**COST ONLY**

With O.K. Cub **\$9.95**  
With Spitzzy **\$5.55**

## AEROMITE \$9.95

A really beautiful red plastic job 17" wing span with Baby Spitfire engine, prop spinner, tank, etc. already installed. Shock absorbing spring steel landing gear. Jim Walker U-control for previous and short flying, plastic control handle, nylon control cord.



## A. J. FIREBAY \$7.50

Beautifully finished and painted, even fuel-proofed. 19" span. Includes new "slow-motion" propeller and engine.




## READY-TO-FLY OUTFITS

All you do is take the plane out of the box, fill the tank, and FLY. You don't have the fun of building—all the fun's in the flying. Just nothing to build. And to fly, all you'll need extra is fuel and battery. All U-control.

## BUSTER \$7.95

Scale model of Whittman Speed 12's span K & B Toys engine already installed



## DOUGLAS NAVY SKYRAIDER \$9.95

All plastic model including K & B Toys 1/2" engine. Landing Gear with aluminum wheels, dials, tank, spinner, etc. Includes nuts and bolts for minor assembly.



## YANK \$5.95

Scale 23" span championship model. Finished in two colors and fuel proofed. Equipped with O.K. .039 engine and all accessories.



**SOLDIERS!  
SAILORS!  
MARINES!**

Orders placed through us get special attention. We understand your problems and take special care of your orders. Or send for our **SPECIAL SERVICES DATA**



**\$6.95**

**COMPLETE RACE CAR COMBINATION OUTFIT**

NEW! Scientific's "RACE-PLAN" race car, complete with direct drive. PLUS O.K. .049 engine. PLUS all needed accessories. Five minutes after you open the package, you can race this car on any smooth surface, even your own backyard or cellar. Speeds over 40 miles per hour. COMPLETE except for fuel (.05c) and starting battery (.05c). Car alone \$2.95.

**How To Order** Send remittance in full (we prepay packing and insurance) or send \$1 and we ship collect C. O. D. same day for balance. Address your order to us at your nearest branch office.

- Dept. TC-81, 186 West 22nd St., New York 11, New York
- Dept. TC-81, 55 E. Washington Street, Chicago 2, Illinois
- Dept. TC-81, Rm. 230, 142 Market St., San Francisco 2, California
- Dept. TC-81, Rm. 306, 427 Carondelet St., New Orleans, La.
- Dept. TC-81, Gas & Electric Bldg., Denver 2, Colorado

**America's Hobby Center INC**  
**A GENERATION OF FAIR DEALING GUARANTEES YOUR SATISFACTION**





# Have You Tried Hand-Launching?

Just imagine the fun and convenience of being able to fly your plane anytime... anywhere... entirely unassisted! With a Jim Walker U-Reely Control you can hand-launch your plane... fly it far out... do aerobatics at a safe altitude... then reel it back into your hand! U-Reely Control makes flying more spectacular and more enjoyable. Your flying lines are kept off the ground and ready for instant use at all times.

## Jim Walker U-REELY CONTROL

Precision-made of new high-impact plastic with metal bushings for long life. Compact, sturdy and waterproof. Lightweight — only 11 oz. with flying wires. Brake has new, positive safety lock. Non-slip safety grip handle.

With 120-ft. single strand flying wires..... \$7.50

With 80-ft. 7-strand cable flying lines..... \$8.50



Jim Walker **A-J** AIRCRAFT CO.

1166 N. E. 31st Ave. Portland 12, Oregon



### A-J FIREBABY

Comes ready to fly, including flying lines and instructions. 19" span, wt. 3 oz.  
\$2.50 ..... with motor... \$7.50



### FUEL REGULATOR

Supplies fuel under pressure in any position until tank is dry! Complete with Pressure Fuel Tank ..... \$2.50



### A-J FIREBALL

Original U-Control Plane. . . . High maneuverability. Kit includes control handle, flying lines, wheels... \$4.95



(Continued from page 4)

Lynn H. Bilgeu, Chadron, Nebr.

● Anybody got any good suggestions on the subject?

Donald Crieger, Parkersburg, W. Va.

**Full-Size Plan Library.** . . . Our newly installed plan library of full-size plans is very successful. We rent the plans for 10c a month to any member of the club. If the plans become misused, torn or damaged in any way we fine 25c per plan damaged. It's a good idea for other smaller clubs.

Oregon Sky Wolves, McMinnville, Ore.

Can anyone supply us with their present addresses?

I would like to know if a minor may enter your Airmen of Vision contest and if a second entry could be made.

Robert Dorr, Silverhill, Md.

• The answer to both questions is yes.

Algird Sciuka, New Britain, Conn.

● If you read the caption carefully you will note it states "Italy's first postwar jet plane." The Caproni-Campini jet plane was built in 1939 and made its first flight in August 1941.

**Questions on Color . . .** I am building a scale P-51 Mustang and would like to know some of the colors the plane was painted during World War II.

Dean Stagle, Billings, Mont.

● Up to January 1944 all military planes were painted an olive drab. After that date they were no longer painted but left with their natural aluminum finish, with the exception of some transports.

... I received your plans for the F-82 twin Mustang. The pictures I have seen look like these planes were painted black and some silver with a black cowl. I am not sure they were the colors but would like to know what the color of yours is.

- All F-82s in service as night fighters were painted a dull black. Others retained their natural aluminum finish.

## ROYAL SPITFIRE .065

### Most Powerful 1/2A engine

CURTISS P40F

**PLUS** (By Monarch)

20" wingspan 'Spittin' Image' control-line model. Extra deluxe kit, PERFECTLY and COMPLETELY PREFABRICATED. A beautiful model you will be proud to fly—and a cinch to build in only one evening.

**PLUS**

**PLUS** EVERY accessory to build and fly except dope, fuel and battery. INCLUDED are matched propeller, tank and fuel line, glo plug, connecting clip and wire, wrench, motor mounts, mounting bolts and nuts, flying wire and reel, control handle, motor cover, identification tags. Presto engine starter, all hardware, bellcrank, elevator horn, hinges, sandpaper, cement, rubber wheels, decals, lead-out and pushrod wire, formed landing gear, engine instructions, full-size plane plans and instructions, log book, speed indicator. PLUS Glo Engine Handbook, giant book on Control-liners, PLUS membership in Modelcrafters of America, postage, packing, insurance and 64 page 2-color hobby catalog.

BEAT THIS COMBO PRICE IF YOU CAN  
A \$10.00 VALUE FOR ONLY \$9.95

**AMERICA'S HOBBY CENTER**

**EVERYTHING** in this magazine can be ordered from A.H.C.



## N. Y. CITY MODELERS

largest retail stock in N. Y. —  
4-story building to serve you. Near  
all subways. DROP IN FOR YOUR  
MODELING NEEDS. Bernard B.  
Winston, modeling author and  
expert, always here to help you  
with your problems. Complete store  
of antique maps and services.

**WHAT OTHER HOBBY STORE GIVES YOU:**

- 1. **FREE** one year subscriptions to Model Airplane News, Air Trails and Flying Models to our regular customers.
- 2. **14-Day Money Back** guarantee on unused purchases.
- 3. **Unused purchases** exchangeable within 14 days.
- 4. **No postage or packing charges** — we insure safe delivery.
- 5. **24 Hour service.** Mail addresses in Chicago, Denver, New Orleans and San Francisco (which will affirm your orders to our N. Y. office for prompt shipment)
- 6. **Most complete model stock** in America — gas, rubber, solid, etc., etc. If it's advertised, we can usually supply it.
- 7. **Competent understanding** of your modeling problems.
- 8. **No "minimum" orders.** Any order is welcome.
- 9. **FREE gas motors, 50 ITEMS WORTH OVER \$7.50 AT NO EXTRA COST.**
- 10. **FREE rubber wheels, knife, etc., etc., with every gas plane selling for over \$1.50. 12 ITEMS WORTH \$3.50 AT NO EXTRA COST.**
- 11. **FREE membership** in "Modelcrafters of America", the club that keeps you up to date on the latest modeling news and **SAVES YOU MONEY ON YOUR PURCHASES.**
- 12. **FREE illustrated giant 2-color 66 page catalog** with every order.

## AHC does!!

## HOW TO ORDER

Send remittance in full (we prepay packing and insure) or send \$1 and we ship collect C.O.D. same day for balance. Address your order to us at your nearest branch office.

*America's Hobby Center INC.*

Please RETURN me the following:


Dept. TC-81

Name \_\_\_\_\_

Street Address.....

City .....

158 West 22nd St., New York 11, New York  
55 E. Washington Street, Chicago 2, Illinois  
Rm. 230, 742 Market St., San Francisco 2, California  
Rm. 308, 427 Carondelet St., New Orleans, La.  
Gas & Electric Bldg., Denver 2, Colorado

Page	Quantity	Name & Description of Items	Cost Each	Total
	ONE ONE ONE	ENGINE TROUBLE TRACER & AID MANUAL SPEED INDICATOR CHARTS FLIGHT LOG BOOK	<b>FREE</b>	with each order
			<b>Total</b>	

**24 HOUR SERVICE AT ALL TIMES**

**FREE**

**Handy WORK-BENCH EDITIONS of the \$1.00 "Control-Liners — How to Build and Fly Them" or "Glo Engine Handbook" for only 25c each, if you use this order blank.**



Did you know?



... that Warren Fletcher, noted builder and designer, has switched to TRIM-FILM products. The reason being that he gets a better looking model faster. Do as the experts are doing. Switch to TRIM-FILM products now. Send for a free sample of TRIM-FILM and Tips Booklet today. Send to:  
Hobby Decal Specialists  
314-A Elm St. Perth Amboy, N. J.

## ATTENTION! SPEED FLYERS DESERT STREAK KIT



Your dream has now become a reality. This Desert Streak kit is an all metal one except the top. It's unusual in that it is already highly polished; the wings are flush-riveted. It's a classy, flashy, self-performing plane. It has established an unquestionable record of winners in contests. It's something different—just what you've been looking for. It is the only one of its type you can find for the money. Yours for \$6.45 C. D., or \$5.95 for the B.

Official A.M.A., speeds 150 mph. and over for three years.

Get yours before the metal shortage. Manufactured by

**DESERT MODEL CO.**

2130 E. Broadway or 934 E. Van Buren, Phoenix, Arizona



9 beautiful power boat construction kits—25" to 33½" length. \$5.50 to \$9.50. Write for literature on boats, motors, fittings. At all hobby stores. Chris-Craft, Owens, Harbor, Vinyard, Colonial. Large boat construction from factory plans.

**DUMAS PRODUCTS**

2347 Aviation Highway, Tucson, Arizona

World's Largest Builder of Motor Boat Models

# Showcase

Try your favorite hobby shop for items presented here. Write the manufacturer if you can't find it.

Prefabrication hits the towline glider field with Enterprise Model Aircraft & Supply Co's Towline Terror, featuring an elliptical wing with elliptical dihedral and the high-lift "Ritz" airfoil. Kit sells for \$1. Fuselage has a double keel with "circlimatic" construction

... Did you know that Herkimer Tool & Model Works has a Cub flywheel for use in model cars and boats? Fits the .039, .049 and .074 Cubs; has integral spin starting groove and is plated against corrosion. It weighs 1.5 oz. and has a diameter of 1⅜ in., a width of ⅝ in. ... A full line of model gas tanks is offered

by Engineered Toys in its Rite-Pitch selection. Twenty-three sizes are

available. These tanks are made from tin-coated steel with thin walled copper vents, fillers and feeds. Priced at 60¢ each. ... Consolidated Model Engineering Co. has a nifty idea: "first name" decal transfers so you can name your model after friends or members of your family. Consolidated offers about 150 boys' names (from Al to Willie) and an equal number of girls' names (from Adele to Vivian). You get six of the name decals in the form of small pen-

nants for 25¢. ... One of the most unusual scale kits to make its appearance in the model field is Testor's new \$1.50 Vickers-Supermarine Spitfire (MK-19 version) because of the remarkable molded-to-shape fuselage and wing. The model has a wing span of 17½ inches and an overall length of 16 inches. All parts in the kit are shaped and ready for assembling. Key-Lock assembly is utilized; it employs die-cut formers which fit securely into place in the keel section with the simple slot-slide action of a key turning in a lock. Testor says this technique insures positive location and correct alignment of parts, saves building time, gives model greater rigidity. (Continued on page 16)



**Yeco PRODUCTS**

*The Champions' Boast  
From Coast to Coast!*

**CONTROLINE KITS**

- Brave
- Warrior
- Chief
- Squaw
- Papoose
- Scout

**FREE-FLIGHT KITS**

- Dakota
- Sioux
- Taylor Cub

**CHIEF**

Engines • Planes  
Propellers • Wheels • Accessories

**HENRY ENGINEERING CO.**  
Burbank, California

**Royal**

*Spitfire*

KING of the  
MINIATURES

.065

ONLY  
**7<sup>95</sup>**  
Complete Package

More POWER Than  
Any ½A Engine.

**MEL ANDERSON**  
Manufacturing Co.  
1819 THIRD AVE., LOS ANGELES CALIF



# NOW!



Industry needs *trained* men—needs them NOW!

Can you qualify for the premium jobs that are open to trained draftsmen, machinists, technicians?

You can, if you start preparing yourself immediately. And the International Correspondence Schools can help you.

Just mark and mail the coupon below. We'll rush you full information about practical, easy-to-understand I. C. S. Courses—courses being used by many defense industries to train workers.

The time for action is NOW!

## INTERNATIONAL CORRESPONDENCE SCHOOLS



BOX 4937-E, SCRANTON 9, PENNA.

Without cost or obligation, please send me full particulars about the course *before* which I have marked X:

- |  |   |   |   |  |
|--|---|---|---|--|
| <b>Business and Academic Courses</b><br><input type="checkbox"/> Account'g <input type="checkbox"/> Advertis'g<br><input type="checkbox"/> Bookkeeping <input type="checkbox"/> Bus. Law<br><input type="checkbox"/> Business Administration<br><input type="checkbox"/> Business Correspondence<br><input type="checkbox"/> Cert. Pub. Acct.<br><input type="checkbox"/> Commercial <input type="checkbox"/> Com'l Art<br><input type="checkbox"/> Cost Accounting<br><input type="checkbox"/> Federal Tax<br><input type="checkbox"/> First Year College<br><input type="checkbox"/> Foremanship <input type="checkbox"/> French<br><input type="checkbox"/> Good English<br><input type="checkbox"/> High School<br><input type="checkbox"/> Higher Mathematics<br><input type="checkbox"/> Illustration<br><input type="checkbox"/> Industrial Supervision<br><input type="checkbox"/> Motor Traffic<br><input type="checkbox"/> Postal Civil Service<br><input type="checkbox"/> Retailing<br><input type="checkbox"/> Retail Bus. Mgmt.<br><input type="checkbox"/> Salesmanship<br><input type="checkbox"/> Secretarial<br><input type="checkbox"/> Sign Lettering<br><input type="checkbox"/> Spanish <input type="checkbox"/> Stenography<br><input type="checkbox"/> Traffic Management<br><input type="checkbox"/> Typing | <b>Air Conditioning and Plumbing Courses</b><br><input type="checkbox"/> Air Conditioning<br><input type="checkbox"/> Heating <input type="checkbox"/> Plumbing<br><input type="checkbox"/> Refrigeration<br><input type="checkbox"/> Steam Fitting<br><b>Chemical Courses</b><br><input type="checkbox"/> Chemical Engineering<br><input type="checkbox"/> Chemistry, Analytical<br><input type="checkbox"/> Chemistry, Industrial<br><input type="checkbox"/> Chemistry, Mfg. Iron and Steel<br><input type="checkbox"/> Petroleum Refining<br><input type="checkbox"/> Plastics<br><input type="checkbox"/> Pulp and Paper Making<br><b>Civil Engineering, Architectural and Mining Courses</b><br><input type="checkbox"/> Architectural Drafting<br><input type="checkbox"/> Architecture<br><input type="checkbox"/> Building Estimating<br><input type="checkbox"/> Civil Engineering<br><input type="checkbox"/> Coal Mining<br><input type="checkbox"/> Contracting and Building | <input type="checkbox"/> Highway Engineering<br><input type="checkbox"/> Lumber Dealer<br><input type="checkbox"/> Reading Structural Blueprints<br><input type="checkbox"/> Sanitary Engineering<br><input type="checkbox"/> Structural Drafting<br><input type="checkbox"/> Structural Engineering<br><input type="checkbox"/> Surveying and Mapping<br><b>Communications Courses</b><br><input type="checkbox"/> Electronics<br><input type="checkbox"/> Prac. FM and Television<br><input type="checkbox"/> Practical Telephony<br><input type="checkbox"/> Radio, General<br><input type="checkbox"/> Radio Operating<br><input type="checkbox"/> Radio Servicing<br><input type="checkbox"/> Telegraph Engineering<br><b>Electrical Courses</b><br><input type="checkbox"/> Electrical Drafting<br><input type="checkbox"/> Electrical Engineering<br><input type="checkbox"/> Electric Light and Power<br><input type="checkbox"/> Lighting Technician<br><input type="checkbox"/> Power House Electric<br><input type="checkbox"/> Practical Electrician<br><input type="checkbox"/> Ship Electrician | <b>Internal Combustion Engines Courses</b><br><input type="checkbox"/> Auto Technician<br><input type="checkbox"/> Aviation<br><input type="checkbox"/> Diesel-Electric<br><input type="checkbox"/> Diesel Engines<br><input type="checkbox"/> Gas Engines<br><b>Mechanical Courses</b><br><input type="checkbox"/> Aeronautical Eng'r's, Jr.<br><input type="checkbox"/> Aircraft Drafting<br><input type="checkbox"/> Flight Engineer<br><input type="checkbox"/> Forging <input type="checkbox"/> Foundry Work<br><input type="checkbox"/> Heat Treatment of Metals<br><input type="checkbox"/> Industrial Engineering<br><input type="checkbox"/> Industrial Instrumentation<br><input type="checkbox"/> Industrial Metallurgy<br><input type="checkbox"/> Machine Shop<br><input type="checkbox"/> Machine Shop Inspection<br><input type="checkbox"/> Mechanical Drafting<br><input type="checkbox"/> Mechanical Engineering<br><input type="checkbox"/> Mold-Loft Work<br><input type="checkbox"/> Patternmaking—Wood, Metal<br><input type="checkbox"/> Reading Shop Blueprints<br><input type="checkbox"/> Sheet-Metal Drafting<br><input type="checkbox"/> Sheet-Metal Worker<br><input type="checkbox"/> Ship Drafting | <input type="checkbox"/> Ship Fitting<br><input type="checkbox"/> Tool Designing<br><input type="checkbox"/> Toolmaking<br><input type="checkbox"/> Welding—Gas & Electric<br><b>Railroad Courses</b><br><input type="checkbox"/> Air Brake<br><input type="checkbox"/> Car Inspector<br><input type="checkbox"/> Diesel Locomotive<br><input type="checkbox"/> Locomotive Engineer<br><input type="checkbox"/> Locomotive Fireman<br><input type="checkbox"/> Locomotive Machinist<br><input type="checkbox"/> Railroad Sect'n Foreman<br><input type="checkbox"/> Steam-Diesel Loco. Eng.<br><b>Stationary Engineering Courses</b><br><input type="checkbox"/> Boilermaking<br><input type="checkbox"/> Combustion Engineering<br><input type="checkbox"/> Engine Running<br><input type="checkbox"/> Marine Engineering<br><input type="checkbox"/> Power Plant Engr.<br><input type="checkbox"/> Steam Engineering<br><b>Textile Courses</b><br><input type="checkbox"/> Cotton Manufacturing<br><input type="checkbox"/> Loom Fixing<br><input type="checkbox"/> Rayon Weaving<br><input type="checkbox"/> Textile Designing<br><input type="checkbox"/> Woolen Manufacturing |
|--|---|---|---|--|

Name \_\_\_\_\_ Home Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_  
 Age \_\_\_\_\_ Present Position \_\_\_\_\_ Employed by \_\_\_\_\_ Working Hours \_\_\_\_\_ A.M. to \_\_\_\_\_ P.M.

Special tuition rates to members of the Armed Forces.

Canadian residents send coupon to International Correspondence Schools Canadian, Ltd., Montreal, Canada.



# Aero Gloss

**NEW**

**C-77**



**Hot Fuel  
Proof**

**CEMENT**

**C-77 Hot Fuel Proof CEMENT**


It's the newest member of the Aero Gloss family of finer finishes! Like all Aero Gloss products C-77 CEMENT is proofed against hot fuels... you fly with confidence, even when you use the hottest of hot! Unaffected, C-77 CEMENT holds parts in place... will not weaken and cause accidents in mid-air! Large tube available NOW at your Dealers'

**25¢**

## Aero Gloss

The only TRUE Hot Fuel Proof Dope  
SPECIFICALLY RECOMMENDED BY  
ENTERPRISE MODEL AIRCRAFT

for their



**F-84 THUNDER JET**

**New  
Glass  
Jar**

**Same  
Fine  
Finish**



Ask your Dealer for his advice on  
the finest finish obtainable and he'll tell you

## Aero Gloss

The Finish That Mirrors Perfection

**PACTRA CHEMICAL COMPANY**

Makers of the Most Complete Line of  
Handicraft and Model Finishes

1215 No. Highland Ave., Los Angeles 38, Calif.

## air notes

TARZON super bomb (27 ft., 12,000 lbs.) has been used in Korea since last August; blown bridge girders 150 ft. in air. . . . SAVAGE is official name for North American AJ-1, Navy's heaviest carrier-based bomber powered by 2 piston engines plus jet in tail. . . . NATIONAL AIR RACES set for August 18 & 19 at Detroit; limited Air Force & Navy participation expected. . . . Caro Bayley's 30,203 ft. altitude record in 125 hp Super Cub okayed as official international mark by FAI. . . . AIR FORCE FLAG approved is dark blue, has eagle with outstretched wings above white & sky-blue shield (the AF seal); inset at top of shield is gold thunderbolt & shaft of lightning; shield is encircled by 13 stars

\* \* \*

BELL AIRCRAFT to build \$3 million plant at Fort Worth for manufacture of helicopters. . . . ICAO wants all seats in passenger aircraft to withstand 9 G's; present regulations call for 6 G's. . . . KAISER-FRAZER's aircraft division (Oakland, Calif.) awarded contract for components of Lockheed P2V, Navy anti-sub patrol plane. . . . TF-51 is 2-place advanced training version of F-51 Mustang with enlarged cockpit for student & instructor in tandem. Texas Eng. & Mfg. Co., Dallas, is making the conversions. . . .

\* \* \*

BRAZIL JET AIRLINER good possibility with Panair do Brazil line operating deHavilland Comets by '54 on transatlantic routes. This will be Series II Comet with more powerful Rolls-Royce Avon engines; payload of 14,000 lbs.; will seat 48 passengers. . . . SHIPS IN CONVOY expected to carry own helicopters for defense against submarines in event of war. English trials with Westland-Sikorsky S-51 operating from small flight deck atop supply ships may free carriers from merchant ship escort duties. . . . FOREIGN INVASION: deHavilland Dove & Percival Prince, twin-engine light British transports, demonstrating their abilities in U.S. as possible feeder line & executive planes. . . .

\* \* \*

NON-STOP RECORD for lightplanes from Los Angeles to New York City set by Max Conrad in Piper Pacer: 2,460 miles in 23 hrs., 27 min. Conrad flew same ship to Switzerland last year. . . . WING TIP FLEX of Boeing B-47 six-jet bomber is 20 ft. Pilots see wing tips & outboard nacelles taking bumps while cockpit rides smoothly.

\* \* \*

TB-50D flying schoolhouse version of B-50; used to train students in navigation, visual & radar bombing. Graduates assigned as navigator-bombardier-radar operators on 600 mph B-47. . . . NAVY'S CONSTITUTIONS, two huge Lockheed transports, have chalked up combined total of 3,000 hrs. flying. Double deck, 180 passenger transports fly high priority cargo from D.C. to Calif., from Calif. to Hawaii. . . . EL AL ISRAEL National Airlines inaugurated mail & cargo service NYC to Israel. . . . WORLD'S FASTEST GAL is Mme. Jacqueline Auriol of France who flew French-built Vampire jet fighter at 509 mph average over 100 kilometer course.

\* \* \*

ENEMY PLANES destroyed over Korea included 147 MiG-15s out of first 314 Commies knocked out of action. For same period USAF's Far East Air Force lost 220 of all types; only 11 of these were brought down by Red fighters. . . . TANDEM-TYPE landing gear by Fairchild gives wider "footprint" to C-119; increases usefulness of Packet permitting big plane to land on unprepared fields with rough sod or soft surface.

\* \* \*

EARTH SATELLITE ROCKET can be expected in 10-15 years, says Martin's chief engineer William B. Bergen. Speed of more than 16,000 mph will send it outside earth's atmosphere, enable it to establish itself in earth's orbit. Purpose: carry H-bomb over distant target in matter of minutes. . . . PLYMOUTH car outfit building hulls for Grumman SA-16 Albatross air-sea rescue amphib. . . . DOUGLAS has orders for 103 DC-6B's from 21 domestic & foreign airlines. . . . DEHAVILLAND has orders for 23 jet Comet 'liners; French Compagnie Maritime des Chargeurs Reunis airline ordered two Series I jobs powered by Ghost engines.



# WANT AN AVIATION CAREER?



## DALLAS AVIATION SCHOOL

... offers the instruction and training that can make your dreams of an aviation career a reality! Here is your opportunity to gain the specialized technical skills that will qualify you for a top-pay position in one of the most interesting fields of aviation... AIRCRAFT AND ENGINE MECHANICS. Don't delay... write TODAY for complete information about DALLAS AVIATION SCHOOL and how you can begin an interesting and profitable aviation career.

*Photograph at left shows panorama view of Love Field, Dallas, Texas, with Dallas Aviation School area indicated by dotted frame in upper portion.*

Look at these facts about DALLAS AVIATION SCHOOL . . . one of the nation's leading technical institutions . . .

● DALLAS AVIATION SCHOOL was established in 1926. It was organized and is still maintained today by men who were pioneers in aviation.

● DALLAS AVIATION SCHOOL is recognized and approved by the United States Civil Aeronautics Administration.

● DALLAS AVIATION SCHOOL offers courses of instruction in every phase of aircraft maintenance and repair and related fields.

● DALLAS AVIATION SCHOOL training is supervised and conducted by licensed CAA Mechanic-


Instructors... men with technical "know-how" gained through actual on-the-job experience.

● DALLAS AVIATION SCHOOL trained thousands of men for duty as aircraft mechanics and technicians during World War II.

● DALLAS AVIATION SCHOOL is again training Military Personnel under contract to the U. S. Air Force... in addition to its regular civilian training program.

● DALLAS AVIATION SCHOOL students come from all parts of the U. S. and the world... Canada, Mexico, Central and South America and Europe.

Send TODAY for this interesting, illustrated booklet . . .



Registrar, Dallas Aviation School  
Love Field, Dallas, Texas, Dept. AT851

Please send me your new 1951 catalog and complete information about enrollment

Name \_\_\_\_\_ Age \_\_\_\_\_  
Address \_\_\_\_\_ ☐ VETERAN ☐ NON-VETERAN  
City \_\_\_\_\_ State \_\_\_\_\_

(PLEASE PRINT ALL INFORMATION)



## DALLAS AVIATION SCHOOL

AN AFFILIATE OF AVIATION ACTIVITIES COMPANY

LOVE FIELD • DALLAS, TEXAS

1926 ★ TWENTY-FIFTH ANNIVERSARY YEAR ★ 1951




# Airmen of Vision

## DESIGN COMPETITION

To J. J. Szakacs of San Diego, Calif., go this month's honors for design of a variable wing area aircraft. By rotating wing, area is considerably reduced as well as span and a sweep angle of 65° achieved, suitable for supersonic flight in 2000 mph region. With wing in high-speed trim, roll is accomplished by use of elevons of horizontal tail, which has large surface area. Span 35 to 16 ft.



"Manta" (Devil Fish), an attack bomber by V. A. Davis of Portsmouth, Va., uses lifting fuselage idea which gives plenty of space for the two 5000 lb. thrust jet engines and the self-sealing fuel tanks. Starboard wing tip carries radar antenna in streamlined housing. A powerful searchlight is on port wing tip.



A 190 cu. in. canard midget racer by John S. Moore of Springfield, Mo. Elevator has no stabilizer, entire unit rotating around its longitudinal axis. Not too good an idea as such type elevator is apt to be oversensitive and devoid of feel. Should be equipped with anti-servo tabs. Span 15 ft., length 15 ft. Estimated speed 200 mph.



Air Trails has opened its columns to those who are interested in presenting plans for "aircraft of the future." Rules governing the competition are as follows: Three-view sketches of the proposed aircraft will be required. These should be not less than 8 1/2 x 11 inches for the entire three-views. Give sketches of the complete airplane in three-quarter front and rear positions. Photos of a model of proposed design may be included. Information on power plant(s), estimated performance, dimensions, and explanations of any unusual features are required. Data as to age, occupation or schooling of the entrant will be welcomed by the editors and

Judges. The designs may be of any type: commercial aircraft, military planes (fighters, bombers, troop transports), planes for the private flyer and single-engine sporting or racing craft. The entry each month judged the most practical or of the greatest significance will receive an award of \$25. Payments of \$5 will go to the runners-up. Entries will not be returned and for that reason those participating should keep copies of all material submitted. Mail entries to Airmen of Vision, c/o Air Trails, 304 E. 45th St., New York 17, N. Y. Editors regret that because of large number of entries they cannot enter into correspondence on A. of V.



# EARN MORE *in* AVIATION

Your best chance to earn more money is to get into a young, fast-growing industry. Aviation offers hundreds of opportunities to the well-trained man.

If you want a good-paying job in aviation, get your training at SPARTAN, the University of Aviation. In this great school you have every facility to get the best training in the least possible time. SPARTAN has the shops, the aircraft and equipment, and industry-trained instructors. Your progress is entirely dependent upon your ability to absorb instruction. *You'll not need MORE than SPARTAN training, you cannot afford to take LESS!*

Write today for information that may enable you to double your income within a year.

**SPARTAN**  
A UNIVERSITY OF AVIATION

SCHOOL OF AERONAUTICS  
MAXWELL W. BAIFOUR, DIRECTOR

COLLEGE OF ENGINEERING  
ADDRESS DEPT. AT-81

TULSA, OKLAHOMA

## COURSES OFFERED

### College of Aeronautical Engineering

Academic Refresher  
Aeronautical Engineering  
Airline Maintenance Engineering  
Flight Engineer

### School of Mechanics

Airline Service Mechanic (A&E)  
Aircraft Mechanic (A)  
Aircraft Engine Mechanic (E)  
Multi-Engine Maintenance Mechanics

### School of Radio

Academic Refresher  
Radio Engineering  
Radio Technician

### School of Instruments

Master Instrument Mechanic  
Standard and Gyroscopic Instrument Technician  
Electrical Instrument Technician

### School of Meteorology

Weather Forecasting

### School of Parachutes

Parachute Rigger

### School of Link Trainer

Link Instructor

### School of Flight

Private Pilot  
Commercial Pilot  
Flight Instructor Rating  
Instrument Pilot Rating  
Multi-Engine Rating  
Airline Transport Pilot  
Ground School Instructor  
& Rating



Maxwell W. Baifour, Director  
Spartan School of Aeronautics Dept. AT-81  
Tulsa, Oklahoma

Please send your free Catalog immediately.

Name \_\_\_\_\_ Age \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

Indicate which of these branches interests you:

- |                                      |  |
|--------------------------------------|--|
| <input type="checkbox"/> Flight      | <input type="checkbox"/> Instruments                     |
| <input type="checkbox"/> Mechanics   | <input type="checkbox"/> Aeronautical Engineering        |
| <input type="checkbox"/> Radio       | <input type="checkbox"/> Airline Maintenance Engineering |
| <input type="checkbox"/> Meteorology | <input type="checkbox"/> Flight Engineer                 |

Spartan is approved for training under the G. I. Bill of Rights



**New** Profile-shaped Solids  
**MAIRCRAFT JUNIORS**  
6 BEAUTIFUL MODELS

✓ **FUSELAGE AND WINGS**  
**CUT TO SHAPE**



✓ **REALISTIC BALLOON**  
**WHEELS AND PROPS**

✓ **FULL 1/6 SCALE**  
**STEP-BY-STEP PLANS**

**ORDER FROM YOUR Dealer NOW**

**MAIRCRAFT**  
ROSELLE, ILLINOIS

**EACH**  
**15¢**

**SUPERSONIC FUELS**

DEVELOPED BY  
*Lew Mahieu*  
produced under  
his supervision.

A FUEL FOR EVERY  
ENGINE - PERFECTLY  
BLENDED FOR EASY  
STARTING, POWER  
AND PERFORMANCE.

**K&B MANUFACTURING CO.**  
224 E. PALMER AVE.  
COMPTON, CALIFORNIA

**RADIO CONTROL**

Complete Unit **\$37.50**  
less Batteries

Consisting of Transmitter & Tube, Antenna, Escapement, and Receiver with Relay and Tube.

**ALSO READY NOW**  
**Our New**  
**INSTRUCTION MANUAL**

with complete circuits, diagrams  
& directions for flying model air-  
planes by Radio Control.  
Price Postpaid.

**50 CTS.**

Send for Free Catalogue

**RADIO CONTROL HEADQUARTERS**  
Belmar, New Jersey

# Showcase

Contact your hobby shop for items shown. All information is checked carefully, but is subject to change.

A 10¢ jar of hot fuel proofer, an ample amount to cover a Half-A model, is now offered by Comet Model Hobbyart for 10¢; this is in addition to the company's larger 25¢ size. Comet cement in 10¢ tubes and dopes in 10¢ jars are companion products. . . . Champion Boats (Box 9038, Dept. 43-G, Long Beach, Calif.) has a 25¢ catalog of its big-size racing boats ranging from 8 to 20 feet for which plans are available.



. . . That gives us a lead-in to Berkeley's Sea-Bird, which is 24 inches long and takes motors from .23 to .49 cu. in. displacement for powering. The hull kit for this Class E hydroplane costs \$4.95 and includes a mahogany die-cut planked hull. The hardware kit is \$2.95 and consists of all the necessary parts such as the prop, stuffing box, engine coupling, strut, shafting, shaft collar, motor mounts, running plates and complete brass screws and nuts. Berkeley's other boats include the Sea-Jet for Jetex "50" power (\$1.95 with the motor) and the Chris-Craft Riviera Runabout, a \$2.95 deal for engines under .09. . . . We're sure glad to see Richard Smith Corp. (217 Centre St., New York 13, N. Y.) talking about its "T" shirts; good-



ness knows we get enough inquiries asking where such items can be obtained. The outfit says they have 'em for \$8.50 per dozen which includes your club's name and emblem. . . .



A new connector for control-line flying comes from Sullivan Products, makers of Pylon Brand wire and accessories. The new Pylon Brand clips are stronger than previous ones although they are smaller in size and lighter in weight. Featuring a self-locking grip, the clips come in a hinged plastic box. They are packed 12 to a box in A, B or C size. They sell for 75¢ a dozen, or two for 15¢. (Other Showcase items will be found on page 10.)

## FREE PROPELLERS

ACT NOW, BEFORE TOO LATE!

BUY YOUR NEW MOTOR FROM ALL AMERICAN MODEL MOTOR EXCHANGE AND WE GIVE YOU 12 (YES, TWELVE!) MATCHED PROPELLERS ABSOLUTELY FREE!

Your choice of sizes: 6x3, 6x5, 7x3, 7x6, 8x4, 8x6, 9x4, 9x6, 10x4, and 10x6.

SEE MANUFACTURERS' ADS FOR MOTOR PRICES - WE STOCK 'EM ALL!

**ALL AMERICAN FEATURE MOTOR:**  
**FOX 59 \$29.95**

Including 12 FREE Propellers!

Top mail order service because we sell mail order only

We pay postage on pre-paid orders. Please enclose \$1.00 for C.O.D. handling

**ALL AMERICAN MODEL MOTOR EXCHANGE**  
Dept. A, Box 883, Santa Monica, California

**MARGO KRAFT**  
DISTRIBUTORS, INC.

**WHOLESALE ONLY**

• COMPLETE STOCKS

• QUICK SERVICE • TOP QUALITY BRANDS

Chip-Carving  
Construction Toys  
Craft Books  
Craftstrip  
Finger Painting  
Glass Etching  
Leathercraft  
Link Belts  
Metal Crafts  
Miniature Engines  
& Accessories

Model Railroad Kits—  
engines & accessories  
Rubber Molding &  
Coloring Sets  
Scale Model Construc-  
tion Kits—planes,  
boats, etc.  
Shellcraft  
Textile Colors  
Wooden Boxes & Plates

DEALERS: write for 103-page 1951 Catalog.

**MARGO KRAFT**

DISTRIBUTORS, INC.  
419 South 6th St., Minneapolis 15, Minn.  
(Formerly Modelcraft Distributors, Inc.)



FOR PERFORMANCE... FOR THRILLS

# CAN'T BE BEAT!



**PIPER CUB Special**  
22" Wing - "1/2A" U-Control  
\$1.95



**HALF-PINT RACER**  
.020 to .074 Engines  
\$3.95



**LITTLE MUSTANG**  
18" Wing - "1/2A" U-Control  
\$1.95



**Chris-Craft RIVIERA**  
.020 to .074 Engines or Electric Motors  
\$3.50



**Chris-Craft SPECIAL**  
.020 to .074 Engines or Electric Motors  
\$3.50

**SCIENTIFIC**

**BE SPECIFIC SAY SCIENTIFIC**

ALL KITS COMPLETELY PREFABRICATED

 <b>CO<sub>2</sub> SQUIRT</b> CO <sub>2</sub> or "1/2A" Engines \$1.50	 <b>LITTLE DEVIL</b> 18" Wing - "1/2A" U-Control \$1.50	 <b>BUCKEYE JR.</b> .020 to .099 Engines \$3.95	 <b>LITTLE BIPE</b> 16" Wings - "1/2A" U-Control \$1.50	 <b>BUCKEYE SPEEDBOAT</b> .099 to .29 Engines \$4.95
 <b>CESSNA "170"</b> 22" Wing - "1/2A" U-Control \$1.95	 <b>STINSON VOYAGER</b> 22" Wing - "1/2A" U-Control \$1.95	 <b>BABY ACE</b> 18" Wing - "1/2A" U-Control \$3.50	 <b>KINGPIN</b> 28" Wing - "B" U-Control \$3.95	 <b>DYNAMIC</b> 26" Wing - "B" U-Control \$3.50

Buy from your dealer & save 15c mail charge

## SCIENTIFIC

**SCIENTIFIC MODEL AIRPLANE COMPANY**  
113 A8 MONROE STREET NEWARK 5, N. J.

SEE THESE AND OTHER SCIENTIFIC MODELS AT YOUR FAVORITE HOBBY SHOP



# MEN OF THE HOUR



## are moving UP!

Thousands of Embry-Riddle trained engineers, mechanics, specialists and pilots are making rapid strides in today's booming aviation industry. You can join them, now!

Men in the top jobs now, who are moving up...up...up...are undeniably proving that thorough, practical Embry-Riddle training is by far your quickest, surest road to success in aviation. Complete eight-month to two-year Embry-Riddle courses in every phase of aeronautics are tailored to the practical and exacting aviation industry requirements. Your Embry-Riddle graduation certificate insures your career opportunity.

The latest, most modern equipment (including jet engines), the finest instructors, the most complete aviation school campus anywhere, are



all yours at Embry-Riddle. You learn fast and well, working with live aircraft in vast shops and hangars.

If military service interrupts your studies, you're still a long way ahead of the crowd. During World War II, more than 30,000 pilots, technicians and mechanics of the air forces were Embry-Riddle trained!

If you are now a high school student, a graduate or a veteran, investigate at once the full advantages and tremendous career security of Embry-Riddle training. Join the Embry-Riddle Men of the Hour. Write for full information today.

## 4 Keys to Success!



### 1 AIRCRAFT & ENGINE MECHANICS

Vast numbers of properly trained A&E Mechanics are urgently needed. Our C.A.A.-approved school with a quarter-century experience assures your quickest advancement. Embry-Riddle students learn fast with modern equipment, including jet...live aircraft, airline-size hangars.




### 3 AERONAUTICAL DESIGN AND TECHNOLOGY

Embry-Riddle's accelerated 26-mo. Aeronautical Design and Technology Course provides finest training available. Technicians with management responsibility enjoy highest salaries!



### 2 A&E COMBINED WITH COMMERCIAL

Airmen with dual pilot-engineering ability are needed by aviation companies and operators. Embry-Riddle combination training offers you the most in your aviation career.



### 4 COMMERCIAL PILOT

Embry-Riddle trained pilots benefit from our years of experience with 30,000 students... the best instructors, up-to-date aircraft, superb year-'round flying weather. Also Instrument and Instructor's ratings.

CLASSES BEGINNING NOW -- SEND COUPON TODAY!

Dean of Enrollments -- Dept. 97  
Embry Riddle School of Aviation  
MIAMI 30, FLORIDA  
Please Print

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Age \_\_\_\_\_

I am interested in...

- ☐ A.&E. Mechanic
- ☐ Commercial Pilot
- ☐ Aeronautical Design and Technology
- ☐ A.&E. Combined with Commercial Pilot
- ☐ Flying Mechanic

Check ☐ Veteran  
One ☐ Non-Veteran



TRAIN IN MIAMI -- AIR CAPITAL OF THE WORLD





# U.S. FIRST ALL-JET TRANSPORT

*This latest "powered  
glider" by Chase, 100% jet,  
can take off and land  
in 600 feet!*

With a complete lack of fanfare, an approach quite different from the current way of presenting new planes, Chase Aircraft of West Trenton, N. J. has put the first all-jet-powered assault transport into the air. This epochal achievement brings new honors to Michael Stroukoff, Chase's chief engineer and one of the most unorthodox figures in the U.S. aviation industry. The XC-123A all-jet transport is the revamped Chase XG-20 cargo glider powered by four Allison J-47 jet engines paired in pod type nacelles for a total of 20,800 pounds of thrust. The remarkable aircraft can take off and land in 600 feet—less space than required by a jet fighter! Some trick for a transport that grew up from a glider!



*Principal Chase  
designs showing  
evolution from  
gliders to present  
assault transport*



Twenty-three-place YCG-14A glider with metal fuselage, wood covering. Flew in '45.



All-metal YG-18A glider capable of carrying thirty. Flew in '47. Span 86 ft. 4 in.



What stands out most at first sight of the XC-123A and other Chase planes is the long, narrow, high aspect ratio wings—an uncommon feature in aircraft whose task is to act as aerial trucks. Within these wings lies the performance formula of all Stroukoff planes: ability to get in and out of very small fields, and high speed in the air. Stroukoff did not leaf through the NACA volumes to select a proper airfoil for his planes—he designed it himself. A versatile and brilliant engineer and architect who built bridges, railroads and theaters, he applied his knowledge of hydrodynamics to the problem of obtaining the highest possible efficiency out on a wing.

The result has been notably successful. Chase planes can hop in and out of fields with the agility of Cubs, and the prop-driven ones hit better than 200 mph in level flight. Despite the bulky fuselage characteristics, these planes are well streamlined at the juncture of wings and tail surfaces, a factor greatly reducing drag. Their deep fuselage and high-mounted wing permit use of an exceptionally low landing gear arrangement. This not only saves weight but precludes damage to the engines in the event of a wheel-up landing. The bottom of the fuselage is heavily reinforced to withstand belly landings, while the cockpit is beefed up with an internal tubular structure in case of head-on






Powered version of C-10A was C-122, first truly successful glider-to-powerplane.



Largest glider ever built in U.S. was XG-20 with capacity for more than 60 passengers.




XC-123 came from XG-20; wt. 25,000 lbs. empty; payload 20,000 lbs.; range 1335 mi.



collision with obstacles during military operations.

In the past, many attempts were made to convert gliders into power planes by hanging engines on the wings. The Germans did it with the boom-tail Gotha GO-242 and the 181-ft.-span Messerschmitt Me-321; the British with the Hamilcar, and we ourselves mounted various powerplants on the Waco CG-4. None of them came near the performance of the Chase machines. To top it all, these aircraft can tow one another, if necessary.

Thus, Russian-born Mike Stroukoff joins the two other notable Russian designers, Sikorsky and Sever-sky, in contributing to American aviation.






# AIR PROGRESS

By DOUGLAS ROLFE


## THE CONSOLIDATED VULTEE STORY




1929 CONSOLIDATED XPY-1  
FIRST CONSOLIDATED PATROL  
BOAT A COMMERCIAL VERSION  
WITH ENCLOSED COCKPIT WAS  
KNOWN AS THE COMMODORE ▼



◀ 1923 CONSOLIDATED TW-3  
FIRST CONSOLIDATED PRODUCTION  
WAS THIS SIDE-BY-SIDE SEATING  
MILITARY TRAINER WITH 150-H.P.  
HISSCO WRIGHT ENGINE THE TW-3  
WAS ACTUALLY DESIGNED BY THE  
FORMER DAYTON-WRIGHT FIRM.




1928 CONSOLIDATED PT-3 ▲  
(THE FAMED "HUSKY" OR "TRUSTY")




1931 CONSOLIDATED XO-932 ▲  
AN ALL-METAL LIASON 2-SEATER  
OF FORMER THOMAS-MORSE ORIGIN



▲ 1929 CONSOLIDATED "FLEETSTER"  
(TYPE 17) 6-PASSENGER COM. TRANSPORT




1930 "FLEETSTER" TYPE 20 ▲  
PLYWOOD SKIN TYPE WINGS




1933 CONSOLIDATED XBY-1 ▲  
ALL-METAL NAVY DIVE BOMBER



1935 CONSOLIDATED PB-2A ▲  
675 H.P. CURTISS CONQUEROR EN-  
GINE ALSO PRODUCED IN MODI-  
FIED FORM AS A ONE-SEAT FIGHTER



1936 CONSOLIDATED PBY-1 "CATALINA" ▲  
WITH VARIOUS MINOR MODIFICATIONS THE FABU-  
LOUS CATALINA BECAME ONE OF MOST WIDELY  
USED LONG-RANGE PATROL BOATS OF WORLD WAR 2  
AND BECAME EQUALLY FAMOUS AS A RESCUE SHIP




◀ 1937 CONSOLIDATED XPB2Y-1  
PROTOTYPE MODEL OF THE "CORO-  
NADO" CLASS NAVY PATROL BOMBER

design under its own label.







▲ 1951 CONVAIR B-360 WORLD'S PRESENT LARGEST LONGEST-RANGE SUPERBOMBER PROTOTYPE MODEL THE XB-36 WAS FIRST FLOWN IN 1946 WITHOUT JET PODS—LATEST DESIGN IMPROVEMENT




1945 CONVAIR XP-81 ▲  
WORLD'S FIRST JET-PROP  
AND JET-PROPULSION LONG  
RANGE ESCORT FIGHTER




▲ 1948 CONVAIR 7002  
JET-POWERED DELTA-WING  
AIR FORCE RESEARCH PLANE




▲ 1943 CONVAIR XP-54 AN INTERESTING VULTEE EXPERIMENTAL FIGHTER STILL IN THE DEVELOPMENT STAGE AT TIME OF MERGER NOVEL FEATURE WAS THE POWER OPERATED ENTRANCE ELEVATOR WHICH ALSO DOUBLED AS A PILOT'S SEAT EJECTOR WHEN NEEDED




▲ 1943 CONVAIR XB-32 EARLY STEP IN THE DEVELOPMENT OF THE B-32 "DOMINATOR" PRESSURIZED FUSELAGE TWIN RUDDER ARRANGEMENT WERE DROPPED IN FINAL MODEL



▲ 1939 VULTEE "VANGUARD"  
PROTOTYPE MODEL OF THE P-58 WHICH WITH MODIFIED COWLINGS WENT INTO PRODUCTION IN 1941




1939 VULTEE MODEL 54 ▲  
PROTOTYPE OF FAMED BT-13  
"VALIANT" BASIC TRAINER. IN  
WORLD WAR 2 MORE THAN 11,500  
"VALIANTS" WERE PRODUCED!



1940 VULTEE XA-19A ATTACK PLANE ▲  
ONE OF THE FIRST (AND RARE) VULTEE TYPES  
TO USE A LIQUID-COOLED (LYCOMING) ENGINE



▲ 1933 VULTEE V-1 FIRST VULTEE PRODUCED WAS THIS ALL-METAL 8-PASSENGER COMMERCIAL TRANSPORT POWERED WITH A 735 H.P. WRIGHT ENG.



▲ 1937 VULTEE V-11-G8 3-PLACE ATTACK PLANE  
MODIFICATION OF TYPE V-11—FIRST (1936) MILITARY VULTEE

RESUME

other items in the restricted project class.



# BIRTH OF THE MIDGETS

**Low, sleek 'n' speedy, these wee racers point up the proposition that good things come in small packages. Ask Charlie, he knows**

**By CHARLES S. LOGSDON**


**Director, Contest Division  
National Aeronautic Association**

■ Midget aircraft design and races over a small course in front of grandstands were first discussed generally by participants and officers of the 1939 National Air Races at Cleveland, Ohio. At that time there were only four Greve Trophy Racers (550 cubic inch displacement engines) in existence, which indicated that a new and safer type of racing aircraft must be developed. Nothing tangible came from these initial discussions until after World War II. The foremost proponent of the new midget class of racers was probably Ben O. Howard, noted race pilot and currently an executive of Fairchild Aircraft.

In 1946, the late "Art" Chester, President of the Professional Race Pilots Association, with the advisory counsel of Harry Bruno, Clarence O. Bell of the Goodyear Tire and Rubber Company, Jacqueline Cochran, Ben O. Howard, Roger W.

Kahn of the Grumman Aircraft Engineering Corporation and West Coast members of PRPA, developed the original specifications for the 190 cubic inch class of racing aircraft. These were approved formally by the National Aeronautic Association's Contest Board at a December 1946 meeting, at which time Goodyear announced it would sponsor a new series of lightplane races at the National Air Races in 1947, 1948 and 1949 to the extent of \$25,000 in cash prizes each year.

The original lightweight race plane design specs called for a single-place aircraft; a CAA-approved Type Certificated engine having a maximum cylinder displacement of 190 cubic inches; a non-controllable propeller; a maximum wing loading, based on gross weight, of 12 pounds per square foot; a minimum empty weight of five hundred pounds, plus or minus





one percent; a non-retractable landing gear; minimum vision requirements for the pilot; a 15-gallon fuel tank; and prior approval of design drawings by a competent Technical Committee.

In addition, flight demonstrations were required at high altitude, in plain view of a Technical Committee, to assure desired airworthiness before each aircraft was permitted to fly low around the race course at high speeds. Pilot requirements stipulated that each contesting pilot have a minimum of 500 solo hours. However, a pilot could qualify if he had a minimum of 200 solo hours, plus 30 hours in the ship to be flown in the race. All pilots were required to have at least two hours and 5 take-offs and 5 landings in the particular ship to be flown in the race or one of identical design prior to their initial aircraft qualification attempt.

The new midget class of races was announced formally early in 1947. The only NAA-sanctioned midget event

during that year was the Goodyear Trophy Race at the 1947 National Air Races, where twelve of these new aircraft qualified officially for entry. The first three winners of the 1947 Goodyear Trophy Race final (15 laps of a 2.214 mile course), in their respective order, were:

Race No.	Pilot	Speed (mph)	Prize
20	William Brennan	165.9	\$7000
5	Paul Penrose	165.4	4000
10	H. R. Salmon	158.8	2000

The 1947 specifications for the 190 cubic inch class of racers were subsequently amended slightly by the Professional Race Pilots Association and approved by NAA. These minor revisions, effective January 1, 1948, prohibited the enlargement of engine ports; required a minimum wing area of sixty-six square feet; permitted specifically the use of flaps, indicating that wing area should be calculated with flaps retracted; and specified that the vision specs, for better pilot visibility, be improved; a field of vision of 270 degrees in the horizontal plane must be provided (45 degrees to the rear from pilot's



Charlie Logsdon and speed-man Steve Wittman hold confab before an air race.

eyes in both directions), 140 degrees from the top of cowling upward and aft; 25 degrees from the pilot's eyes to top of leading edge of the wing at the fuselage, and 5 degrees down to top of cowling. Obstructions in this field, such as the top wing of a biplane or a high wing type monoplane, must be submitted in one-quarter inch scale to the Technical Committee of the NAA Contest Board for approval. The cockpit canopy must provide a minimum of six inches from the pilot's eye level to the top of enclosure (Continued on page 71)





# ***Flying Flattops***







## Aerial carriers are another solution for interception of fast long-range enemy A-bomb raiders

■ The shadow of the A-bomb bears heavily over American cities. . . . Yet if we depend on the conventional radar-flak-plane setup to defend our major areas from a Red-A attack, it would take a force the size of the Normandy invasion to protect eleven of our most important cities, and that, with only 40 to 50 percent effectiveness. Guided missiles, which appear to be our best bet from the standpoint of accuracy and economy, are at least three years in the future.

The place to stop the Red bombers headed for Detroit is over the Arctic Ocean, not over Lake Huron. This problem calls for a type of interception similar to an aircraft carrier, in locations and at conditions of speed and altitude where the carrier is out of its element. Thus the solution, for the time being, is to project aircraft carrier characteristics into the sky to meet the enemy more than halfway.

Experience with our B-36 bombers indicates that the current type of fighter suffers from certain disadvantages when attacking a bomber, and one of the best ways to restore its position of combat superiority and still permit it to be used against bombers a long way from the target, is the flattop in the sky.

For exploration of this idea, Vincent J. Burnelli "designed" an airplane, or rather a flying task force, that would be able to cope with the current problem. The Flying Flattop is a four-engine aircraft a little larger than the B-36, an adaptation of Burnelli's airfoil fuselage idea. It has a lifting body 80 ft. by 80 ft., with outboard wing panels bringing the span to a total of 250 ft. The plane is 120 ft. long and would be powered by four 10,000 hp gas turbines.

The front and sides of the airfoil fuselage would be devoted to crew facilities and to search radar. Because of its size and capacity, some five tons of radar equipment could be carried with radar antenna as large and accurate as those of any ground station.


Inside the fuselage, most of the area would be occupied by the hangar housing a full dozen Burnelli-type fighters embodying the same lifting fuselage characteristics and powered by two jet engines. To increase range, the fighters would be equipped with a telescoping wing system which allows a section of the wing to slide in and out, folding wings and tail booms to facilitate stowage.

Planes would be carried inside an overhead trolley system hung on a retractable hook. They would be launched and recovered through a trap-door forming a portion of the lower fuselage skin and sliding back like a Fowler flap. In the event of action, the first two fighters launched would act as protectors for the flattop, taking position above and below the mother ship, with the other ten going after the enemy. Their relative low wing loading would give them an advantage over the invading bombers. The flattop would have provision for in-flight refueling of the fighters, and as most refueling equipment is reversible, the carrier could take on fuel in flight, increasing the length of time for remaining out on patrol.

Burnelli also points out that such an aircraft would not become obsolete with the advent of guided missiles, as it represents an ideal platform for air launching of air-to-air or even air-to-ground missiles.



# Development.....





# .....Highlights



Another Texas all-metal plane, the Regent Rocket, by Regent Aircraft Corp., Henderson, Tex. Seats five, designed by R. S. Johnson. Powered by 260 hp. engine.




Fouga Gamaux (twins). Now the French want and done it. Two Fouga Sylphe jet powered sailplanes joined together. Top speed 185 mph. - alt. 20,000 ft.



Lockheed P2V-8, latest version of the famous submarine patrol plane. Note large radome on underside of fuselage. Turbo-Cyclone compound engines, 3250 hp. each.






ENGLISH JET FIGHTER

# Hawker P.1081

SCALE 3/16 IN. = 1 FT.




A black and white photograph of a man in a dark suit and cap working on a large, white, delta-wing research model. The man is standing on a platform, reaching up to adjust the wing. The model is mounted on a dark, complex support structure. The background is a cloudy sky.

# the Changing Air World

In the beginning there was the dream. The dream was followed by fragile machines, first in model form, then as wood, wire and canvas contraptions which culminated in the Wright biplane. During those early days of flight the pilot was king to his public, a slave to his plane. He was designer, builder, mechanic. Two great wars changed all that. Today is the time of the technician. Never before has there been such demand for the draftsman, the designer, the mechanically inclined. This intent young man at NACA's Wallops Island (Va.) station is helping to usher in another era—one in which the airplane will part company with the pilot. He is shown with a Delta-wing, rocket-powered research model used to obtain aerodynamic data on wing shapes, stability and control effectiveness. The dream changes. . . .





# The Screamin' Demon


By BILL WISNIEWSKI

One of America's top speed winners gives you the inside story of his special model and fuel system

■ This model is the latest of a series of about ten speed models, one of which won the National Senior Class D speed event. It is a smaller and much faster airplane than my winner and has been timed at more than 150 mph in recent test flights

Most of the trouble I had in the past few years has been with fuel tanks. Probably you have experienced the same difficulties. The tank I am now using is a very high-pressure one. The theory is simple: If you have ever blown up a balloon you will know that it is hard to start but once started takes the same pressure to finish the job. The same applies to the tank employed on this model. Once it is inflated with fuel and the engine started, the pressure remains constant until almost the last moment when the pressure in-





creases and has a tendency to enrich the mixture.

The tank is made of a *natural* rubber ink sac from an ordinary fountain pen (these may be obtained from any fountain pen repair shop and cost about 15 cents), a piece of Neoprene tubing and a penny balloon. To assemble tank cut the ink sac down to 2 inches in length, slip the Neoprene tubing to the bottom of the sac and wrap tightly with thin wire or thread. Put about 8 drops of castor oil into the balloon and then insert the sac into the balloon. The oil is very important as without it the tank is liable to break immediately, due to friction.

Next important factor in this model is the propeller. The one shown has worked out very well because of its constant engine speed qualities. It allows good take-off characteristics due to flexing to low pitch and a high top speed, since it returns to normal pitch once the plane is airborne. Carve the face of the prop with square tips, then carve sweepback and finally

carve the top to the airfoil sections shown.


Engine modifications for the Dooling "61" are as follows. Turn or file down cylinder and head to 1 5/8 in. and cut off the exhaust stack flush with the cylinder. Cut the venturi tube down to 7/8 in. in length and turn it so that the needle enters at a 45 degree angle. The mounting holes should be reamed out to take bicycle spoke nipples. Cut these nipples off so they are flush with the bottom of the mounting lugs when inserted in the mounting holes. Make the hold-down bracket and solder carefully at this point, as this fitting holds the airplane together.

Spinner is a 2 in. "needlenose" Froom cut down to 1 3/8 in. diameter. Prop adapter is cut off as shown and the nut made from 1/2 in. aluminum hex stock. Make the fuel line Tee from 1/8 in. O.D. brass tubing.

Fuselage is built first. Select two pieces of straight-grained white pine 1 1/4" x 2 1/2" x 16" and either turn or carve to the shape and (Continued on page 65)



# THE SCREAMIN' DEMON





# TOWLINE GLIDERS

English designer scores victory over all contenders in AT's model towline glider contest; Nordic-type craft features novel wing and stab mount



■ While the sky-rocket climb of a powered model may be exciting, nothing can give more satisfaction than the graceful maneuvers of a towline glider being borne aloft by a friendly thermal.

In America we handicapped gliders for years by allowing only 100 feet of towline and requiring a tremendous fuselage cross section. In contrast the Europeans could use more than 300 feet of towing line and a very slim fuselage. Yet we managed to rack up some surprisingly high times. The short towline led us to develop gliders that were distinctly different from the Continental type.

We found that 100 feet of towline does not give the model much time for thermal hunting. Ground disturbance is high and thermals are always scattered. The model must

of small up-lift areas. Characteristics of such a glider are short coupled wing and stab, and relatively large dihedral.

On the other hand, 300 feet of towline allows a more leisurely, roaming flight to pick up fully developed thermals or to obtain optimum glide. Such conditions do not require super-stability or exceptional spiral control. Hence, the basic Continental design has a relatively long moment arm and small dihedral.

Incidentally, our rules are now more reasonable: 200 foot of towline and length  $2/200$  fuselage cross section.

While a tight circling glider may take full advantage of an individual thermal to go out of sight straight up, a roaming Continental design will go out of sight on the horizon. A sort of bouncing trip from one thermal to another in honey bee fashion. You can see that conditions determine the regional design.

While we were developing our own style of glider design, the Scandinavian flyers came up with something a little different. The basic characteristics were a very slim fuselage, long moment arm, thin but deeply undercambered airfoil and small tail surfaces. Another

characteristic which is especially noticeable to the American builders, is the comparatively small tip dihedral "area" used at high angles.

At first Scandinavian glider sizes varied, but there was gradually formulated a design now known as the "Nordic A/2". They found that when all requirements—building time and cost, transportation and performance—were considered, a glider having a total surface area of between 495 sq. in. and 526 sq. in. will give the best return for the time and money. The standard F.A.I. fuselage cross section formula, Wing Area/100, is used.

This month's winning towline glider design is based on the Nordic formula. The designer is not a Scandinavian, but an Englishman, E. G. Currington, from Manchester. The English model builders have adopted this particular type of glider whole-heartedly, and they are going in strong for the category.

This design has many features not normally found on our type of gliders, such as the tongue and box connection of the wing to the fuselage. It is a feature that should be investigated. The tendency for many builders to progress from small size to larger sizes is eventually



start tight circling as soon as it comes off the line to take advantage

**ABOUT THE DESIGNS:** You are not required to build a model in this contest. All you do is submit detailed 3-view drawings of your favorite "brain-child" in each of those categories listed (plus sketches if you are artistically inclined). These drawings should not be less than 8 x 10 inches and must show dimensions. Give data on wing sections and settings, cross sections, center of gravity, weights, proposed power and the like. It's not your drafting skill that will win, but your designing ability and imagination. AT selects meritorious designs and presents them in 3-view form, payment of \$5 will be made for each one published. The top design each month will be built and test-flown by

AT's design and research team and the model will be given to the winner with all the equipment that goes with it. **CATEGORIES:** You have until August 1, 1951, to get your design studies in the mail for Half-A free flight using any size engine up to and including .050 cu. in. disp., until Sept. 1, 1951, to have entries postmarked for model helicopters utilizing any type of motive power. **SEND YOUR DESIGNS TO:** Air-Model Design, c/o Air Trails, 304 E. 43rd St., New York 17, N. Y. Decision of Air Trails staff is final, because of the large number of entries received none will be returned and the editors cannot enter into correspondence concerning these.



## TOWLINE GLIDERS

brought to a stop when the 12 foot wing just doesn't fit into the subway or family car. This design will be a good start on which to test the tongue and box connection.

Aerodynamically, the model follows the basic Nordic design; small tip dihedral and long moment arm. Structurally, it has a simple monocoque fuselage which will take care of all sorts of landings.

Start construction with the wing as you will need it to line up the fuselage. Cut the ribs. Make a metal rib template.

The tongue-box must be made to fit the tongue well, but without binding. If you have no silk, wrap the box with thread and coat with cement. When fitting the boxes to the wing halves, assemble the two halves on the tongue. Place the wing on a flat surface. Line-up the leading edges so that they will be in a straight line. Make sure that both halves are lying flat on the surface. You can now let the cement set. Before sliding the boxes through the ribs, coat with cement the sides of the spars and the edges of the boxes.

After the initial cement has set, apply another coat at all contacts between the wing portion and the plywood box. When that has set for several hours, remove the wing from the jig, and apply cement at the bottom portion.

Make the stabilizer. You will need it to obtain an approximate balance while the fuselage is being constructed.

All four fuselage sides have similar outlines; only one outline pattern is needed. Select medium to light balsa, quarter grained, if possible. Cut bulkheads to dimensions which can be found from side and top views.

Before starting to assemble, cut tongue slots on sides. Make sure that slots match on both sides to prevent any off-center tongue position after assembly. Start fuselage assembly by cementing the two sides at the rear. Note the use of balsa block. Next cement the bulkheads at the leading and trailing edges of the wing. After the cement has set well, fill in bulkheads from center towards the rear. When you are sure that the center cement is well set, attach the frontal bulkheads, working from wing position towards the front.

(If you (Continued on page 75)



A. This 76" Flying Wing's been operating 2 years. Gradual washout to 6 deg. neg. tips. Split tip elevons for drag to give tight turns. Spill-plates on tips. Tow stick with rudder used. Pod optional.

—Robert Eldridge, Bakersfield, Cal

B. Here's a new note: Fuselage arrangement cuts induced drag of wing by acting as end plates. Span 56 in. fuselage, 36 in. Half-V tail gives dihedral and fin effect. Covering is brown paper.

Sven-Olaf Rudder, Stockholm, Sweden

C. "Sandman" is canard towliner with crutch, former, stringer construction. Span 42 in.; fuselage, 32 in. Clark Y sections. Rudder is 1/16 in. sheet balsa. Wing area comes to 210 sq. in.; 9 oz.

Jim Trissel, Greenville, Ohio

D. This is a big job with 1,300 sq. in. wing area and elliptical dihedral. Aspect ratio 13 to 1; span 1 foot. Fuselage length, 66 in. Rudder area, 10%; elevator, 24% elevator. Standard, lines.

—K. E. Dougan, Lawrence, Kans

E. Tried and true diamond-on-edge fuselage design with butterfly tail featuring 250 sq. in. wing area for new AMA towliner set-up. NACA 4612 on wing; Clark Y on stab. Span 54 in.; 30" fuse.

—Fred Verrier, Baltimore, Md

F. Another V tail, this design featuring a flexible wing trailing edge which adjusts to model's speed. Flexing area is 58.5 sq. in.; lifting wing area, 168.5 sq. in. Span, 42 in.; 1/16" sheet fuse.





Danny R Crago, Albuquerque, N M

G. Polyhedral stab t.l. has 6 deg. angular difference between 84 in. span wing and 44.4 in. stab. Crutch construction, sub rudder. Triangular, 59.5 in. fuselage. NACA 4612 wing. 620 sq. in.


—George Perryman, West Point, Ga

H. Warren truss fuselage, 33 in., covered with 1/8 sheet balsa. V tail. Needle nose spinner; bolt holding spinner also carries washers for balance. Span is 54 inches. Trim tab at end of fuselage.


—Kenneth Pruitt, Lubbock, Tex











JET PILOT



OLD TIMER



RACE PILOT

carving a

# Pilot's Head

It's easier than you think  
if you follow these 5 easy  
steps: any modeler can  
turn in a creditable figure

By AUBREY KOCHMAN

■ There is nothing that adds more realism to a model than a well-carved pilot seated in the cockpit. For those of you who are interested in team racing and contemplate entering any A.M.A. sanctioned meets for this event, a pilot is a must. The A.M.A. rules for team racers specifically state that these realistic models must have a pilot carved to 1/10 scale. However, it is not necessary that the pilot be a complete figure, but may consist of just the head and shoulders.

Carving a head is not as difficult as you might think. You don't have to be a Jo Davidson in order to turn out a figure only slightly better than some horrible gargoyle. Actually any modeler who's carved a fuselage or cowlings has the basic knowledge necessary to carve a head, although greater care must be exercised in selecting a block of wood and keeping your knife razor sharp at all times.

An X-acto knife with a #11 blade is perfect for all fine detail carving. Choose a block of balsa that is even grained and smooth textured and one that is not hard on one side and soft on the other. A soft block, although easier to carve from a physical standpoint, requires greater care when you come to the carving of details, since

the soft wood may crumble or break off. On the other hand, hard balsa is usually stringy and this type block is to be avoided as it is almost impossible to carve.


The basic rule to remember is to take small cuts and sort of "feel" your way along. Work oversize until the entire pilot is well shaped and then proceed to "carve down" to proper size. Five stages in carving are illustrated. The first stage shows the block with its primary cuts. Then the head is rounded fore and aft and the chest cut in below the chin. Next a few more slices and the face in side view begins to take form. Now the rounding operation begins. Here the rule is small chips, no big gashing slices. And the final step finds your pilot with a well-sanded helmet and finished face, ready for painting.

The finished head is carefully sanded and then the details such as the wrinkles at the corner of the eyes and mouth are added. Brush on a coat of clear dope and again sand smooth. Use water colors to color the face and coveralls.


To stop the water color from "crawling" on the doped surface, add a little white soap such as Ivory to the paint.

## HERE'S HOW YOU DO IT . . .

When you start remember that you're working to the largest outside dimensions (A) so the depth of your block should be slightly more than your pilot in side view. On the race pilot the helmet is the largest outside dimension to the front, therefore it is carved slightly oversized (B). The rim shape of the helmet is carved all the way down the head block. Next draw the shape of the helmet side view onto the block when you've reached stage (C), then rough down to approximate shape. Spot the nose and carve back the block allowing the nose to protrude (D). Work slowly.



A



B



C





SPORTSMAN PILOT

Helmet is the only part that should have a really smooth and shiny finish. Use two or three coats of sanding sealer, sand smooth and paint with colored dope. A very thin coat of clear dope should be brushed on the rest of the figure to "fix" the water colors. The parachute shoulder straps are cut from cloth and the buckles from thin cardboard.

The best way to obtain authentic coloring and correct head proportions is to keep a mirror handy and study your own head.

#### COLORING OF PILOTS' HEADS


**Old Timer.** Helmet, brown or tan. Goggles, inner rim silver, outer rim light grey. Goggle strap, black or grey. Jacket collar, light tan, sheepskin color. Scarf, white. Jacket, dark brown.

**Sportsman Cap,** suntan, white or red. Shirt, suntan or white. Jacket, dark brown or green or suntan coveralls. Headset, top straps brown, shiny metal hangers, earphones black, cord black.


**Race Pilot.** Crash helmet, white, red or gold. Lower helmet, brown or black. Tee shirt, white, red or green. Coveralls, suntan.

**Jet Pilot.** Lombard helmet, white with black bead along lower edge. Oxygen mask, green, see cover May 1950 Air Trails. G-suit, forest green.

**Note:** All parachute straps are white, buckles are aluminum finish and back pads and packs are khaki colored.



E




WITTMAN 4-PLACE  
"BIG X"

**SPECIFICATIONS:**  
LENGTH - 22 FT. 3 IN.  
SPAN - 29 FT.  
HEIGHT - 6 FT. 5 IN.  
TOP SPEED - 165 MPH AT SEA LEVEL  
CRUISING SPEED - 145 MPH AT 5000 FT.  
LANDING SPEED - 48 MPH  
SERVICE CEILING - 18000 FT.  
GROSS WEIGHT - 2200 LBS.  
EMPTY WEIGHT - 1178 LBS.  
WING AREA - 182.5 SQ. FT.  
WING LOADING - 13.5 LBS./SQ. FT.  
RANGE - 500 MILES  
BAGGAGE - 120 LBS.  
COLOR - RED WITH GRAY TRIM  
(NUMBERS, STRIPE, STRUTS, GEAR)  
NR 31637  
PROP - 72 IN. DIA. McCauley

AUTHENTIC DATA FOR PLANS - S.C.S.

■ The two airplanes shown here were designed and built under the direction of Steve Wittman, famous race pilot. The four place Big X is powered by a 150 hp Franklin; the two-place Buttercup has an 85 hp Continental engine. Buttercup was designed in 1937 and is fitted with a tube-type landing gear which is extremely light flexing in all directions.



WITTMAN 2-PLACE  
"BUTTERCUP"

**SPECIFICATIONS:**  
LENGTH - 21 FT.  
SPAN - 28.5 FT.  
HEIGHT - 5 FT. 8 IN.  
TOP SPEED - 147 MPH AT S.L.  
CRUISING SPEED - 135 MPH AT 5000 FT.  
LANDING SPEED - 40 MPH  
RATE OF CLIMB - 875 FPM  
SERVICE CEILING - 18000 FT.  
GROSS WEIGHT - 1250 LBS.  
EMPTY WEIGHT - 670 LBS.  
RANGE - 540 MILES  
BAGGAGE - 80 LBS.  
PROP - 68 IN. DIA. WITTMAN "S"  
COLOR - GREEN FUSELAGE,  
STRUTS, NUMBERS - YELLOW  
WING, STRIPE  
NR 18288 S.C.S.




■ Wittman has his lightplanes serve as accessory trucks for the two midjets, Buster and Bonzo which are flown to and in racing events by Steve and Bill Brennand. Since different type props are used on the two racers in cross country travel than in the actual speed dashes, either Buttercup or the Big X carry the racing props, extra wheels, tools, spare parts.



# Elementary Modeling:

# Model Engines






## USE THE PROPER TOOLS



## READ INSTRUCTIONS CAREFULLY



Use ready-made adjustable break-in mount or make sturdy wooden one for beam (A) or radial mounting (B).





The new modeler should remember that his engine is a piece of precision apparatus fitted to amazingly close tolerances. He should thoroughly familiarize himself with the manufacturer's instructions as to its operation, never weighing his own judgment against that of engine's builders. He is smart if he invests in the few tools necessary to service engine properly rather than subjecting it to possible abuse by using improper or makeshift tools. Parts bolted or screwed together should be tightened evenly and snugly, preferably after running engine. *Never disassemble engine unless it is absolutely necessary.*

Length of engine's life and performance both hinge on type and amount of lubricant supplied to moving parts. Model engines of two-stroke cycle type carry lubricant mixed with fuel, oil being forced by compression to all points needing lubrication. Castor oil, a fine lubricant, is usually employed in ready-mixed glow-fuels, additional castor oil often being used during break-in period. However, if engine shows no tendency to "freeze" (tolerances reducing through heat expansion until engine slows or stops), no additional oil is needed if needle-valve is left to rich setting. Rich settings mean slow running, smoke, a relatively cooler engine; lean




Adjusting, flying tips and model improvements especially for the novice flyer. Tell us what other subjects you would like covered.

Glo-plug goes "bad" when element burns or breaks—



Fresh battery, 1 1/2 v., with securely soldered leads at cells and engine clips—

# SET-UP FOR ENGINE BREAK-IN



settings give greatest speeds and most heat.

Glow-plugs are heated by batteries for starting, then continue to glow and provide ignition by heat of combustion. Check condition of plug by light bulb wired into starting battery circuit, or remove plug, connect batteries and check glow. Sometimes reflected glow can be observed through exhaust port without removing plug, thus assuring glow-plug is O.K. After starting, wait until engine is adjusted for smooth running before disconnecting booster.

If engine runs smoothly without overheating, little break-in is

necessary. If it overheats, make numerous short runs or add more castor to fuel, or drop small quantities in intake while engine is running; continue until engine loosens. Cover intake and exhaust ports to keep out foreign matter between runs. If engine lands in dirt, remove plug, flush thoroughly in gasoline, then lubricate.

If glow-plug checks O.K. and fuel reaches intake, engine should start after priming. If too lean, it may make short, fast bursts; if too rich, will run sluggishly and smoke. Go easy on priming in ex- 41  
haust or intake—only a drop or so at a time. Flip prop smartly, having it positioned on shaft for easiest cranking.



**FOR MODELERS**

**WHO WANT THE BEST....**

*there's just one  
line to ask for!*

**NEW, LARGER  
15¢ AND 25¢  
JARS**








THAT'S RIGHT...IT'S  
**TESTOR'S  
DOPE!**

*First IN QUALITY...*  
*First IN SALES...*

- ★ One-Coat Coverage ★ Smooth, High-Gloss Surface
- ★ 27 Colors... including Official Army-Navy Aircraft Colors
- ★ Formulated Especially for Model Airplanes





model the

World's First

ROCKET

PLANE

This "milestone" plane makes a perfect flying scale model with its own tiny Jetex rocket engine

By WALTER A. MUSCIANO

■ It was only a short twenty-two years ago that a reaction-propelled, man-carrying aircraft was but a dream. Then Fritz von Opel and two brilliant associates demonstrated the world's first successful airplane propelled in such manner.

Professor Sander designed the rocket engine which consisted of five rocket tubes fired successively to prolong the flight. If fired simultaneously the engine would have developed enough power to lift 6,600 pounds. Engines of similar design had been tested in race cars built by Opel, a famous automobile manufacturer. When ground tests proved successful the designers decided to attempt rocket-powered flight. They engaged Ernest Hatry to fashion a wheelless airplane that could accom-

Our free flight model has same type powerplant as the full scale prototype, a solid fuel rocket. A "Jetex 100" engine developed more than enough power to attain reasonable altitudes for some sensational gliding. Best time we made was just under eight minutes.

A model three-fourths the size of ours should work well with the "Jetex 50" if constructed with care to insure a very light craft. A half-size model should go like blazes.

All-balsa construction is utilized in fuselage and fins, while wing and stabilizer are multispar framework with tissue covering. Begin by cutting basic fuselage pod sides. Cement bulkheads between these sides. Cover Vee bottom. Install engine mount balsa runners at proper thrust


angle shown on side view of plan.

Should any thrust line alteration later become necessary, insert shims of sheet asbestos (supplied with the engine) between balsa mount platform and aluminum engine clip at the front or rear bolt connection. Balsa mount platform must fit the bearers quite snugly, and is held in place by a friction fit. It is removed with the rocket engine for recharging. Nose piece is solid because we required the weight in nose to obtain correct static balance.

All wing ribs are identical and cut from rather soft sheet balsa. Cover wing with finest tissue available. Use clear dope as the adhesive, and when watering tissue be certain to pin wing to a flat surface to prevent any warps from forming. While pinned, two thin coats of clear dope can be applied, one panel at a time.

The stabilizer is constructed in a similar manner as wing. Also, it is covered in same way. Rudders are cut from medium sheet balsa and sanded. All strut material should be





sanded smooth. Slit top wing tissue covering, smear cement on strut end and attach struts at proper angle. Cement them to the wing structure, not just to the tissue. When this is dry, cement tail surfaces in place. Struts are flush with outside of the plate rudders. Cement wing to fuselage-pod. Now remaining struts can be cemented in place.

To save as much weight as possible, fuselage was not doped; since we could not use decals on the bare wood surface, the large black letters "OPEL" were inked onto a sheet of gummed paper (package label) and stuck in place. The smaller lettering was drawn on a buff gummed label, then glued in place. Lettering on fin is same as fuselage. The colored strut and pod trim, is red dope, thinned

about 50 percent, applied sparingly.

Balance model at point indicated. The Jetex unit can be moved some to achieve this balance point. Should model be badly out of balance, use modeling clay in nose or tail.

When gliding, release model from shoulder height with a gradual push, aiming at a point on the ground, about 30 feet away. When glide is flat and to the left, you are ready for powered flight! Do not release model the moment the igniter wick is lit, but wait for a hissing sound. Launch as though you were test gliding. If model glides well yet seems to stall under power, a little more down thrust will correct this. Adjust model for circling because with balance point as shown it will stall if set for straight flight.


There are few scale models available which will produce such an effortless climb. With your Opel rocket plane properly adjusted, you will find that when power cuts there is no dipping, instead the model continues circling and begins a slow descent—an open invitation to any nearby thermal to come and get it. So have the glide just right first—flat and to the left.

**Bill of Materials:** 1 pc. 3/32" x 1/2" x 36", wing trailing edge 1 pc. 1/32" x 2" x 36", fuselage pod, rudders. 1 pc. 1/2" x 1/8" x 36", boom struts. 1 pc. 1/8" x 2" x 2", rocket engine platform. 1 pc. 1/16" x 2" x 36", wing ribs, wingtips, wing struts, stabilizer ribs, stabilizer trailing edge 5 pcs. 1/16" x 1/18" x 36", wing & stabilizer spars & leading edge. 1 pc. 2" x 1 1/4" x 2 1/4", nose block. 2 oz. clear dope. Small tube Testor's Formula "B" cement. Small piece very fine sandpaper. 1 sheet fine tissue. 1 Jetex 100 Rocket Engine.

Fritz von Opel is airborne from the take-off track with his rocket-powered craft on Sept. 30, 1929 at Frankfort on Main, Germany. Speed, 94 mph at 50-ft. altitude; total all-up weight, 770 lbs.



## MODEL ROCKET PLANE





# MODEL MATTERS

## WESTERN ROUNDUP

■ It seems that once in a blue moon a model builder comes along who excels in his field. When this fellow applies engineering theory to practice and makes it pan out, an even rarer event occurs. Such a man is A. G. "Red" Everitt of National City, Calif. He's built a total of five models, his first being the Korda Wakefield which he flew with dry rubber, not knowing what rubber lube was.

Today he is such a perfectionist that his latest ship of original design which he calls 3:5, totaled over two minutes more than his nearest competitor in winning the Wakefield eliminations at Los Angeles, and topping all entrants in the Western states.

His winning ship is very unorthodox, his theory being that to get a ship to do maximum time you have to have a 3 to 5 ratio of bare model weight to power. When this has been accomplished through very careful design and building, you must put on an efficient prop that will get your ship up high, over 450 feet, on a prop run of 1:40 to 1:50.

Starting on this basis he proceeded to lay out a ship to use a maximum possible rubber length. Running the motor the full length of the ship seemed the easiest, lightest way of accomplishing this. To cut down wetted area the fuselage was made a diamond of fairly small cross section, a bump being added, à la "Jaguar" for the needed cross section. The horizontal tail was plugged into the sides and is removable. The top longeron was cut away to allow the top contour of the wing to fit flush with the top of the fuse. To cut down drag the wing had a paper fairing and the prop a plastic spinner.


The prop and its fittings were a source of considerable work and experimenting. The prop is removable through a pawl which screws onto the threaded music wire shaft. The prop has a self-locking stop invented by Red, which utilizes every wind in the motor. The prop design is entirely his own. (Continued on page 76)



Net Antenelli built this Half-A PAA-Lead "Peeling"; the Wasp-powered Celib job has diagonal ribs with gussets; wt. 8.5 oz.



Red Everitt and his famous "Three: Five" Wakefield. Rubber runs full length of fuselage, 14 strands. Does over 5 min.



Free flight pusher powered by .074 Cub made by Bill Fileccio, Detroit. Has been flight tested successfully. Light blue.



Tiger Moth with Arden .099 has 20 in. span; does 50 mph on 40 ft. lines. Ken Clark and Lonnie Tanner, B.C., Canada.

## DOPE CAN

■ From out of Detroit comes quite a blast by a well-known model club concerning the National competition towards which many of us will be heading within a few days. The *Detroit Balsa Bugs* have hung up an enviable contest record. Not long ago over the signatures of their president, Art Jasion, and secretary, Charles Bienenstein, an open letter went out to many clubs and meet directors.

"Members . . . have consistently attended the Nationals in the past," goes the letter in part, "and feel we can speak from experience when we say that last year's meet had many shortcomings. A few of them . . . contest procedure was very disorganized. Processing models to rules was lax. Flying terrain was poorly chosen, with the presence of a lake nearby and surrounded by snake-infested swamps. Being in a military base, flyers were subjected to military restrictions and regulations. Naval personnel did not have the proper experience to handle processing and timing."

If you know the answers to some of these gripes, hold everything.

"We do not have any personal complaints against the Navy," continues the communication, "but we cannot see ourselves tied to them for the next five years. . . . Do you want a 'body' taking over the Nationals? We are headed in that direction. What can we do? Our idea of a sponsor is one who is generous with an open purse for which he receives all due credit and publicity; BUT, he does not tell us how, when, or where!"

"The A.M.A. is adequately organized and has enough experience so that they can run the meet according to established rules . . . they should know that as dues-paying members, flyers expect a well-organized meet. We expect it to be run off as planned and scheduled to suit all model flyers. We expect a well-chosen terrain that is favorable to chasing models. We expect processing rules to be adhered to and events run on schedule. We don't want separate events in different locations on the same day. We expect competent help all (Continued on page 77)

## FULL SIZE PARTS

LANDING GEAR STRUT  
FRONT VIEW

LANDING GEAR TEMPLATE

MOTOR MOUNT

STABILIZER

ELEVATOR

STABILIZER SLOT

WING SLOT

■ With this "miniature" model you can enjoy all the thrills of team racing. And best of all the "Tiny Tim" racer can be built in an evening.

A very special feature is the provision for flying the model as a conventional U-control craft, or it can be operated without a pilot from an indoor or backyard "pylon" as a tethered flyer.



Flying team-type competition from the center of the circle will provide just as much fun as though you and your buddies were operating "big" .19 or .29 powered planes.

The model, which requires very little balsa, is best started by cutting out the wood parts using the full-size forms as your guide. Sand the fuselage sides and edges, then cut out the slots for wing and stabilizer. Cut the plywood motor mount, glue in place, add the fairing blocks. The dural gear is cut out, bent to shape, drilled and bolted in place. Notice how it serves to hold the wing and fuselage together.

Next comes the wing. Sand to the airfoil shape shown and cement in place accurately. The






stabilizer follows; if you are going to fly Tiny Tim as a U-control job, then you'll cut out the elevator and add the hinges, along with the bellcrank, push rod, lead-out lines and elevator horn. For around-the-pole operation you'll need the right wing dowel guide which has a hole in it to permit the tether line to be attached to the engine mount screw.

To keep weight down the model is not painted, although it can be doped several times. Sandpaper the entire model between coats. If you want color on the ship, you can use a dye, then clear dope. Trim-Film will give some zip to the lines. Try this method: apply the Trim-Film and while it is still damp, spray on fuel proofer lightly. This "welds" the Film to the wood.

When you operate the model as a pole flyer, be certain the pylon pole is securely anchored to its base and the base is heavy enough to take the pull that will develop from flying the craft on a 10-foot line. Just start the engine and let the model take off by itself which it will do after a short run. As the engine leans out the model will climb until it is flying at the same height as anchor point on pylon.



America's first low-wing fighter returns as a fine pre-fabbed scale job by a pioneering model concern



■ As far back as we can remember, Cleveland Model and Supply Company has specialized in exact scale models. In the old days when you built a Cleveland scale ship you really *worked* to do it, but the results were always worth the effort, for this manufacturer has always stuck closely to realism. If a design called for all sorts of intricate curves and details, they would be found faithfully duplicated in the kit plans.

Upon opening the P-26A kit box, we felt just about as we did when opening a Cleveland kit in the old days—a bit speechless. There was the same profusion of parts, the multitude of sticks, sheets, pieces of wire, and just as in the old days, those same beautifully drawn plans. This firm has always been noted for its fine plans—there was, and probably still is, many a modeler's home workshop "papered" with Cleveland plans. And it seems likely that the P-26A plan will also go on a lot of walls.

There is a big difference between this C-D kit (Cleveland-Designed for you youngsters who never heard the term before) and those older ones, though. It is evident in those nine sheets of die-cut balsa, formed

landing gear wire, shaped and hollowed wheel covers, and other modern prefab details.

As usual, when a new kit comes along, we spent a lot of time studying the plans and checking size, shape and fit of all parts. "Shaped, spun, routed, notched, or die-cut parts" the ad says; we could add "turned, formed, printed, and so on," for all these processes are necessary to produce a kit of this quality.

Cleveland has always felt that a model builder would take more pride in his finished job if he really had to work to produce it. President Ed Pachasa still thinks this is so, and while the P-26A and companion prefabbed Great Lakes biplane kits are very well prefabbed, there is still enough detail work left so that the builder who finishes one of these ships will be able to state proudly that he built the model, not just that he assembled it.


You are given shaped and notched leading and trailing wing edges, die-cut ribs and tips, and a center spar of hardwood routed out for the landing gear wire. The P-26A is flyable either as a control-line or for free flight. The line version of the model uses the ribs just as they come

to make a symmetrical wing cross section. If you pick free flight, you trim off the bottom of the ribs and change the angle of the trailing edge to produce a flat-bottom airfoil of good free flight characteristics.

The fuselage bulkheads are die-cut in halves and fit over the central fuselage spar. Bulkhead notches are made easy by the use of a long strip of  $\frac{1}{8}$ " wide sandpaper and a piece of  $\frac{1}{8}$ " thick hardwood. Cement these together and just "sand" the notches in the bulkheads. This is simple, accurate, and rapid, and we predict modelers will keep this little tool for future use on other projects. If you want a free flight ship, the wing incidence angle will be different from that used for control flying.

The kit includes drilled and hollowed wheel cover halves and sturdy hardwood wheels. The tail wheel is also housed in a covering, for which hollowed halves are furnished. The plywood firewall is completely shaped, beveled and with cutouts for motor mounts; the tail surfaces are of sheet balsa. The latter are cemented permanently together for free flight use, or you can offset the rudder, hinge the elevators and install a (Continued on page 72)

MODEL SUITABLE FOR A B C ENGINES FOR CONTROL LINE OR 1/2 A ENGINES FOR FREE-FLIGHT




S C S




# sketchbook

Have you developed something new in construction, control, or flying that might interest other modelers? Send a rough sketch—we'll redraw it and pay \$5 for each one accepted. Due to their large number, we're sorry that we cannot acknowledge or return submissions.



Control model elevator



• Dependable elevator "horn" with quick adjustment to vary sensitivity submitted by: Duane Borden, Ponca City, Okla.


• Clarence Mather, Lexington, Ill., prevents dope & cement lids sticking by brushing castor oil on lid threads

• "Ejector seat" for dummy pilot comes from Don Smith, Rochester, N. H., (adaptable to freeflight using timer)


Paint layers with colored dope before joining

Colored edges appear as contour lines


• Nifty idea for carving symmetrical parts of laminated sheets, by: Roy McGuckin, Fairlawn, N. J.




• Tapered pair of "Thrust Discs", for radially-mounted engines are individually rotatable for multitude of side-thrust and down-thrust combinations. J.L. Sadler & H.A. Thomas, Little Rock, Ark.



• Simplified counterbalancing makes broken propeller serviceable reports Bill Miller, Arcadia, Mo.



• Starter for midget engines uses speed-drill and rubber hose adapter—From Joe Locasto, La Salle, Ill.



• Multiple flight timer-bank is invention of Bob Sutton, Topeka, Kan. Plunger cuts fuel flow to engine—

# Motor of the Month EXPERIMENTAL DESIGN



**Even though you can identify every modern make of model engine you'd have a tough time with this unique collection built by Dooling Brothers**

■ Four men worked two years and spent over \$50,000 to develop one good model engine.

It all began back in 1836 when Tom Dooling Jr. paid a neighbor five dollars for a box of miniature engine parts. He made six or seven model airplanes for the motor but always broke them. One day in desperation he put the motor on a board, hung on a set of wheels, and made a gas model car.

Fate, in the form of film actor Reginald Denny, stepped into the picture. Mr. Denny saw this original car and asked young Dooling to make 25 cars for his Hollywood model shop. At that time Mr. Denny was building his own engines.

Tom Dooling Jr. combined resources with his father Tom Sr., his brothers Russell and Harris, and the Dooling Brothers Manufacturing Company came into being.


Their first machine shop was in the garage in back of the modest Dooling residence. After the first order of 25 cars was delivered, Mr. Denny promptly ordered 25 more. Before the war changed their product, the Doolings had built over 25,000 model cars. A vacant lot next door, 50 feet in diameter, became the first Los Angeles model racetrack.

Came World War II and the Doolings went into military contracts. They did early experimental work on devices like the "bazooka" and top-secret Navy fuses. The Dooling shop worked directly for the scientists at the California Institute of Technology in Pasadena.

"If the scientists could draw it on paper, we could make it," said Tom Dooling Sr.

With the war's end, many small manufacturing shops went into the model engine business. A large percentage are now closed, but the Dooling engines are very much in evidence.

"We had a couple of good competitors, but we didn't want to copy their designs," reminisced Tom Dooling Sr. "We (Continued on page 54)







# ..CHOOSE **TRIXTER** FOR CONTROL LINE STUNT FLYING

designed by

*Lou Andrew's*

1950 NATIONAL OPEN STUNT CHAMPION

1948 INTERNATIONAL OPEN STUNT CHAMPION



**\$2.95**

CLASS 1/2A

## **BABY BARNSTORMER**

1/2 Size Version of Champion Barnstormer  
for 1/2A engines - 23 1/2" wing span - 118 sq.in.  
Flies like a dream on 25' to 35' lines. Completely  
pre-fabricated. Will do full stunt pattern.



**\$5.95**

1950 NATIONAL OPEN STUNT CHAMPION

## **Trixter BARNSTORMER**

1st in Senior Stunt Event - 1st in Open Stunt Event  
-47" wing span - 470 sq.in. wing area - .23 to .35  
cu.in.disp. Kit contains full size plans, step-by-  
step illustrated instructions and pre-fab parts.

SERIES 2550C SHELF MODELS



## *Sensational* **DIE-CUT BALSA SHELF MODEL KITS**

**EASY ASSEMBLY - NO DIFFICULT  
CARVING - ALL MILITARY MODELS  
INCLUDING 10 JETS**

Brand new jet fighters and bombers - the  
latest models in our Air Force. Easy to assemble  
from razor sharp die-cut balsa parts - all fun  
and no hard work. No balsa parts to cut.



Plastic canopy  
in most kits.

Wing and fuselage  
insignia in every  
kit.

**25¢** EACH

Add 15¢ mailing  
charge to order.

Send for catalogue.



BOEING B-47 STRATOJET



N. A. F-86 SABRE



LOCKHEED P-38 LIGHTNING



REPUBLIC P-47 THUNDERBOLT



REPUBLIC F-84 THUNDERJET



VOUGHT F7U CUTLASS



LOCKHEED C-69 CONSTELLATION



BOEING B-29 SUPERFORTRESS



LOCKHEED F-80 SHOOTING STAR



CURTISS P-40 WARHAWK



MCDONNELL F2D-1 BANSHEE



N. A. B-45 TORNADO



N. A. P-51 MUSTANG



GRUMMAN F9F PANTHER



NORTHROP F-89 SCORPION



RUSSIAN MIG-15



VOUGHT F4U-1 CORSAIR



DOUGLAS AD-1 SKYRAIDER

**PAUL K. GUILLOW, WAKEFIELD, MASS.**



*Metal Working is but one of the many technical fields in which the Air Force offers unusual opportunities today.*

## WHAT THE AIR FORCE OFFERS VETERANS

*With Technical Training and Experience*

If you are a veteran of any branch of the Armed Forces—with an essential technical skill—find out what the U.S. Air Force can offer you today!

Here are just four of the reasons why so many veterans with special skills have been moving into the Air Force:

**FIRST**, if qualified, you can enter the Air Force at your old grade or better, according to your *present ability*.

**SECOND**, the Air Force will tell you exactly what your initial rating and pay grade will be, *before you join up*.

**THIRD**, you will skip basic training, and be assigned initially to a nearby Air Force base.

**FOURTH**, today's fast-growing Air Force offers better pay, and more chances for rapid advancement, than ever before.

Hear the whole story. Tell the Air Force what you have to offer . . . ask the Air Force what it can offer you.

# U. S. AIR FORCE

### WIDE-OPEN OPPORTUNITIES FOR TRAINED VETERANS

*in these and many other fields:*

AIR TRAFFIC CONTROL  
ARMAMENT  
ENGINE MAINTENANCE  
METAL WORKING  
PHOTOMAPPING  
RADAR  
RADIO  
ROCKET PROPULSION  
WEATHER

Visit your U. S. Army and U. S. Air Force Recruiting Station today



## Dooling

(Continued from page 52)

put four men on the project full time for two years. Our dynamometer, built specifically for model engines, cost over \$3,000 alone."

After 15 years in the model engine business, one of the most popular exhibits at the Dooling Brothers shop is the group of experimental engines which led to the presently popular models that sell throughout the country. Here are some of the most interesting designs, described by R. F. Dooling:

(Top of pg. 50). This engine is an alternate firing two-cycle twin of 10 cc total displacement. Crankshaft is made in one piece suspended at each end on ball bearings. Lower ends of connecting rods are split, caps being held in place with two 2-58 bolts. Carburetor connects to crankshaft between cylinders and shaft here is cut with two openings, one leading to front crankcase and one to rear crankcase.

Ignition points are located at the rear end of the engine. There is one set of points for each cylinder operated on one cam. Both points being mounted on a bracket that advances and retards points so same will stay in synchronization. In operation this engine turned up about 20,000 rpm, which means 40,000 firings a minute . . . Bore, .719" x .750" stroke. Horsepower, 1 1/4 at 20,000 rpm

(A). Two-stroke cycle engine, 1.015" bore x .750" stroke. This engine is a combination side port type and shaft rotary valve. The fuel and air are inducted into the rear of the engine, high on the cylinder and pass circumferentially around both sides of the cylinder and into the shaft rotary at the front. Ports open into the crankcase when the piston is near the top of its travel and the shaft rotary closes approximately 45 degrees after top dead center, the same time at which the piston closes the side ports. I can say that this engine has more induction valve area than any engine I ever saw for its size. It operated very nicely. However, we had difficulty in obtaining a proper seal in all the joints necessary in this type, and the side ports coupled with the shaft rotary apparently did not operate as well as fuel and air induction at a single point. One apparently disturbed the action of the other as the horsepower amounted to 1 1/4 at 14,000 rpm.

(B). This engine is a peculiar one. We did not think much of the idea in the first place but decided to try it anyway. The piston is inverted, that is, turned upside down with lugs on the bottom to take the piston pin. Combustion takes place inside the piston. When same is at top dead center, a projection on the cylinder head reduces the volume to give the desired compression ratio. The interesting feature, which is the one that we thought might be advantageous, is the "straight-through" scavenging. The piston is a lapped type, no rings, and when at bottom dead center has two bypass ports 180 degrees apart at the bottom end, opening into passages from the crankcase.

The upper lip of the piston at the same time open two exhaust ports 180 degrees apart. The engine runs, but that is all. About 6,000 rpm is top due to two reasons, both of which are mechanical mistakes. One is that the piston wall which is thin, expands and "puts on the brakes" during combustion, and second, the piston pin hung below the piston proper causes excessive tipping of the piston (without crosshead). Bore, .937" x .875" stroke.

(C). A two-stroke cycle engine with a symmetrically domed piston, .940" bore x .875" stroke, dual bypass passages and dual exhaust with a large shaft rotary valve and ignition points on the back side. This engine is similar to some European motorcycle engines. It runs very nicely but . . . is inferior to the cross scavenge type with properly

(Continued on page 60)



**Big Variety  
to Choose  
From**



# All Your Favorites in MONOGRAM Models

Airplanes • Ships • Jet Racers — More  
Fun and More Value in Every Kit

**Watch for It!**

Be sure to see Monogram's ad  
in coming issue of this maga-  
zine for announcement of thrill-  
ing new models for your fun  
and enjoyment.



## SPEEDEE-BILT flying models

More Fun to Build. More Fun to Fly.  
12 Thrilling Models

Each 85c



F-51 MUSTANG

Speedee-Bilt fly-  
ing models are the favor-  
ites of model builders everywhere.  
They give gobs of fun and good times to  
thousands and thousands of fellows who say they are  
the Nation's top kits. Every model is as easy as pie to build  
in one fun-packed evening. You'll take great pride in your finished  
SPEEDEE-BILT MODELS too. You can't help but turn out a good job  
and make a really sharp looking model.




Navien



Thunderjet



Mustang P-51



Helicat

**Plastic Parts!  
Easiest of All  
to Build**

Plastic parts for extra  
realism — props, pilots,  
machine guns, canopies,  
bombs, cowl, scoops,  
etc. Every kit is jam-  
packed with all the  
parts you need to make  
a glamorous model and  
the parts fit together  
accurately.

Extra big selection of  
airplane types — mili-  
tary, army, navy, ci-  
vilian, seaplane, bi-  
plane, high wing, low  
wing.



Aerona



Casina Seaplane



Piper Cub



Long Midgut



Boeing Kaydet



Spad



Encoupe



Manacoupe

Get Monogram Models from your dealer. If no dealer in your neighborhood  
order from address below. Include 25c extra for postage and shipment from  
nearest dealer's stock.



Most Popular  
Race Cars of all  
Time.

Midjet, 85c



Mono-Jet,  
85c

Hot Shot, 70c



**JET  
RACERS**



Aqua-Jet  
Hydroplane,  
60c



Terra-Jet  
\$1.00

Besides the fun of building a Monogram Race Car,  
there's loads of thrill-packed action in racing  
your model down the straightaway at more than  
100 M.P.H. Power with CO<sub>2</sub> capsule. Pre-shaped  
bodies, husky rubber wheels, plastic parts, metal  
fittings. Building is a snap. Aqua-Jet speed boat,  
also powered with CO<sub>2</sub> capsule.

**U. S.  
FIGHTING  
SHIPS \$1.25**




Destroyer  
USS Hobby



Battleship  
USS Missouri



Carrier USS  
Shangri-La



Cruiser  
USS Chicago



LST Landing  
Ship-Tanka

Thrill to the romance of the sea by building  
Monogram's famous historical ship models. Fully  
shaped 16 inch hulls. Authentic details.

**MONOGRAM MODELS, INC.**

**225 N. RACINE AVENUE, CHICAGO 7**



## Northrop Aviation Training

**Aeronautical Engineering**  
**Aircraft & Engine Mechanics**

**The "Inside Track" to Your Aviation Career Begins at this Famous School**

You show good judgment in choosing Aviation as YOUR career. To assure a permanent, satisfying career in this vast, expanding industry—take the "inside track" to the top—take Northrop training. Wherever Northrop graduates go in the aircraft industry, they are backed by the prestige of this famous name. They are on the "inside track"!

### **Unexcelled Training Facilities**

You learn thoroughly in minimum time under able, experienced Northrop instructors. You work with the Institute's own live jet engines and wind tunnel, its complete training equipment including giant multi-engine aircraft.

### **MILITARY PREFERENCES**

In civilian or military life, Northrop training counts. For example, NAI engineering graduates are qualified educationally to become Air Force or Naval Aviation Cadets, or Officer Candidates. Regardless of your present status, write today for complete information.



**Northrop**  
**Aeronautical Institute**  
1533 E. Broadway, Hawthorne  
Los Angeles County, Calif.

Approved for Veterans

**SEND COUPON FOR FREE CATALOG**  
34-page, fully illustrated booklet FREE

**NORTHROP AERONAUTICAL INSTITUTE**  
1533 E. Broadway, Hawthorne, Los Angeles County, Cal.

Please send me immediately the Northrop catalog, special military information and employment data, and schedule of starting dates of classes. I am interested in:

☐ Aeronautical Engineering ☐ Aircraft & Engine Mechanics

Name \_\_\_\_\_ Age \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

Check one: ☐ Veteran ☐ Non-Veteran 5


# FOREIGN News-Notes

Jack Finneran, Sydney, New South Wales, packed a few models into his 8 hp Morris panel van, drove it 1,000 miles to the Australian National Model Meet at Melbourne, and returned a national champ! His original design Class B, Dooling 29-powered model placed first at 120, using 7/10 Tornado prop and 25% nitromethane fuel, bettering speeds chalked up in other classes (C-D combined, 117; A, 100 mph).

A Rudderbug equipped with British E-D radio gear was flown very successfully at the meet; another highlight was Jim Wilde's outstanding deHavilland Chipmunk flying scale job. Australian interests, model-wise, somewhat parallel our own with team racing, free flight and stunt flying all being

France can boast of radio control flying of very high order. A recent contest winner, victor over several British competitors, was A. Wastable of Moulins. His model is realistic, of good size, built along Cub lines with strut-braced wing. Highly perfected radio receiver employs four tubes, giving full engine speed control and cut-off and rudder positioning independent of usual sequence. Modeler Wastable "chocks" his model's wheels with a strip of balsa, engine idling, then opens engine throttle by radio, jumping choicks for unassisted take-off.

Recent tally of international model records totaled 47 categories of rubber-powered, gas-powered and sailplane models under classifications of duration, distance, height, straight-line (free flight) speed and control-line speed. Of this number, 27 records were held by Russians, 16 by Hungary, three by France, one by Czechoslovakia. The lone U. S. record on this list was Gene Stiles' straight-line speed mark of 129 km. ph.




avidly pursued. National meet included speed category for Half-A jobs. American engines and accessories are evidently not too difficult for persevering modelers to acquire.

Jugoslav Modeler Dorde Zigic holds records with original free flight design reflecting Shulman influence right down to Drone diesel powerplant. Ship is five-footer, beautifully streamlined with retracting single leg gear and folding propeller. Same mechanical photo timer trips gear to retract after seven seconds, then cuts engine run after additional interval. Detailed plans indicate that tailplane is rigged to greater incidence than wing—plus seven degrees in stab, plus 3½ degrees in wing. Must surely call for superhuman skill in adjusting. Model, however, has rung up records of 37½ miles distance, height of 4,740 ft., and power duration ratio of 19.58. Ratios, incidentally, are popular abroad in evaluating free flight performances.

Britain's Hook Brothers, Alfie and Eric, are counterparts of America's famed Good brothers in radio control; their radio components for model plane use are said to be highly perfected. Though heavier than some receivers, the Hook apparatus is dead reliable, so we hear, and has helped reverse a trend to small radio jobs back toward larger models of better performance. Ideal size in opinion of one English modeler who has built various types is five-foot span, 10 inch chord, 3 lbs., 10 oz. weight, Ohlsson 23 (ignition). The model has single receiver, three relays operating rudder and engine speed.

England's outstanding modeler, Ron Warring, does not apparently join the many who are switching to geared motors, feathering props, extra-long fuselages and the like in hopes of success in the 1951 Wakefield competition. Rules revisions plus Ellila's wins with geared motors, and Evans' second place with the feathering prop point to real variety for this year with unorthodox proportioning and wide use of gadgets.

However, Warring, though admitting that Finnish flying conditions require a specialized model, is refining his standard shoulder-wing design. New fuselage structure is 25 percent lighter, stab is of laminated outline, geodetic ribs to resist warps, freewheeling prop



of improved design. Warring hopes for 85-second power run with glide tripling this duration. Test flights on 750 turns are four minutes' duration; maximum turns: 1,000!

Wakefield designers who may be confused by prop block layouts and the precise pitches they yield will appreciate Warring's tip: When "standard" block of 1¾" x 2" x 18" is used, variations in dimension "A" (see sketch) from center alter pitch. Consequently props of various pitch can be made from blocks of identical overall sizes.



# 4 DMECO'S All American "SENIOR" THE STAR OF THEM ALL!

WITH THE SENSATIONAL "Asymmetrical Stability"



## PERFORMANCE

Here is the culmination of years of effort, a truly fine high performance stunt model that is simple to build, easy to fly and a cinch to win for you in contest after contest.

Dmeeco's EXCLUSIVE "Asymmetrical Stability" provides the means by which so much performance can be had from such a fine model with so little power.

## PRE-FAB KIT

This is truly a deluxe kit with all parts machined to finished size, ready for assembly. Only the finest Grade A1 hand-picked balsa is used along with the best of other materials. A ready formed dual "team racer" type gear is also supplied.

The giant plane gives FULL SIZE views of the entire model together with exploded assembly views that make every detail completely clear.

## SPECS

Wing Span: 51"  
Wing Area: 510 Sq. in.  
Fuselage: 24 1/4"  
Weight: 28 oz.  
Power: .29 to .49  
Fox; Torpedo; Forster  
Olsson, McCoy

FOR CONTEST STUNTING!

## HERE IS THE ALL-AMERICAN TEAM

### 1 All American Jr. "BASIC TRAINER"



Designed for learning with the easiest engines to use, the O.K. Cub, Rugged, and Flyable to teach you the easy way.

Kit is ready to assemble with shaped wing, fuselage and tail parts. Follow the full size plans, glue it together and it is ready to fly!

BUILD IN 2 HOURS \$1.75

### 2 All American Jr. "STUNT TRAINER"



Learning Stunt Flying is simple with the "Jr." It's the right combination, slow enough to learn with, yet responsive to keep you out of trouble!

Kit is complete with finished parts ready to assemble. Connect the high quality parts together and it is ready to go!

READY TO ASSEMBLE \$2.50

### 3 The All American "STUNT MODEL"



There is a true stunt model of superior performance for the engine in the 18 to 29 field. A really fine example of modern stunt design including "Asymmetrical Stability".

You will find the kit ready to assemble from finished Grade A1 materials. Included is a dual "Team Racer" type Gear for that added touch.

PRE-FAB KIT \$4.95

## DMECO MODELS FOR FUN AND PLEASURE

### "SPEEDSTER"



For 1/2-A team racing and speed

\$2.50

### "Infant WAGON"



For 1/2-A stunt flying at its best

\$1.95

### "New BIPE"



A real model for sport and stunt training

\$3.95

### "SPORTWING"



A new, modern and different stunt model

\$3.95



### SPEEDWAGON

Speedwagon '50 \$5.95  
Speedwagon '30 \$4.95  
Speedwagon '20 \$3.95

### America's Finest

## COMPETITION MODELS

When you are preparing for those coming big contests and really want a winner, think of these tried and proven "dmeeco models."

Perennial contest winners and record holders!



### STUNTWAGON

Stuntwagon \$7.95  
Stuntwagon '30 \$5.95

Ask your Dealer to  
Show You any "Dmeeco"  
Model TODAY!

# The DeBolt

"Home of Design-Engineered Models" NEW YORK

# THE NATION'S MOST COMPLETE LINE- BY ENTERPRISE

Yes, fellows, it's toot-time again... you can take full advantage of those swell spring "toot-time" by flying Enterprise's great new "TOW LINE-TERROR" - absolutely the greatest, most revolutionary towline glider kit ever offered!

NEW!

## "TOWLINE TERROR"


Completely Prefabricated Kit  
ALL parts razor cut to shape,  
notched, ready to assemble!

Only \$1.00 plus 20c by mail

## "COMBAT ACES"

Six GIANT

SOLID SCALES!



MI-15 "RUSSIAN-JET"  
WINGSPAN 14" - LENGTH 18"

GERMAN F-8-F "PANTHER"  
WINGSPAN 11 1/2" - LENGTH 12 1/2"

NORTH AMERICAN F-51 "MUSTANG"  
WINGSPAN 14" - LENGTH 11 1/2"

NORTH AMERICAN F-86 "SABRE-JET"  
WINGSPAN 14 1/2" - LENGTH 12"

LOCKHEED F-80 "SHOOTING STAR"  
WINGSPAN 12 1/2" - LENGTH 11"

EACH ONLY \$2.50 plus 20c by mail



Free-Flight

### "CHAMPION 36"

36" Wingspan, 202 sq. in.  
For .045 to .09 Engines  
plus 20c by mail

\$2.50

### "KNOCK OUT"

Midget Controlline Stunt  
045 to .09 Displacement  
18" Span - Pre-Fabricated  
plus 20c by mail

\$2.50

### "SHADOW"

Semi-Scale Free-Flight  
.045 to .09 Displacement  
32" Span - Pre-Fabricated  
plus 15c by mail

\$1.95

Controlline!



"BABY ERA"  
.045 to .09 Displacement  
plus 20c by mail

\$2.50

"BABY ERA SIPE"  
.045 to .09 Displacement  
plus 20c by mail

\$2.50

"NEW ERA"  
.19 to .45 Displacement  
plus 25c by mail

\$4.95

## Rubber Powered "NIFTIES"



MONOCOUPES Only


AEROCRAFT CHAMPION

PAPER CUB SPECIAL

TAYLORCRAFT


ENTERPRISE

MODEL AIRCRAFT AND SUPPLY CO. INC.  
5107 AVENUE D DEPT. AT-81 BROOKLYN 3, N. Y.



This easily built paper-covered model has good flying characteristics. The stabilizer has cathedral (negative dihedral). Best flight exceeded 1 1/2 minutes.

PLANS ARE HALF SIZE





# Pushie

■ The flying qualities of this little job are amazing. Tests made in an armory with only a 30 ft. ceiling produced flights of over 1½ mins.

*Pushie* is sturdy enough to be flown outdoors in light wind.

Aside from the time needed to carve the prop (a ready-made balsa or plastic prop can be used) you can easily build *Pushie* in one evening. The plans are half-size—double them for full-size parts. Block the wing up for proper 1½" dihedral under each tip. The stabilizer slants downward ½" at each tip. Use lightweight paper for covering purposes. Do not attempt to shrink or dope the tissue covering.

Note taper in the motor stick from the middle to the ends. The front wing clip is ½" longer than the rear to give the wing a slight amount of incidence. The thrust bearing can be bent from this same size wire or made by hammering flat the head of a 1" brad, drilling a small hole to accommodate the prop shaft and then bending to shape as shown on the plan. Use plenty of cement when attaching the thrust bearing, landing gear, and rubber hook.

Our original model was powered by a 12" loop of 1/16" x 1/30" T-56 brown rubber lubricated with green soap. A hand drill with a hook placed in the chuck can be used for winding purposes. Experiment with wing location until proper glide is obtained.

If the model stalls under power the thrust bearing can be bent slightly downward, or if it dives under power the bearing can be bent so that the prop when viewed from the side, turns at a slightly "up" angle. Our model had a natural counter-clockwise circle under power.

The circle can be tightened by warping the rudder or by putting a small amount of side thrust on the prop. Excessively tight banking during the circle can be eliminated by warping down the trailing edge of the left wing while facing the model from the front.



*The Power of Champions!*



The best of America's young model builders...like America's best plane builders...work to exacting "specs" with only the finest materials. And for powering rubber models, that means the specially compounded propulsion tape...power-packed T-56.



**UNITED STATES RUBBER COMPANY**

ROCKEFELLER CENTER • NEW YORK

**TOP FLITE**  
MODELS

# Fellas ? Can a Novice Build FLYING Models !

**Yes**  
Everytime...if


THEY'RE FAMOUS  
TOP FLITE  
JIGTIME Construction  
(Pat. Pending)



Flash photo of 10 yr. old Dave Axelrod flying his TOP FLITE JIGTIME "Rascal-18."

## They're GUARANTEED to Fly! OR YOUR MONEY BACK!

It's amazing what JIGTIME Construction does for fellas who have never built a model and flown it! Dozens of boys, many 6th graders, made repeated tests of Top Flite's JIGTIME Construction. Most of these boys had never before assembled a flying model. What happened? Test after test proved that each boy completed his model—and each model flew! If you are in 6th grade or higher—if you want the double thrill of completing a model and flying it—get busy today. Go to your model dealer, pick out one of these TOP FLITE JIGTIME models and be sure to follow the simple step-by-step plans. We guarantee you'll have fun building your model and that the completed model will fly or your money back!



TOPFLITE MODELS INC., 2635-455. Wabash Ave., Chicago 16, ILL.

## NOW AT POPULAR PRICES— The MONITOR PYLON CONTROL

A brilliant new invention that makes control line flying available to anyone. It is what all flyers have dreamed of, to sit or stand outside of circle. It has taken (4) four years to design and perfect, and has been tried and proven by experienced model plane flyers, so that it is now ready for you, to do better flying with greater control from outside the circle.

You see and feel your plane operating at all times and it opens up greater fields for those now using control lines for operating model planes.



- Use any length of lines.
- Stand or sit outside circle.
- Use for all classes, including jet.
- Monitor pylon is precision made eliminating any drag or whipping.
- Ball bearing equipped at points of stress and wear.
- All parts are of heavy steel and cast aluminum.
- Every monitor pylon is guaranteed against defects in material and workmanship.

ONLY

\$16.95

Order yours at once for immediate delivery and be prepared for the coming season. Send money order and avoid Postal Charges. Dealers send for descriptive literature.

Manufactured by: **MONITOR PYLON CONTROLS**  
Division of Linden Products  
195 BEACH STREET, MALDEN 48, MASSACHUSETTS

(Continued from page 54)

domed piston and corresponding cylinder head shape. This is shown by the low mean effective pressure. Horsepower is less than one at 15,000 rpm.

(D). This engine has "featherweight" reciprocating parts. Bore .940", stroke .875", two-stroke cycle. Plate rotary induction valve at the rear, ignition point at the front. The top of the cylinder sleeve stops even with the top edge of the piston and the corresponding cylinder head is domed internally... Main casting and bearing mounts are cast in one piece, necessitating a hole through the cylinder (which can be seen in the photo) to permit assembly of the piston pin.

The piston is extremely light (aluminum with rings)... Horsepower 0.90 at 15,000 rpm. Poor showing on this engine is due to two features: excessive head heating and restricted bypass passages which we later found to be mandatory for high-power output.

(E). This one is another "Boob McNutt" engine. It is a take-off from a German-made power plant. Has a stepped piston, the combustion space lying between head of the larger end and the stem. Piston is of steel, lapped to the two diameters. Piston pin is attached to the skirt of the larger diameter. When the piston is at bottom dead center, scavenge takes place through the hollow stem or smaller diameter of the stepped piston through ports in the upper end which open when the piston is in the down position. Exhaust is 360 degrees around the upper edge of the larger piston diameter.

Theoretically, this engine had two advantages: the "straight through" scavenge which is apparent from the above, and the additional displacement of the crankcase over the cylinder volume. The engine runs but no power tests were made as it was obviously inferior in performance.

(F). This is a four-stroke cycle job and has, beyond a doubt, the highest rpm of any small engine I ever saw. It has a rotating divided tube across the top driven by a train of spur gears up the rear of the engine. The exhaust passes into the tube at the top and out the front into a split exhaust pipe (not shown in the photo). Fuel and air induction are fed into the back end of the tube and into the top of the engine when the inlet port is open as in normal four-cycle operation; also into the gear train, down and into the crankcase through a valve on rear of engine.

When the piston is in the down position, fuel and air compressed in the case are inducted into the cylinder space through 360 degrees of ports, which gives a supercharge to the engine since the upper rotary inlet port is closed at that time. This case supercharging feature also provides lubrication for gears and bearings in the lower end of the engine. The front case cover has a shaft rotary carburetor blocked off, which has nothing to do with the engine set-up as it is. This was used on another experiment.

The disadvantage of this engine was the valve tube which would seize up when heated by running. We tried straight ground tubes and tapered lapped tubes but could not prevent the sticking up. The engine would start easily, run up to about 28,000 rpm, and then suddenly lock up tight, throwing off the flywheel which would hit the floor and spin on the concrete for a full second before scooting away like a rocket. Bore .940" x .875" stroke.

(G). This engine does not really belong with the display as all of it was not made by us. It is the oldest engine we own, being a Dennyrite, altered to incorporate two shaft rotary valves, one on the front shaft and one on the rear, the two valves being coupled with a pipe that passes under the engine and up the back end to the carburetor throat. Cast-iron fins were machined off and aluminum fins installed, held in place by the spark plug. Heavy plate cover over the by-pass opening prevented leakage. Bore .9", stroke .9".

(Continued on page 64)



## The Full Scale Champs Use Francisco Too!

Perhaps you didn't know that Francisco Racing Fuels have been standard in the high speed fraternities across the nation. For years, the big scale champs have relied on Francisco Racing Fuels to establish new speed records and protect heavy investments in superb racing engines.



STOCK CARS



MOTOR CYCLES



HOT RODS



MOTOR BOATS



RACE CARS

**F** FRANCISCO  
THE FUEL OF THE  
CHAMPIONS

THE MOST RESPECTED FUEL IN THE WORLD

**FRANCISCO LABORATORIES**

FIRST • LARGEST • BEST EQUIPPED

3787 Griffith View Drive • Los Angeles 39, Calif.

The Bright Light of  
FUEL FACT Dawns Upon the Land!

# FRANCISCO FUEL!

WITH FRANCISCO PROCESSED FUELS you expect to get **POWER** and **PERFORMANCE**. But in addition you get **FUEL STABILITY**; you get **TOP PROTECTION** for your engine, you get **TOP SAFETY FOR YOU**; you get **FUEL UNIFORMITY**; you get **NO RAW FUELS** — **NO IMPURITIES**. These are contest fuel facts—not fancy.

In 1936 Francisco Laboratories offered \$1,000.00 to anyone who could equal or improve Francisco Fuel formulas. Top chemists the country over tried, in vain. Today, two of the Francisco fuel formulas are valued in excess of \$144,000.00.

Twenty-four hour by hour testing and filter control Processed methanols, nitrates, treated, de-gummed castor oil concentrates. Stay flying with Francisco Fuels

Ask Today for Your Booklet  
"CONTEST FUEL AT ITS BEST"

THE **ONLY** FUEL with **volatane control!**  
THE **ONLY** FUEL processed to **avoid spoilage!**  
THE **ONLY** FUEL which is **truly acclimatized!**  
THE **ONLY** FUEL based on **30 years' experience!**



"SPITFIRE"  
special glow fuel  
below 50% rel  
humidity



"NITROL"  
most powerful  
contest fuel



"HI-THRUST"  
just what it suggests  
in contest glow fuel



"BLUE-BLAZER"  
tops a 1000 ft  
fuel - least engine  
wear - lowest price



"INFANT  
THIMBLE GLOW"  
1/2 A-out of this  
world

# COMET



*Tops in QUALITY*

*—and still only*

**10¢**

## COMET CEMENT

- Regular
- Cement for Plastics
- Extra Fast Drying

## COMET DOPE

- True Colors
- Unusual Covering Capacity



These are your twin secrets for building model airplanes that stand up better and look better! Always use Comet Cement and Comet Dope for best results!

Send 10¢ for illustrated catalog sheet

**-and NOW - also at 10¢**  
**COMET HOT FUEL PROOFER**


One 10c jar covers any 1/4 A motor job, and protects your precious models. Also in generous 25c size.



**COMET MODEL HOBBYCRAFT, INC.**  
129 W. 29th Street, Chicago 16, Illinois

**IT'S ALWAYS "BUYERS—KEEPERS" WITH SPECS**

Bore .800 —  
Stroke .584 —  
Bore weight 8 1/2 oz. —  
Aluminum piston, with rings —  
Crankshaft mounted with two ball bearings —  
Molybdenum iron cylinder liners —  
H. P. 3/4 at 17,500 R. P. M.



**Only \$14.95**

## NEW "DOOLING 29"


Where "Dooling" owners are concerned, it's a "for keeps" situation. If you've seen a man with a railroad watch or a Cadillac, you know how a "Dooling" operator treats his engine. You know how he feels about it. And you have a good idea what his records are like. Tops.

Regulation Discounts to Jobbers and Dealers


**DOOLING BROTHERS**

5452 West Adams Boulevard • Los Angeles 16, California

• Small bottle top, drilled & bolted to front of propeller, is starting aid for small gas engines ..  
From Norman Turner, Chicago, Ill.




Starting cord is wrapped around top, pulled smartly to start engine



"Erector Set" part




• Adjustable handle of wood & "Erector Set" part is idea of Jon Walker, Arlington, Tex.



← Metal strap

• Engines with lug-type mounting are easily adapted to radial mounting, thanks to invention of Charles Atkinson, Jennings, La.






• Assembly of one-blade folding propeller is dependable, compact, reports Charles Primbs, Santa Barbara, Calif.

# SKETCH BOOK



Have you developed something new in construction, control, or flying that might interest other modelers? Send a rough sketch—we'll redraw it and pay \$5 for each one accepted. Sorry, we cannot acknowledge or send back submissions.



• Simple dethermalizer has same effect in operation as ordinary pop-up stabilizer—permits rigid tail mounting.

Idea of Walter Winberg, Chatham, Ontario

• Improved towliner\* auto rudder\* gives overhead release. Towline tension centers rudder for straight tow. Used by B. T. Faulkner, Cheshire, England



## Accept only PERFECT TANKS



### LOWEST PRICE... ...HIGHEST QUALITY

They're light, they're clean, they're soldered inside and out. What's more they're good to the last drop of fuel. PERFECT Tanks are 100% hot fuel proof... made of metal.

Ask your model dealer for PERFECT Tanks TODAY. But don't accept an inferior substitute! Make sure it's PERFECT!

No.	Dr. Cap.	Dimensions H W L	Engine Size	Price
1	1 4	11 16" x 15 16" x 3 4"	up to .099	39c
2	3 8	11 16" x 15 16" x 1 1/4"	up to inc. .099	39c
3	3 4	11 16" x 15 16" x 2 1/4"	up to .19	49c
4	1 3	5 8" x 1 3/16" x 3 4"	up to inc. .19	39c
5	1 2	5 8" x 1 1/16" x 1 1/4"	up to .23	39c
6	3 4	5 8" x 1 1/16" x 2"	up to .29	49c
7	2 3	1" x 1 1/2" x 1 1/4"	up to .23	49c
8	1 1/4	1" x 1 1/2" x 3"	up to .39	49c
9	2	1" x 1 1/2" x 3"	up to .35	59c
10	2 1/3	1 1/8" x 2 1/4" x 2"	up to .51	59c
11	4	1 1/8" x 2 1/4" x 3 1/2"	up to .65	69c
12	2 1/2	1 3/4" x 1 5/8" x 2"	up to .51	59c
13	3 3/4	1 1/4" x 1 5/8" x 3"	up to .65	69c
14	5 1/4	1 1/4" x 1 5/8" x 4"	up to .65	69c

Buy-Word of Satisfaction

**PERFECT**  
QUALITY MODEL ACCESSORIES

KRAMER BROTHERS Baltimore 2, Md.  
KRAMER BROTHERS Newark 2, N. J.  
NATIONAL MODEL DISTR. Chicago 14, Ill.  
MAXWELL MODEL SUPPLY CO. Los Ang. 15, Cal.

# FINISH 'EM WITH **SPEED-O-LAQ** AND **SEE THE DIFFERENCE**

# 10¢

**FLIGHT TESTED**

This famous SPEED-O-LAQ insignia can be seen at local airports everywhere.



## The Only Complete Line of AUTHENTIC Colors!

Taylorcraft Cream	Stinson Green
Aerona Yellow	Olive Drab
Army Yellow	Chocolate Brown
Aerona Orange	White
Insignia Red	Black
Universal Maroon	Silver
Cessna Gray	Clear
Dark Gray	Gloss Top Coat
Waco Blue	Banana Liquid
Hot Fuel Proofer Thinner	Sanding Sealer
Insignia Blue	Undercoat
Metallic Blue	Hot Fuel Proofer Clear Thinner

### SPEED-O-LAQ MODEL AIRCRAFT CEMENT

A cement with just the right drying speed. Super strong, flexible, transparent. Long nozzle for easy application.



Available wherever quality model aircraft equipment is sold.

# SPEED-O-LAQ

SPEED-O-LAQ PRODUCTS CO., INC.  
2386 WYCLIFF ST., ST. PAUL 4, MINN.

## ACME RUST PROOF ALL BRASS TANKS

Still made COMPLETELY and ONLY of brass, no worrying about plating flakes vibrating loose and ruining your engine. A few pennies more for an ACME brass tank is good insurance for your engine.



TYPE "B"

1 1/2"-2 1/4" or 3" long

A wedge stunt tank that really feeds in all flight patterns.

85¢ ea.



TYPE "F"

1/2"-1"-1 1/2" or 2" long

This is the stunt tank for that small engine. Absolute feed at all times.

55¢ ea.

ACME TANKS ARE SOLD AT ALL LEADING HOBBY SHOPS

**ACME MODEL ENGINEERING CO.** 8120—7TH AVENUE, BROOKLYN 9, N. Y.

(Continued from page 60)  
Lapped piston, horse-power unknown. This engine was originally installed in a race car and for a time held the record of 60 mph on the Los Angeles banked speedway when 60 mph was really tops.

(H). The interesting feature on this engine is the "loop" scavenging system. Scavenging takes place through two tubes from the crankcase which enter the cylinder wall about 120 degrees apart and "aimed" away from the five exhaust ports and toward the far cylinder wall. The piston has no baffle, is perfectly flat on top, is fabricated from cast iron and lapped to the cylinder barrel. It was an excellent performer as far as torque is concerned but had no rpm to speak of due to the heavy piston and necessarily small porting. . . . Horsepower slightly over one at 12,000 rpm. Bore .940" x .875" stroke

(I). A two-stroke cycle engine having dual bypass ports, dual exhaust ports and dual side ports in conjunction with a shaft rotary valve at the front end. The engine was first built with the idea of using a supercharger on the back (not shown). This supercharger on the back case discharged directly into the cylinder at the bottom of the stroke during the same period at which the normal bypass operation took place. In running the engine we found that the difference in performance with the supercharger installed was identical to that when it was removed from the engine and the hole covered by using a different sleeve. Consequently, we can say whatever gain in brake mean effective pressure and obtained through the use of the supercharger was offset by the additional drag necessary to drive the apparatus.

The supercharger was of the impeller type with diffusion vanes and a collector ring on the periphery, and was geared so that it ran six times engine speed. This gave the supercharger speed of 120,000 rpm, when the engine ran at 20,000 rpm. Horsepower of the engine was well under 1.0 at this rpm.

(J). A four-stroke cycle engine with a rotating sleeve to give the valve action. It was not supercharged. Rotation of sleeve was accomplished by a set of 1:1 bevel gears, one of which was mounted between two ball bearings on the crankshaft main shaft, and then a 2:1 reduction through spur gears, the larger ring gear being mounted on the lower end of the rotating sleeve. The top of the rotating sleeve was solid with the sides, with one port of a circular sector in shape cut in the flat top of the sleeve. The port in the sleeve as it rotated successively contacted the inlet port in the head, the sparkplug hole, and the exhaust port in the head.

This engine was another that operated beautifully at the slower speeds, i.e., under 10,000 rpm. The main difficulty was the inability to keep the two surfaces between the top of the sleeve and the underside of the head properly lubricated. As seen in the photograph, this lubrication was attempted by using a line from the crankcase directly to the center of the head, such line operating with little or no success. Displacement was 10 cc and the engine had a lapped piston of .940" coupled with a stroke of .875". Horsepower was negligible.

(K). This four-cycle engine in principle is identical with that described as Engine F, except that it has poppet valves operated by overhead cam through double rockers. Tappet adjustment is accomplished through tapered ends of rocker shafts.

This engine was constructed like a fine watch and even the design of the cam contours was such as to induce valve movements at constant increasing and decreasing acceleration rates during the opening and closing. In operation, the engine did not perform as expected, probably due to the poppet type valves which limited the rpm, so that the maximum was around 13,000 rpm. The engine was built immediately after Engine F, the thought being that we could overcome the disadvantage of the rotary valve sticking



by replacing same with regulation poppet valves. The poppet valves were so small that we found it difficult to maintain proper tappet clearance, to the extent that the heat would change the tappet clearances sufficiently to alter the rate of valve motion.

Due to this fact, coupled with the fact the engine would be extremely expensive to produce on a quantity basis, we discarded it entirely. However, it can be said we put more work into this than any engine we ever built, and from an operating standpoint, it might be classed as a "sewing machine." . . . Bore .940" x .875" stroke. Horsepower slightly over 0.8 at 12,000 rpm.

## Demon

(Continued from page 33)

dimensions shown on plans. Hollow bottom half out for engine and cut engine pod section apart from the rear half of bottom. Shape engine bearers from  $\frac{3}{8}$ " x  $\frac{3}{4}$ " maple, and after cutting off  $\frac{1}{8}$ " from the top of the pod glue the bearers in place. Place the engine in pod and mark off positions of mounting holes. Remove engine and drill straight down through pod at these points. Groove bottom of pod to take the "U" bolts flush. The "U" bolts are made from pieces of bicycle spokes.


Hollow out the top section of fuselage. Do not cut too thin around the engine station as the location dowel pins go through here. Hollow out the rear section to leave about a  $\frac{1}{8}$ " wall.

Cut wing spar from beech or lemonwood and slot for bellcrank fitting. Notch top of fuselage to take spar flush and glue it in place. Drill two  $\frac{1}{8}$ " holes down through spar into fuselage and glue dowels in them, using lots of glue.

Bolt engine in place in pod and cut out top shell to it. Spot-glue the fuselage together and wrap several layers of masking tape around cylinder and cylinder head. Carve baffle blocks and glue them in place in front and in back of engine.


Cut out cowl top from  $\frac{1}{2}$ " pine and glue to baffle blocks. Make sure there is perfect alignment. No offset can be tolerated here. Cover entire cowl assembly with  $\frac{1}{16}$ " hard sheet balsa and sand down smooth. Cut cooling

(Continued on page 70)



**NEW!** - and worth turning to see - Prefabbed 1" scale for A+B!

30 minutes extra will make half A free fire versions of either kit



\$6.95

BOEING P-26A

Still famous today as the ancestor of low-wing fighters. 28" span Order kit SGP-60.

\$5.95

GREAT LAKES TRAINER

This 27" span biplane has everything you want for stunt or for sport. Rugged! Order SGP-1.

*Air Trails "Model of the Month"*

WHEN CLEVELAND — AMERICA'S GREATEST NAME IN SCALE — TURNS TO PREFABBED CONTROL LINE SCALE KITS, YOU SHOULD SEE THEM. DON'T MISS THEM — AT YOUR HOBBY SHOP.

**Great Warplanes**

20" P-51 MUSTANG \$1.50

20" P-40 WARHAWK \$1.50

20" P-46 SABER \$1.50

20" P-50 AIRACOBRA \$1.50

**Great Lightplanes**

20" BEECHCRAFT BONANZA \$2.25

20" CESSNA 500

30" TUSCONDE SEDAN \$1.00

**Great Biplanes**

20" STERSON VOTAGE \$1.75

20" F-17 \$1.75

20" BRITISH SE-5 \$5.00

**HOW TO ORDER:** See your local hobby dealer first. If he does not have these kits, do not expect shipments but order direct. Include 25¢ for pack post and delivery in U.S.A. only. Add 50¢ extra for special handling, etc., in addition to 25¢ post and charge. Add 2% Sales Tax. **SEND 10¢ FOR NEW ILLUSTRATED CATALOG**

**FLY CDS THIS SUMMER**

**NEW!**


**DECALS! EASY DIRECTIONS! SHAPED, SPUN, ROUTED, NOTCHED & DIECUT PARTS! SHEET SIDES OR KEEL!**

Any modeler who can assemble a control line trainer, can assemble these expert's delights!

**MODELED 1" TO THE FOOT**

There isn't room here to tell you how far Cleveland has gone to make these classics a snap to build — Everything we could do for you, we've done. Every more you make counts toward quick completion. They're lovely, color — a feast for the eyes — and they give you the full delight of Cleveland's 32 years of flight engineering skill — Something no one else can do — Something you'll never know until you build one. You'll have fun learning why Cleveland has always been —

**TOPS IN SCALE!**



**CLEVELAND-DESIGNED KITS ARE RIGHT FOR FLIGHT CLEVELAND-DESIGNED KITS MEET EVERY NEED CLEVELAND MODEL & SUPPLY COMPANY • 450712 Lorain Ave., Cleveland 2, Ohio, U. S. A.**

## SPECIAL ANNOUNCEMENT

If  
you like  
good ad-  
venture in sci-  
ence fiction, be  
sure to listen to  
N.B.C.'s **DIMENSION X**.

This strikingly different  
program will stir your im-  
agination! **DIMENSION X** is the  
result of the combined efforts of  
the National Broadcasting Company  
and **ASTOUNDING SCIENCE FICTION**.

**DIMENSION X** comes to you over the entire  
N.B.C. network every Sunday. Consult your  
newspaper for the time on your local radio station.

**NATIONAL BROADCASTING COMPANY, NEW YORK, N. Y.**

**20¢**

5 1/4, 6, & 1/2 in.

**IMPROVED**

**INVADER PROP**

Choice of Champions. Completely sanded with fuel  
resistant wax finish. Free flight, Stunt and Speed.

**PRECISION CARVED — MACHINE TESTED**

**FLO-TORQUE CORP.**

**BARABOO**

**WISCONSIN**

**25¢**

7 to 12 in.

**Q and A**

QUESTIONS ON ALL PHASES  
OF AVIATION AND MODEL-  
ING WITH ANSWERS SUP-  
PLIED BY AIR TRAILS' BOARD  
OF EXPERTS

**To Get Left Glide . . .** The recommendations for flying many free flight planes state that the best results may be obtained by a right-hand spiral on the plane when ascending under power and a left-hand spiral when descending in a glide. How does one adjust a plane so as to do this?

I would also like to know the purpose of dethermalizers and how the escapement on a D-E Aerotrol unit works.

*Bill Fowler, Elkton, Md.*

• The simplest way is to adjust the plane for the desired left hand glide by means of a small tab on the rudder. When the glide turn is correct, the amount of turn under power can be controlled by slight engine offset or change in the thrust line. Prop torque normally makes a model turn left, so considerable right thrust is needed to offset this tendency and produce a right spiral in the climb.

Dethermalizers are used simply to spoil the glide of a model, and so to bring it down out of a thermal (rising current of air) before it flies out of sight and is lost.

The Aerotrol escapement consists of a toothed disk turned by a twisted rubber band, and a magnetically operated ratchet arrangement. The wheel turns one tooth at a time as the operator sends pulses to the plane over the radio equipment. The Aerotrol escapement wheel actually has only two teeth while some others have four. A pin on the wheel is linked to the rudder or other control surface.

**Four-bladed Prop for F-82 . . .** Where can I obtain a four-bladed prop like the one shown in the sketch of the F-82 in your Model Annual for 1951?

*E. L. Kay, Portland, Ore.*

• Four-bladed propellers such as used on the F-82 model are not obtainable commercially.

However, it is a simple job to make your own. Just notch the hub out of two ready-made props like Ohlsson or Top-Flite so that they fit together at right angles, cement together and fill any cracks with Plastic Wood for smooth appearance.

We do not recommend using four-bladed props for flying. They are not as efficient as two-bladers and are noted for their ability to rap knuckles while starting.

**To Keep Dope On . . .** I have been building model airplanes and reading AT for almost two years now and I haven't found out how to keep the dope on the planes yet. On my planes the paint job looks all right until the first flight, then the gas sprays from the engine and just eats the paint right off and ruins a good paint job.

*Nell Butterfield, Weedsport, N. Y.*

• You state that the "gas" eats the paint off. If you are using ignition and gas-oil fuel, don't put any fuel proofer over your dope finish. Some fuel proofers are dissolved by ordinary gasoline, but will withstand hot fuels.

Any of the regular dopes (nitrates) will withstand gasoline and oil fuels.

If you are using "hot" glow fuels and fuel proofer over regular dopes, the trouble can come from the fuel getting under the proofer through tiny cracks or along surface edges. The fuel will then dissolve the dope under the proofer.

The best way to fuel proof for glow fuel operation is to use fuel proof dopes from the wood outward.

Finish raw wood with fuel proof clear or sealer and add colored fuel proof dopes such as Testor STA or Aero-Gloss. Butyrate dopes are also fuel proof. All fuel proof dopes will withstand most all glow fuels. However, there are some pretty strong concoctions that the best dopes cannot withstand.

To get a good fuel proof, allow plenty of time between coats. Four to six hours



should be enough. Fuel proof dopes set on the surface in a matter of minutes, but the layer beneath does not really dry hard that quickly.

When glow fuel spills or is sprayed onto the model, do not wipe it off immediately, allow a few minutes for the strong ingredients to evaporate. There is a slight chemical action taking place the moment the fuel hits the dope, but the finish returns to normal after a few minutes. Then simply wipe off the oil that remains.

**Flying Low-Wing Free Flights . . .** Can scale models such as fighters or low-wing personal planes be used as free flight gasbies?  
Bert Stockstill, St. Martinville, La.

• Low-wing free-flight designs have been flown successfully. There are certain factors that must be taken into consideration, however. The design must have low C.G., low center of lateral area, low thrust line and increased dihedral angle. This combination has been flown with contest performance.

If you wish to try a scale low-wing, pick a type that has these characteristics if possible. The Ercoupe comes nearest to filling the bill. Even so the model should use much less power than the same size high wing. In doing this the problems of torque and spiral instability are somewhat reduced. A typical combination would be an .074 or .098 engine in an airplane with at least 5 ft. span and 575-600 sq. in. of wing area. Performance would not be startling but with plenty of tinkering with offset thrust lines and incidence good flights could be made.

**Deflection . . .** How should the rudder be tilted on control liners?

Don Block, Pittsburgh, Pa

• The rudder on a control line model should be turned toward the outside of the circle. This will tend to turn the model outward slightly and help maintain line tension necessary for good control.

**"Ukie" from a Wheelchair . . .** I'm a semi-invalid (on crutches and wheelchair), and I'd like to know what you think about me flying "Ukie" from a wheelchair.

Henley M. McEhren, Jr., Lake City, S. C.

• Flying control line from a wheel chair can be done if you have a buddy stand behind you and spin the chair for you while you fly. The chair should be on a smooth hard surface so it will spin easily.

**Metal Covering . . .** I would like to know if there is a metal covering instead of tissue and balsa sheets.

Michael N. Segely, Santa Clara, Calif.

• There is no commercial model material for metal covering available at present.

Various schemes for metal covering have been tried by modelers through the years. Cigarette and candy wrapper foil is one source. You may be able to obtain rolls of aluminum foil used for sandwich and food wrapping sold in grocery and super markets.

The model will have to have very smooth all-wood surfaces. The aluminum foil will have to be applied and handled carefully. It can be doped on. Apply dope to wood and lay foil over it while still in set. Press and smooth into place, hold till dry.

**Where to Obtain Dural . . .** A lot of your plans call for parts made of dural. Where could I get the stuff in thickness from .020 to .040?

Tom Shaudis, Jr., New Philadelphia, Pa.

• Most hobby stores carry thin dural or aluminum. Your best bet for .020 to .040 thicknesses would be the maintenance shop at your local airport. They would probably give you small scraps for the asking. Large sheets would have to be purchased.

**Flying Solid Jet Model . . .** I am working on a solid model jet plane and would like to know how I can make it fly.

John L. Blalock, Hinesville, Ga.

• Depending on the size model you have built, you could power it with Jetex, Dyna-Jet or simply fly it as a glider.

If you intend to fly the model your construction will have to be very light. Extra dihedral will have to be added to the wings. Swept-back wings do not lend themselves to flying in model form very well.

If the model is small (7-8 in.) you might hollow out the fuselage for a CO<sub>2</sub> cartridge, add two screweyes on the fuselage top and fly it along a 100 ft. length of wire strung up outside between two poles or trees.

**Pressure Fuel Tanks . . .** I would like to know whether I would need a fuel regulator with a pressure tank, and still get the correct fuel supply without flooding the engine.

Bradley Emerson, Jr., Henderson, Ky.

• Several types of pressure tanks have come into use. The Jim Walker Pressure

DO  
YOU  
KNOW  
WHY


"Rite  
Pitch"

MAKES

TWO  
CEMENT  
FORMULA'S

Because . . .

each does a specific  
job for the model-maker!



Famous

FORMULA "11"

Contains 11 laboratory ingredients.

Formula "11" has exceptionally quick drying agents for speedy model construction.

FORMULA "11"

Best for Joints requiring lesser stress.

For example . . . a. Excellent for planking  
b. Wing construction  
c. Fuselage area

Famous

FORMULA "22"

Contains 22 laboratory ingredients.

To be used in joints where exceptionally high strain is encountered.

FORMULA "22"

Best for Joints requiring maximum stress.

For example . . . a. Wing Struts  
b. Landing Gear  
c. Motor Mounts

Both FORMULA'S "11" — "22"

In the standard size tube still 10c

In the larger economy tube only 15c

For Best Results...Keep both handy on your workbench

"Rite Pitch"

#### DEALERS

All leading jobbers will be happy to supply your order immediately.

#### JOBBERS

All nationally advertised "Rite Pitch" material is available before advertising

"Rite Pitch"

also makes

of "The World's Finest Gas Model Propellers" and Gas Tanks.

manufactured by  
ENGINEERED TOYS

6655 EAST DUNES HIGHWAY

GARY, INDIANA

World's Finest Gas Model Propellers

FLYING SCALE P-51

REDI-CARVED  
FUSELAGE

The MUSTANG in beautiful, precision HALF 'A' SCALE — A GRAND PERFORMER! Easy-to-assemble flying-scale model! Complete with carved & hollowed fuselage, cut-to-shape wings, slabs, rudder. All hardware & super-detailed plans Unexcelled for sight or flight

\$2.95



NOW! HALF 'A'

hell razor

Carved & hollowed top, fairing block & hardware — 100 in. span, 87 mph speed record! Kit less \$200

159.8 mph speedster—pooler flying with exclusive MAGNET UTM bottom! Class 'A' \$5.95, 'B' \$6.50, 'C' & 'D' \$6.95



1st NAME  
DECALS

Individualized models, tool kits, etc., with colorful 1st name or nickname decals. Pennant shape 1/2" high, 2 1/2" wide! Specify name with order!

6 FOR 25c

1/4" Scale  
Miniature SOLIDS  
\$125 ea.

- Pocke-Wulf 180
- Hawker Typhoon
- Grumman Hellcat
- Jap Zero
- Republic P-47
- N. Amer. P-51
- Boeing B-17 21.50
- Kingfisher \$2.00
- Lockheed P-38 \$2.00

DELUXE KITS

Models marked \* in larger scaled kits list or on request.

3087 Third Ave.  
N. Y. 56 (Dept. AT-8)

Consolidated



# FREE

**BONUS GIFT WITH EVERY COMBO**  
Beautiful nickel-finished 10-inch all-purpose metal saw and blade. Cuts any type of wood, plastic or fiber. Send for yours today Free with every combo.

**EXCLUSIVE DISTRIBUTOR!**  
Order direct from us as this offer is not available at any other shop or dealer. Do not confuse this offer with other Combo deals. WE ONLY SHIP AND SHIP THESE COMBOS DIRECT TO YOU

## \$7.75

POSTPAID

**DELUXE OUTFIT**  
• Royal Spitfire or McCay D9  
• And Model Kit (your choice)  
• Access. Kit  
**\$9.75 PP**

**KNOCKOUT**



**CUB**



**LITTLE MUSTANG**



**Your Choice of MOTOR • • • MODEL KIT • BIG ACCESSORIES KIT**

**YOUR CHOICE OF ONE MOTOR**

McCOY 049  
CUB 074  
GLO-MITE  
SPITFIRE  
TORP Jr.  
SPITZY Sr.

**YOUR CHOICE OF ONE MODEL KIT**


BERKELEY'S Sr. Puddle Jump,  
STERLING'S Maverick  
BERKELEY'S Mini-Hogan 34  
ENTERPRISE'S Knockout  
ENTERPRISE'S Baby Era  
ENTERPRISE'S Era Bipe  
SCIENTIFIC'S Aerona Sedan  
Cub 098 or Wasp..... \$8.75

MASTER MODEL'S S.E. 5  
MASTER MODEL'S Wing Ding  
MASTER MODEL'S Wing Dingus  
SCIENTIFIC'S Cessna 170  
SCIENTIFIC'S Cub Special  
STINSON "150" Stallion Wagon  
SCIENTIFIC'S Mustang

COMBO CONTAINS OVER 100 ITEMS—Model Kit, motor, metal stunt tank, ballorank, horn, hinges, cement, look on engine repairs, nuts, bolts, washers, brush, battery leads, push rod wire, plastic gas line, propeller, swivels, die-plug, gasket, control handle, 100' control wire, motor test block, formed landing gear, all metal knife, correct wheels, identifi tags, load out wires, sandpaper, plans for automatic takeoff helper, steel scale, speed indicator, Trim Pin, masking tape, instructions on control flying, motor test chart, club membership, gas line, catalog, etc.

**COMPLETE COMBO CLASS B-2-C BIGGEST VALUES**

**THUNDERBOLT P-47**



**O & R**



**NEW ERA**



**Your Choice Of MOTOR • MODEL KIT BIG ACCESSORIES KIT**

## \$12.50

**YOUR CHOICE OF ONE MODEL KIT**  
BERKELEY'S Pitt's Special  
ENTERPRISE'S New Era  
BERKELEY'S BEARGAT

**YOUR CHOICE OF ONE MOTOR**  
OHLSSON 19 or 23  
McCOY 19

Add \$1 Extra to Combo Order When Requesting Following Kits:  
Berkeley's Mustang • T-28 • Cessna  
Sterling Polish Flight • S.E. 5 • Waco

Choice of Model Kit  
Big Accessories Kit  
O & R Deluxe  
19 or 23  
**\$13**

Choice of Model Kit  
Big Accessories Kit  
McCoy "29"  
**\$14**

**DELUXE OUTFIT**  
• Royal Spitfire or McCay D9  
• O & R 29-31  
• Model Kit (your choice)  
**\$15.50**

VISIT OUR KITCHEN DEPT.

**MERCURY MODEL AIRPLANE CO.** 720-A-B UTICA AVE. BROOKLYN 3, N. Y.

SEND \$4 FOR CATALOG and FREE "Motor Hints"

system, made by American Junior Aircraft Company, uses a rubber tank to develop the pressure and must be used with a fuel regulator valve. Another system developed by Harold deBolt uses a metal tank with pressure supplied from the base of the engine. This arrangement does not require a regulator. This fuel system was discussed thoroughly in a series of articles in Air Trails during the last half of 1950

Using a CO<sub>2</sub> on Control Line . . . Can you or can you not use a CO<sub>2</sub> on light control line planes?

Vance Creech, Salemburg, N. C.

• CO<sub>2</sub> works fine on C.L., but you should use either the Campus or A-100. The OK CO<sub>2</sub> has plenty of power (as much as the smaller 1/2A glow plug engines) but doesn't run very long. The two smaller CO<sub>2</sub> engines have refillable tanks and run longer. Keep the planes light and the control lines as small as possible. These CO<sub>2</sub> powered planes would be most satisfactory for indoor use.

The approximate displacements for a CO<sub>2</sub> are as follows:

OK CO<sub>2</sub> disp. .012 cu. in.  
Campus Bee or Buzz CO<sub>2</sub> .0052 cu. in.  
Campus A-100 .0015 cu. in.

Life of a Half-A . . . I have read many articles saying not to run your motor unnecessarily and instead save motor for flying. Each motor has a certain number of running hours, but what is the approximate running time for the Half-A motor?

What is the required number of pounds of air pressure necessary to run the compressed-air engine?

Where could I buy a small amount, say one foot of the wire used in glow plugs and what would the cost be?

Bob Putnam, Prescott, Ont., Can.

• The useful running life of model airplane engines varies considerably from one design to another, and also is greatly affected by the speed at which the motor is operated. The average Half-A engine running at 12,000 rpm should last fifteen to twenty hours.

Compressed air or CO<sub>2</sub> model engines should have one hundred pounds pressure or more to develop full power. You should be able to experiment at a gas station with their compressed air supply.

The wire used in glow plugs is pure platinum or an alloy containing a high percentage of platinum. This should be obtained from a laboratory supply house, but would be quite expensive. If you could get the wire you would experience considerable trouble attaching it to the glow plug body. Each end is attached by an electric welding process and cannot be accomplished except by elaborate machinery.

Synthetic Oils . . . Can you give me the names of companies selling synthetic oils? Have used silicone oil but it does not operate too well in model engines.

Fred Schlumpp, Elmhurst, N. Y.

• Synthetic oils have been used recently in commercial fuels and little information is available concerning what the manufacturers use. One reader picked up a lead on oils used to lubricate conveyors carrying parts through high temperature ovens in manufacturing plants. A material called Caloria and another, Van Caloria, were suggested for high temperature work and they are supposed to burn off leaving no deposits.

## PEE WEE PUP




This Simplikit offers maximum performance at minimum cost. Simple enough for the beginner; lively enough for the expert. Mounts all 1/2A engines upright, inverted or on side.

Span . . . . . 17 1/2"  
Length . . . . . 14"

JOY PRODUCTS COMPANY, INC.  
MENOMINEE, MICHIGAN

# Sweeping the Country!



## Wasp .049

DISPLACEMENT

Free Flight Combination . . . . . \$6.75  
U-Control Combination . . . . . 4.50  
Rack Cover . . . . . .50

Since the sensational introduction of the WASP .049 at the Dallas Nationals last year, this remarkable engine has established itself as the undisputed leader in class AA.

Yes, the WASP has literally swept the country, winning contest after contest and setting new records all along the line.

Government controls and the critical material situation may soon stop all production of these fine engines. This may be your last chance to own a WASP.

**WATCH THE WASPS AT THE NATIONALS**

**ATWOOD MANUFACTURING CO. PICO, CALIF.**




# New England Model Builders:

## BUY AT YOUR LOCAL DEALER!

### Berkeley

New England dealers are now featuring -



**READY-TO-FLY \$1.95**  
**"SWISHER"**  
**JET AIRPLANE!**  
 with Jetex "50" Engine & Fuel

17 1/2" Wingspan. All-Balsa construction,— nothing else to buy! Climbs to 500 ft. altitude on a pellet of Jetex Fuel, glides for 3 to 5 minutes. You will have plenty of thrills with the "SWISHER" at the miracle low price of only



**KEITH STOREY'S \$4.95**  
**"QUEST"**  
**TEAM RACER-**  
**30" Wingspan - .29 Displ. Engines**

"The Quest" is the newest addition to our line of Team Racers. The design features a readily assembled sheet planked fuselage.

A metal cowl, celluloid canopy, formed sheet metal gear, wheels, Jim Walker "U-Control" System, all necessary hardware, and die-cut parts are included.



**BETTY SKELTON'S \$4.95**  
**"PITT'S SPECIAL"**  
**LITTLE STINKER!**  
**25 1/2" Wing .19 to .33 Engines**


A beautiful exact scale replica of Betty Skelton's Championship Stunt Bipe. Perfect for control line flying, this prefabricated kit covers complete with metal cowl, pants, oil drip pan, bubble canopy, decals, hardware wheels, Jim Walker U-Control System and all wood parts cut to shape.

New England's Largest Hobbycraft Distributor -

## NORTHEAST HOBBY DISTRIBUTORS

87 High Street - Boston, Massachusetts

Phone HAncock 6-9770



3. Was a glider, now it's a jet



1. She's a famous fighter and racer




2. One and only bomber from the West



4. A mannequin to walking and flying Comets



5. Strategic long-range



6. From blinder to probe of the deep



7. It ended one war BANG!

## Peculiar Planes

How many can you identify? Answers on p. 75



## THE Super Engine . . .

### No Wartime Shortages

#### For Dyna-Jet Owners

- WILL NOT WEAR OUT! No bearings, shafts, rods, pistons, cylinders to wear out or require replacement. Your Dyna-Jet will still run like new after many years of use.
- NO SPECIAL FUELS REQUIRED! Runs best on plain gasoline. Does not use war scarce nitro chemicals or methanol.
- NO PROPELLERS TO REPLACE!

**JET PROPULSION!** The greatest development in the field of aviation. Be modern, gain enjoyment plus knowledge with the world's finest miniature engine!

**SUPER POWERED!** More than 4 1/4 lbs. guaranteed thrust . . . the equivalent of 3 HP at 190 mph with 70% propeller efficiency . . . 1948 AMA speed record of 179.03 mph.

**EASIEST STARTING!** Most practical and reliable engine ever built. No propellers to break. No ignition system to burden your model. No bearings to wear out. No expensive, special fuels to buy or mix.

**MOST ECONOMICAL!** Will not wear out. Constant high resale value. Savings on propellers and fuel alone pay the difference in cost between Dyna-Jet and cheaper engines.

**OFFICIALLY ACCEPTED!** Accepted for contests by AMA, and by modelers the world over.

**HOLDS ALL WORLD RECORDS** for Jet models. **GUARANTEED!** 1. To start easily with hand fire pump. 2. To equal or exceed the advertised thrust. 3. Against defective materials or workmanship.

\$35.00 at your Dealers. If he can't supply, order direct. Immediate Delivery!

**Aeromarine Co.**

DAYTON MUNICIPAL AIRPORT • VANDALIA • OHIO

FOR THE FINEST IN CONTROL SCALE BUY

**Sterling**

**Models**

COMPLETELY PREFABRICATED

IN THE  
**Sterling Spotlight**

BRILLIANT ENGINEERING



Class B, C & D

**S.E.5.**

Stunt Scale

Span 32"

KIT C-6. \$5.95

WORLD'S FINEST Balsa Die Cutting

REAL AIRCRAFT IN MINIATURE

If it's scale you want, then it's STERLING. All kits prefabricated. Parts die cut or carved. Decals. Custom aluminum cowling or spinner. Full size plans and all the rest required for a really deluxe kit. See these models at your dealers. By mail add 25c per kit.

KIT C-1 MONOCOQUE  
Span 35" — Class BC

KIT C-2 HOWARD PEEK  
Span 30" — Class BCD

KIT C-3 MR. MULLIGAN  
Span 32" — Class BC

KIT C-4 WACO  
Span 23" — Class A

KIT C-5 POLISH FIGHTER  
Span 36" — Class BCD

OTHER MODELS AND EQUIPMENT

KIT C-6 MAVERICK  
(Stunt)  
Class 1/2A to small  
Span 24" — \$1.00

THE HAWK  
Free Flight or Flyer  
Span 27" for tiny Engines  
Ready to Fly class Engine — \$1.50

For the Best Fuel Mixing buy  
STERLING MIXER

**Sterling Models** 1530 N. HANCOCK ST., PHILA. 22, PA.

(Continued from page 65)

holes and exhaust hole as required in front and in side of cowling. Small front hole should be drilled down at an angle to supply cooling air to the crankcase and to the venturi.

Cut stabilizer and rudder from 1/16" birch plywood and sand them to streamline section. Cut elevator apart from stabilizer and mount control horn. Use aircraft fabric "Z" type hinges. Cut out bottom of top section of fuselage to take the stabilizer flush. Use a flat surface to line up bottom of stabilizer with parting line of fuselage. After cutting holes in fuselage to clear pushrod, install bellcrank and pushrod. Cut out rudder to clear control horn and rod and install rudder. Cover hole in rudder with 1/16" sheet balsa fillets and sand them down.

Cut two wing panels from pattern given. These panels are cut from 012-24ST aluminum and are bent over a sharp straight edge to form the leading edge of wing. Form each panel so that upper camber is greater than that of the lower. Drill 1/16" holes on 5/8" centers for the trailing edge rivets, and countersink these holes slightly.

Starting from the middle and working right and left, insert 1/16" rivets through holes after bringing the trailing edges of panel together. Cut off rivets so that only about 1/32" protrudes and then, using a small hammer and a piece of smooth steel as a butt block, complete riveting job. Do not pound the rivets too hard as this will cause the trailing edge to be wavy. The wing tips are cut from hardwood, slipped into place and riveted to the metal skin.

Now slip the finished wing panels over spar and secure in place with four 1/4" #0 woodscrews—two to each panel. Locate one screw 1/4" from fuselage, driving it from top into spar. The other screw is located 2 1/2" from wing tip and is driven from the underside into spar tip. Again use a flat surface during this operation to insure perfect alignment of panels. Leading

## WE'RE PROUD

to point to our policy . . . through an 18-year period of steady growth—namely:

## WE SERVE

Western Dealers only, now as always . . . through time of peace or time of war.

## OUR DEALERS

and, our suppliers too, depend on us for fair distribution of available hobby merchandise . . . AT ALL TIMES.

SINCE 1933

**WESTERN MODEL Distributors**

LOS ANGELES  
1574 West Adams Blvd.  
Los Angeles 7, Calif.  
(Phone: Parkway 2161)

OAKLAND  
1104 Fifth Avenue  
Oakland 6, California  
(Phone: Templebar 4-9171)




edge and trailing edge should be exactly the same height from work board.

Form fillets from balsa and glue to fuselage and wing roots. Sand fillets smooth so that wing joins neatly into fuselage. The rear bottom shell of fuselage may now be glued permanently to top shell and the entire model sanded down smooth. Cover the entire fuselage, cowl and rudder with gauze, using two thicknesses wherever fillets occur.

Apply several coats of filler, sanding well after each coat, and then spray model with any good fuel-proof finish or Dulux synthetic enamel.

Bend tank plug from a piece of  $\frac{1}{8}$ " soft wire. Drill a hole for same behind engine in the pod section, insert plug and secure it with a washer soldered in place on inside of the pod.

Flying this model is very easy since it is a stable airplane. Starting the engine requires a little practice. The general procedure is as follows: Make sure the needle valve is turned off. Fill the tank with an ear syringe, using as much or as little fuel as you like. Hold the model in the left hand and insert spinner in the starter. While the engine is turning over, open the needle valve until the engine starts to catch. Now take the plane away from the starter and adjust the engine until it is just breaking into a four-cycle movement. Reason for leaving the engine so that it is rich on the ground is that the amount of fuel from the tank remains the same, but the engine takes in more air after the model is airborne and leans out the mixture.



## Midgets

(Continued from page 25)

when in normal sitting position and it must permit the pilot to turn his head sufficiently to attain the field of vision specified, with his crash helmet on.

The two NAA-sanctioned events for the 190 cubic inch class of racers during 1948 were the Continental Motors Corporation Trophy Race at the Miami All American Air Maneuvers in January and the Goodyear Trophy Race at the 1948 National Air Races over the Labor Day weekend. Twelve midgets qualified at Miami and twenty-three at the National Air Races. The three winners of the finals in each competition (both twelve laps of a 2-mile course) were:

### CONTINENTAL TROPHY

Race No.	Pilot	Speed (mph)	Purse
20	William Brennan	166.5	\$1480
3	H. B. Salmon	158.5	880
5	A. C. Chester	145.7	680

### GOODYEAR TROPHY

4	H. B. Salmon	169.6	\$7000
1	S. J. Wittman	168.9	4000
2	A. C. Chester	168.2	2200

Slight modifications to the 1948 specifications for the 190 cubic inch class of racers were approved for 1949. These included a recommendation that dynamic or static balancing of ailerons be accomplished by all race plane owners, plus a listing of engine alterations which would affect adversely the ATC of the engines being utilized:

(Continued on page 72)



presents  
**The LIL RASCAL**  
27" SPAN FOR AA ENGINES



featuring  
**JIGTIME\***  
Construction

fly it CONTROL LINE  
Switch to FREE FLIGHT  
and Back Again  
ALL IN A JIFFY



## THE SENSATIONAL FOOLPROOF BUILDING METHOD

Fellas... don't debate whether your next ship should be a free flight job or a control line... Get the LIL RASCAL and enjoy both from one model! Yes, this one ship is so designed that you can switch back and forth in a jiffy. In free flight the LIL RASCAL will thrill you with its fast climb and a l-o-n-g, flat glide. For control line, simply snap on your lines, loosen the bellcrank and off you go! And what beautiful loops this LIL RASCAL makes! Really, nothing you've ever flown will give you so much fun and satisfaction as the LIL RASCAL.

Now about JIGTIME\* Construction, the amazing, foolproof method of building that was three years in development. Fellas, you just can't go wrong...every part is razor-clean die cut and best of all, each part is so keyed that it fits precisely where it belongs and you can't make it fit elsewhere! This remarkable feature assures you of a finished model that is precision constructed and perfectly aligned from engine mount to tail skid! And best of all, it saves hours of construction time for the old timers and enables the beginner to build with ease and confidence never before possible. Get the LIL RASCAL from your Dealer Today! **\$7.50.**

\*Pat. Pending

TOPFLITE ALSO MAKES THESE FAMOUS MODELS



TOPFLITE MODELS INC., 2635-455, Wabash Ave., Chicago 16, Ill.

## CANADA'S

Largest and Most Complete  
**HOBBY SUPPLIERS**

Canadian Headquarters for  
E.D. Radio Control Equipment

COMPLETE UNITS  
RECEIVERS  
ESCAPEMENTS  
PLUGS  
SWITCHES  
POTENTIOMETERS  
HI-VAC TUBES



Dealers write for 36-page  
illustrated catalogue

**MODEL CRAFT HOBBIES, Ltd.**

66 WELLINGTON ST. W., TORONTO, CANADA

Like mystery?  
Then you'll love

# THE SHADOW

Sunday on MUTUAL

## "SPEED MERCHANTS" NOTICE!

One MORGAN gear fits any 1/2 A, A, B, C D. speed job. Fully adjustable, positive fit, dependable take-off.

DOLLY TYPE \$1.50

Three Wheel Type \$2.50  
(less wheels)

Cash orders post paid.

### SOUTHLAND HOBBY SHOP

217 N. Main St. Orlando, Fla.

Complete line of model airplane  
& HO RR  
(24 Hr. service)

## AT LAST THE LINE PROBLEM LICKED!



- 350 LB. TESTED
- QUICK OPERATING
- COMPACT
- LINE REELER
- QUALITY PLASTIC

AT  
YOUR  
DEALERS

MOORE PRODUCTS  
103 N. HALIFAX  
DAYTONA BEACH  
FLA.

\$1.75

## P-26A

(Continued from page 50)

control system, if you expect to fly on lines.

The choice of motor depends on the choice of flight; an O&R 23 is shown on the drawings, but most large 'A's or the B sizes will fit in. The kit includes mounting nuts and bolts, something of a rarity these days. For free flight, large Half-A or small A engines are recommended.

After your motor is mounted in place, with thrust line set as indicated on the side view, you open up a protective box and take out what proves to be one of the big features of this particular kit, a fully shaped nose piece and cowl ring. The free flight engines will be almost entirely covered by the cowl, while even the B control line engines won't project too far above; realistic appearance is thus assured.

The original P-26A was an extremely colorful ship with its yellow wing, blue fuselage, white tail surfaces, plus lots of scallops and stripes. The kit includes all the required decals, the wing insignia being of the authentic old style with red center. The tricky scalloped edges on fin and stab are easy to make, for die-cut patterns are a feature of the kit. The long fuselage stripes are furnished in decal form. There are also insignias and numerals of the 34th Pursuit Squadron, after which the decorative scheme is patterned. If finished up according to the plans, you'll really have a colorful, yet absolutely authentic, scale model.

With the degree of prefab shown in the P-26A and Great Lakes Trainer kits, it is now a lot easier for the relatively inexperienced builder to assemble a workmanlike copy of one of Cleveland's long-famed authentic scale models. And we can say "long-famed," for this organization claims title as the "World's Oldest Model Airplane Kit Manufacturer"; they've been at it since 1919!

## Midgets

(Continued from page 71)

Any change in dimension from the combustion chamber head to the lower face of the cylinder hold down flange, any alteration in height of top of piston head over the center of the wrist pin hole; any dimensional change in the bore or stroke; any alteration in the length of the connecting rod between the center of the wrist pin hole and the center of the crank pin hole; any change in the dimension of the inside diameter of the carburetor venturi or of the injector throttle body; any change in the dimension of valve lift; any change in the weight or characteristics of valve springs; any change

WHOLESALE  
ONLY

## Easy Does It!

### For Hobbycraft Dealers Everywhere

It's easier to run a model and hobby store with National's Check List to help you. Keeps you informed. Makes ordering and stock-keeping a cinch. Simplifies all retail operations, big or little. Now 70 pages, listing more than 10,000 of the best selling hobbycraft items. Model railroads, airplanes, ships, engines, engine parts, race cars, tools, supplies and handicraft items. Write today.

NATIONAL MODEL DISTRIBUTORS,  
2514 N. Greenview Ave., Chicago



## SHIPS AND HISTORIC MODELS



New exciting catalog of historic Autos, Planes, Trains, Fire Engines, Cannon, Boats, etc., etc. Over 300 illustrations with many historic notes.

Send for your copy now. Only  
—25c. Military  
Miniature Catalog—15c.

CORR'S

812-818 Ninth St., N.W.  
Washington 1, D.C.




# Something NEW— JETHELICOPTER



SEE YOUR DEALER  
If he can't supply  
you, send his name  
with your order.

For your JETEX #50 engine  
—use the JAVELIN. Rugged  
new type construction  
stronger than Balsa. Ad-  
justable controls. Finished  
in 3 brilliant colors.

ALL PARTS DIE-CUT



JETEX #100  
(actual size)

## THE ONLY FLYING HELICOPTER KIT

Twin Jet Power. Designed for Jetex  
#100 engines. 3 foot rotor span.  
Automatic self-adjusting motor inci-  
dence. Price of Kit includes one  
Jetex #100 engine.

PRICE  
\$3.95

including one Jetex  
#100 engine.

All parts die-cut.

Balsa construction

PRICES include fuel,  
accessories, mounting clip.

# 50	wing span 12"-20"	\$1.95
#100	" " 18"-30"	4.50
#200	" " 24"-36"	5.95
#350	" " 36"-54"	8.95

Additional fuel for each size  
65c-75c-95c-\$1.00 respectively

AMERICAN TELASCO, LTD. 55 West 42nd St., New York 18, N. Y.

of the intake ports in polishing, other than smoothing the port; (it is considered that the port is polished, but not enlarged when low spots will mottle the surface where polished); any change in dimension across the top of the crankcase between cylinder mounting pads; and use of a spark plug make or model not approved in the engine; any change of valve seat angle from 45 degrees; any use of water injection; any use of a pump or blower to increase carburetor inlet pressure; (it is considered that resetting of magneto time would not affect the ATC as long as approved magnetos and parts are used. It is considered the ATC would not be affected if the throttle lever were moved to the opposite side of the injector unit).

NAA-sanctioned races for the 190 cubic inch class during 1949, and the first three winners of the finals at each were:

### CONTINENTAL MOTORS CORP. TROPHY RACE FINALS, 17TH ANNUAL MIAMI ALL AMERICAN AIR MANEUVERS, JANUARY 9, 1949

Race No.	Pilot	Speed (mph)	Purse
1	S. J. Wittman	176.8	\$1900
20	William Brennand	174.2	1100
21	T. B. Helsel	170.0	850

### GOODYEAR TROPHY RACE, NATIONAL AIR RACES, FINALS SEPTEMBER 5, 1949—12 LAPS OF A 2-MILE COURSE

Race No.	Pilot	Speed (mph)	Purse
20	William Brennand	177.3	\$7000
38	Keith Sorenson	178.7	4000
1	S. J. Wittman	176.2	2000

### REBAT MIDGET PLANE RACE, READING AIR SHOW, FINALS SEPTEMBER 25, 1949—10 LAPS OF A 2-MILE COURSE

Race No.	Pilot	Speed (mph)	Purse
20	William Brennand	164.7	\$450
1	S. J. Wittman	163.9	250
47	James Wilson	156.0	125

The Professional Race Pilots Association, as an affiliate of NAA, was authorized to sanction, on a "Guarantee and Percentage of the Gate Basis," sev-

## Wow! 2 New F-B Fly Boys!



## VAMPIRE

40" span, 1" chord, wing area, 368  
sq. in. Ready-built fuselage, die cut  
ribs, shaped and formed parts. Formed  
landing gear.

Class B-C..... \$4.50

### Sharpie-Stunt Plane, 517

Sq. Ins. — 47" span,  
11" chord. For class  
C-D engines. .49 cu.  
ins. up .....

\$4.95

F-T Trainer — prefabri-  
cated profile. 155 sq.  
in. — 24" span. For  
class A-B engines.  
.099 cu. in. ....

\$1.99

"FOLLY" 1/2A FREE  
FLIGHT for  
all Engines  
.035 to .074.  
..... \$1.75

## F-B BLAZES THE TRAIL WITH THE HOTTEST STUNT SHIPS FOR '51

## VIKING

51" span, 11" chord, wing area 558  
sq. in. Prefabricated fuselage, die cut  
parts, easily assembled, short building  
time.

Class C-D..... \$5.75



F-B MODEL AIRCRAFT—3240 LARIMER—DENVER 5, COLO.

## Real ACTION REALISM Truck and Jeep!

It's AUSTIN-Craft for Action-in-Conflict miniatures! And now more 100% realistic than ever—with more precision parts and accessories—the easiest assembled, most authentic vehicles on the market.



### 2 1/2 Ton Truck

Real white pine kit with complete plans—1/4" to foot. And now equipped with plastic, precision headlights, tail-lights, radiator guard and headlight guard, and treaded wheels. PLUS

shaped metal ribs and OD canvas top! Just \$1.75

### 1 1/4 Ton Jeep

—with realistic plastic steering wheel—metal hood and dash—2 plastic headlights, 2 plastic tail lights, treaded plastic wheels—and plastic pick, axe and shovel! Get started tonight building this regulation Jeep!



\$1.00

at dealers everywhere

Austin-Craft Co.  
431 South Victory Boulevard, Burbank, Calif.  
Enclosed find check (cash or Money Order) for:  
( ) 1/4 ton TRUCK—at \$1.75.  
( ) 1/4 ton JEEP—at \$1.00.

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

## A POPULAR KIT FOR A POPULAR SPORT!



## The Viper Air Boat FOR 1/2 A ENGINES

Prefabricated and Die-Cut Parts • Complete instructions for speedy assembly—and even speedier performance • Colorful Decals.

### \*3 POINT SUSPENSION HULL

COMPLETE KIT LESS ENGINE & PUMP \$1.50

**NORTH AMERICAN**

**Model Products**

9802 Warwick Road, Hilton Beach  
Newport News, Virginia

\*LICENSED UNDER APPL. VENTNOR U. S. LETTERS  
PATENTS #2,126,304 of August 9, 1938 and  
#2,481,063 of September 8, 1949.

eral midget race events on the West Coast to be organized by professional promoters during 1949.

The 1949 specifications for the 190 cubic inch class were revised further by the NAA Contest Board. These included permitting the use of any make spark plug in the future; a "must" requirement that all engines be dynamically or statically balanced; abolition of the minimum weight requirement, effective January 1, 1952; permitting the use of a single type fuel of any octane rating, which must pass through the ATC's fuel metering system; forced draft ventilation of cockpits; establishment of a 50-foot minimum altitude requirement, more rigid flight test requirements for the aircraft and qualification tests for the pilots.

### CONTINENTAL MOTORS CORPORATION TROPHY RACE, 18TH ANNUAL MIAMI ALL AMERICAN AIR MANEUVERS, FINALS, JANUARY, 1950 —12 LAPS OF A 2-MILE COURSE

Race No.	Pilot	Speed (mph)	Purse
1	S. J. Wittman	185.4	\$1800
5	Keith Sorenson	183.0	1000
16	Robert Downey	181.3	750

### FIRST ANNUAL WESTCHESTER AIR RACES, WHITE PLAINS, N. Y., FINALS JUNE 24, 1950—12 LAPS OF A 2-MILE COURSE

Race No.	Pilot	Speed (mph)	Purse
20	William Brennand	176.967	\$750
67	Luther Johnson	181.119	500
14	James W. Miller	158.532	300

### NATIONAL PILOTS AIR MEET AND RACES, CHATTANOOGA AIRPORT, FINALS JULY 16, 1950—12 LAPS 2-MILE COURSE

Race No.	Pilot	Speed (mph)	Purse
20	William Brennand	176.687	\$1350
8	Phil Quigley	175.860	900
47	James Wilson	163.019	450

### CONTINENTAL TROPHY RACE, INTERNATIONAL AIR FAIR SPONSORED BY THE AERO CLUB OF MICHIGAN, DETROIT-WAYNE COUNTY AIRPORT, ROMULUS, MICHIGAN, FINALS AUGUST 13, 1950—12 LAPS 2-MILE COURSE

Race No.	Pilot	Speed (mph)	Purse
3	John P. Jones	187.785	\$2000
1	S. J. Wittman	185.050	1250
30	Keith Sorenson	184.576	750

### 1950 REBAT RACE, READING AIR SHOW, READING, PA., FINALS SEPTEMBER 24, 1950—12 LAPS OF A 2-MILE COURSE

Race No.	Pilot	Speed (mph)	Purse
1	S. J. Wittman	185.453	\$800
20	William Brennand	183.713	500
8	Phil Quigley	179.253	300

It is estimated that there are now at least sixty specially built 190 cubic inch class racers, in complete condition, throughout the United States.


### PHOTO CREDIT LIST

Pages 20-21—Top: Howard Levy.  
Page 28—Top: Howard Levy  
Page 29—Bottom: Acme.  
Page 31—Acme.



ROGER

MR. DEALER—  
FOR IDEAS TO INCREASE  
SALES, VISIT OUR  
NEW DISPLAY  
ROOMS



WHOLESALE  
TO DEALERS  
ONLY

**mod Kraff Co**

840 Union St., New Orleans 12, La.

★ ★ ★ ★ ★  
Get 48th Advertisement!

REAL DIESEL ENGINE!

**\$2.95**  
You can't  
beat this  
price!

• Ideal for planes, boats, midget cars  
• Actually runs at 7500 RPM, produces 3/7 HP  
• Weighs a full 3 1/2 inches; weight 8 ounces  
• Comes completely assembled, ready for operation



\* MAYBE WE'RE CRAZY, giving away a precision diesel engine, complete with cylinder and piston, carburetor, crankshaft, connecting rod, etc. for ONLY \$2.95. But we're selling thousands of DEFZILS all over the world, and that keeps our production cranks down. DEFZIL is streamlined, compact, rugged. Starts quickly, easy to install, runs for years! Fast delivery if you ORDER DEFZIL today!

★ SEND \$2.95 plus 26¢ postage ★

★ GOTHAM HOBBY CORP., Dept. A ★  
★ 107 E. 124th St., New York 35, N. Y. ★

★ BEAUTIFULLY DETAILED SOLID MODELS ★



F8F BEARCAT... \$2.75

British Spitfire	\$2.75	P-51 Mustang	\$2.75
FW-190 Focke Wulf	2.75	F6F Hellcat	2.75
P-40 Warhawk	2.75	P-47 Thunderbolt	2.95
F4U Corsair	2.75	P-38 Lightning	3.50

ME-109 Messerschmitt \$2.75

Ask your dealer for "Dyna-Mo". If he cannot supply you write us direct, enclosing check or money order plus 25¢ for packing and postage—no C. O. D.'s. Watch our ads for Dyna-Model's new JETSI!

**DYNA-MODEL PRODUCTS COMPANY**  
76 SOUTH STREET, OYSTER BAY, NEW YORK

## Thrill your Flying with BLUE TIPPED FLYWHEEL SPINNER\*

Smallest to the Largest

1 1/8" O.D.	1 1/4" O.D.
1 1/4" O.D.	1 1/2" Needlenose
1 1/2" Needlenose	2" O.D.
1 3/4" Needlenose	2" Needlenose
1 7/8" O.D.	2 1/4" O.D.
1 3/4" O.D.	2 1/2" O.D.
1 1/2" O.D.	2 3/4" O.D.
	*patented

**Raphael Model and Hobby Supplies**  
P. O. Box 12633  
Los Angeles 39, Calif. Phone  
Chapman 5-3856



# FREE!



**With Your  
ONE YEAR  
Subscription to  
AIR TRAILS  
THE AIRPLANE:**



It's the Maverick, and you'll steal the show wherever you go. This prefabricated control job sells regularly for \$1 by itself! She's a cinch to build and a dream to fly. You can fly it low and slow as a trainer with motors up to .09; fast and furious as a full stunt airplane with engines from .19 to .29 displacement. Big 24-inch-span wing, die-cut and slotted fuselage, carved wing edges.

## THE MAGAZINE:

The best in the field—meaning Air Trails, but natch! You're missing plenty if you're not getting a personal copy each month. Now you can get 12 big issues (\$2.50), plus the Maverick kit (\$1) BOTH FOR ONLY \$2.50. This offer is limited; don't delay.

### AIR TRAILS

304 E. 45th St., New York 17, N. Y.

I enclose \$2.50, please enter the following subscription for 12 big issues of Air Trails and send me the free Maverick kit.

Name (print).....

Address.....

City..... Zone..... State.....

(AT-8-51)

## Towline Gliders

(Continued from page 36)

lack time, you can eliminate the special shaping rib which is cemented to the fuselage. Just make this portion of the fuselage straight by making a bit narrower bulkheads. And cement the plywood rib directly in the sides.)

You can now cement the bottom in place. Next, insert the tongue in the slots. Slide wing halves on it. Line up the wing at right angles to the fuselage. Cement-tack the tongue to the sides. Also cement the bulkheads which you will find above and below the tongue. The wing halves do not have to be held against the fuselage; just make sure that they are at right angles to it. Once the cement is set enough to hold the tongue in position, remove the wing halves and continue work on the fuselage.

Before you can cement the top platter in place, go over all joints and recement so that you will have cement fillets at corners. Cement the tow hook and bring the balance point to an approximate spot. The balance box itself is too small to accommodate the entire balancing ballast. Therefore, place the necessary ballast in the compartment behind the balance box.

An approximate balance is obtained by placing the stabilizer and rudders at their positions. Using the rear edge of the tongue as a balance point, add enough lead or iron bits to the next to front compartment until a balance is achieved. Cement the ballast to prevent it from flying off or shifting during flight. The actual C.G. may be eventually found a bit forward of this point. However, the usual balance box will be able to accommodate matters.

After cementing the top pattern in place, finish the fuselage with graded sanding. The designer recommended four coats of wood filler. Since the sides are relatively thick, you can use 50-50 cement and dope mix if you prefer, for filling and finishing the fuselage. Four coats will give a smooth and tough coverage. Finish with 7-0 sandpaper.

Before covering the wing, cement in place the stub ribs. The purpose of these is to back up the thinner rib, and also to give more body which can be shaped to fit the fuselage connection.

The rudders are cut from balsa sheet. Cement the lower one securely, and use a corner block fillet.

Add enough ballast until a smooth glide is obtained. Then cover the balance box as you should not change the C.G. position. Adjustments from now on should be made with rudder and stabilizer.

The model gave us no towing trouble, although it had a fairly tight circle. The designer recommended a warp in one wing, and then counter rudder to produce good towing and still have circling glide.


For circling adjustment, without using warped wing idea, the procedure is as follows: If the model has a natural turn, use it. If you desire a tighter turn, set rudder gradually. As the model tends to steepen the turn, bring it back to a "loafing" speed by giving the stabilizer a slight negative setting. In fact, after you have obtained a smooth straight glide, do all your up and down adjustments with the stabilizer. You will be surprised how much tighter and safer circles will be.

Since the wing is not held on with rubber bands to a definite position, check it before every flight. Make sure that the junction points are closed, since the sharp dihedral angle can be very sensitive to an "angled" wing.

### Answers—Peculiar Planes

1. North American F-51. 2. Convair XB-46. 3. Chase C-123. 4. Republic F-84. 5. Boeing B-50D. 6. Lockheed PO-1W. 7. Boeing B-29.

**LOOKING  
for GLOW  
ENGINES?**



**ONLY  
\$14.25**

**go to your dealer  
today to see the  
finest of all**

*Look at*  
**FORSTER**  
**ENGINES**

**FIRST IN QUALITY  
AT LOWEST COST!**

COMPARE IT,—not merely with engines in its price class but with engines in any price class! Never such precision, such true value at so low a price! It features a ball bearing crankshaft, aluminum piston with rings, a high compression cylinder head, down-draft carburetion, etc. See your dealer for a demonstration today. You'll be amazed by its Speed and Power.

*Seein' is  
Believin'*

Write us for literature

**FORSTER BROTHERS**  
62 E. Lanark Ave., LANARK, ILL.



# SKY SAIL



It flies through the air with the greatest of ease.  
**MEAT**  
 Why the plane with the SKY SAIL Covering!

There's nothing like it — ABSOLUTELY NOTHING!

\*\*\* WET or DRY it's easy to apply! \*\*\*

SKY SAIL the sensational model airplane covering  
 is stocked in a size and weight for every model,  
 and in BRILLIANT COLORS TOO!

\*\* Write us for free sample booklet \*\*

"Win With Sky Sail"

WHITFIELD PAPER WORKS, INC.

Est 1867

409 Pearl St., New York 7, N. Y.

**REV-UP**  
 Superior  
 PROPELLERS

**Chris Machin's**  
 Precision Carved  
 QUALITY  
 PROPS

STUNT — FREE  
 FLIGHT  
 50c

8" — 4"  
 8" — 6"  
 8" — 8"  
 9" — 4"  
 9" — 6"  
 9" — 8"

SPEED  
 Type A  
 50c

10" — 4"  
 10" — 6"  
 10" — 8"  
 11" — 4"  
 11" — 6"  
 11" — 8"  
 12" — 4"  
 12" — 6"  
 12" — 8"

SPEED  
 Type B  
 50c

7" — 9"  
 7" — 11"  
 8" — 11"  
 8" — 13"  
 9" — 11"  
 9" — 13"

MINIATURES  
 25c

3 1/4" — 2"  
 3 1/4" — 3"  
 3 1/4" — 4"  
 4" — 2"  
 4" — 3"  
 4" — 4"  
 5" — 4"  
 5" — 6"

JOHN W. WHITE

MACHIN PRODUCTS COMPANY

## Roundup

(Continued from page 47)

the outcome of every article he could find on props and their theory. The area was calculated from a C. H. Grant formula, taking into consideration the model weight, wing area and cleanliness of model. The side view is a segment of a perfect circle. The calculated area was laid out on graph paper with the maximum area at 70% from the hub. Through interpolation, the front view and consequent outline were derived from this graph.

The finished model has the following characteristics: span 45", plan area of wing 224 square inches, stab 71.2 square inches. Length between rubber mountings 36 inches. Total fuselage length 38 and 3/4 inches. Prop 20 inches diameter, pitch 30 inches or 1.5-1, power 14 strands 59" long. Winds possible 1380. The model has been flown on 1000 winds and on these turns will do 6:15 to 5:40, with a prop run of 1:45.

Red calls this ship 3:5 since he did manage to build it to this ratio. The wing airfoil is a Jakowski set at 3.5 degrees with C. G. at 50%. The landing gear is a single retracting strut of 1/4" balsa. The dethermalizer is a small tissue parachute.

There it is, the one model which actually does over five minutes in contests.

The Hi-Tailers seem to think that the best way to run a contest is to abide strictly by the rules. Their recent Half-A PAA load contest was just this. When the payload men were underweight, they obligingly supplied the necessary weight in the form of B-Bs and instructed the entrant to add them permanently, then come back. Those whose jobs were undersized were told to bring them up or not fly. Many an entrant was tapped on the shoulder and told that his flight was delayed since he pushed. The rules were adhered to; consequently when the fellows found this out, they tried to abide by them, and this resulted in a very smooth contest.

The 34 entrants more than justified this new class which Pan Am has introduced. Many a fellow went home with some very good experience, some of which we shall try to pass along for your benefit. Ships with single-wheel landing gears had a hard time getting off, so there are quite a few two-wheel landing gears being added to models. Weight plays a prime factor; the boys who managed to build down to weight got their ships off faster and they climbed higher. Motor runs seem important. The ships with motor runs of 18.5 to 20 sec. made much higher time. Those last five seconds seem to get the ships up twice as high as the previous fifteen.

Of the originals, wing areas varied from 135 to 240 square inches. The high placers all used 185 to 210. Fuselages varied from full cabins, to semi pylons, through cabane struts and bubbles. Tail areas varied from 35 to 43%. Sheeted leading edges were very popular, pop-up tails with fuses were standard equipment.

The winning ship Paakid, designed and built by Tommy Moffitt, had a 37" span with 210 square inches of area, airfoil was 8% thick and flat bottomed. Fuse was 28 inches long of 1/4" square construction, tail area 40%. Weight 9 oz., complete, power Wasp, prop 5 1/4 Kaysun.

Second place Nat Antonelli also flew a Wasp-powered job which he calls Paatug. Wing 200 square inches, 34 inch span, 6 inch chord. Horizontal tail 100 square inches. Nat's construction was a little unorthodox, his wing and tail had diagonal ribs with sheeted leading edges.



## TROPHIES

for every event!

Especially Designed  
 For Model Aircraft  
 Meets

- Beautiful Sun-ray design, rich gold color.
- Dozens of styles for different events.
- Top favoriten at big meets. Low cost.

WRITE FOR  
 FREE CATALOG

**RUSSELL  
 BROTHERS  
 PRODUCTS**

312-314 K.P. Bldg.

Des Moines, Iowa

# CLASSIFIED ADVERTISING

Everybody reads the classified. Here is a section hand-tailored for anyone with something to sell or buy.

RATES: Minimum 14 words for only  
 20c per word.

Send remittance with ad to:

AIR TRAILS, 575 Madison Ave.  
 New York 22, N.Y.

Limited Number of some old Air Trails full size plans available. Send postcard for listing to Air Trails, 304 E. 45th St., New York 17, N. Y.

## SPECIAL OFFERS

Receive a 1/2 Class A model airplane and engine practically as gift. Details 10c. Hobbycraft, Box G-104, Brooklyn 30, N. Y.

Wanted: 1000 used motors in part exchange for new motors and supplies. Send 3c stamp for full details. East Side Models, 432 Dewey St., Sandusky, Ohio.

## ORGANIZATIONS

Civil Air Patrol Memberships Open. If you're 15 or older you are eligible to join the C.A.P., the civilian auxiliary of the United States Air Force. Members under 18 are C.A.P. Cadets, those over 18 are Senior Members. Send letter to C.A.P., c/o Air Trails, 304 E. 45th St., New York 17, N. Y., stating that you're interested in joining. This letter will be sent to the Patrol unit nearest you.

Have you soloed? Join the exclusive Solo Club. Write Air Trails for details.

Be an Air Adventurer—Help make America first in the air. For details write to Air Trails, 304 E. 45th Street, New York City.

## Plans

AT's famous full size plans. Order by number. 25c per plan.

#751—Stunt Rocket U-control stunt; Flying Wing; Skylark parts.

#651—Stits Junior; Half-A Flying Boat; Douglas AD-2 Navy Carrier event winner.

#551—Fleet U-Control scale; Balsa glider trio; Clipper Chisai PAA-Load Model.

#451—AT Interceptor; PAA Cargo Carrier; Whee-36

#351—Matthews' Crowbar PAA-Loader I.I.; Beck's Petit Pete A/2'er; Ehling's Wakefield.

#ATA-51—F32 twin-engine U-Control scale; Bellanca Pacemaker; Easy-Bo free flight.

#151—Reinhardt's stunt winner; Little Twister free flight, Semi-scale Bellanca; Sopwith Dolphin.

#1250—Heath Parasol and Mid-wing; Hi-Pressure Pete stunt job; Miss Quito free flight; El Dobo rubber.

#1150—Wee Bee scale free flight and U-Control; deHavilland Moth; Screamliner "60", Kinglet.

#851—Screamin' Demon national meet speed winner; Nordic A/2 towline glider and Jetex powered Opel, world's first rocket plane.

NOTE Allow 3 weeks for delivery by Third Class Mail. For First Class add 5c postage per plan ordered; for Airmail add 15c postage per plan ordered.

## Air Trails Plan Service

304 East 45th St., New York 17, N. Y.  
 I enclose 25c for each plan listed:

List by number

Name (print)

Address

City-Zone-State

(AT-851)



**PDQ Super Clown**  
FLYING STUNT PLANE



**\$2.95**

**SPECIFICATIONS**  
WING SPAN—36" LENGTH—27 1/2"  
WING AREA—150 SQ. IN. WEIGHT COMPLETE—20 OZ.  
WING LOADING—8 OZ. ENGINE—22 TO 46 DISPL.

**FOR PRODUCTS CO.** TULSA & DAUPHIN STREETS  
PHILADELPHIA 33, PA.

## DOOLING "29" ENGINES

IMMEDIATE DELIVERY



**DEALERS!**  
Write for Details

**\$14.95**

**T R O S T**  
MODEL CRAFT HOBBIES  
3111 W. 63rd St. • Chicago, Ill.

**Buy Where You Find  
THIS SEAL**



**IT ASSURES YOU THE  
BEST AND NEWEST  
plus FRIENDLY SERVICE**

**SMALLSTER AUTO KITS**  
AUTHENTIC MINATURES OF CARS OF BYGONE DAYS  
GRANDFATHER'S PRIDE OF YESTERYEAR  
FOR YOUR PLEASURE TODAY!

**KIT OF THE MONTH**  
1909 HUPMOBILE  
Wheel base 5 3/4"  
Only \$2.50

Smallster antique auto kits are designed for easy step-by-step construction, contain precision built die-cut parts. Completely prefabricated kits incorporate realistic details on all plastic parts.

OTHER SMALLSTER AUTO KITS AVAILABLE AT YOUR FAVORITE HOBBY SHOP

**FADOR** MANUFACTURING CORP.  
501 E. CLINTON ST. • ELMAIRA, N. Y.

Jack Oxley who won third flew a modified Powerhouse fuselage with Zeebin wing and tail.

One very interesting development was the almost exclusive use of Firebaby wheels on landing gears. Even so, considerable difficulty was encountered due to poor ground stability at low speeds. One fellow who had previously battered the front end of his ship, was seen to take off very nicely, his model went up and over in a loop, at the bottom, the front end came out engine and all. The officials were in a dither trying to figure that one out.

Andy Peterson of "camp stool" fame is conducting a very interesting experiment. Andy had long wondered if it were possible to counteract torque by offsetting the thrustline much the same as hooks on towline gliders. At the present time, these asymmetrical ships are going through a development stage. From flights we have observed, he has been able to get a power flight to the right with little or no right thrust. He may have something there.

Have you ever noticed how those ships with deep bellies and/or underslung fins like the Jaguar seem to have a little lacking in the way of perfect stability? Well, a new theory has been advanced by a prominent West Coast modeler, that this may be due to a decrease in effective dihedral because of excess area under the C.G. Some experiments are being conducted on such a ship by mounting the wing on skids on top of the fuse. This may also be simulated by putting a fin on the bottom, then flying. Remove the fin and put it on the center section of the wing. When it is on top, stability should increase. It actually helped considerably by mounting the wing on skids. It has been known for a long time that a fin located in the center section of a wing will increase effective dihedral. In fact, we have seen a small gas model flown using a tail from a larger model with no dihedral.

Even with all this, we can't help but wonder whether it is all worth it. One San Diego Avoncoer recently put two right panels together, the one on the left side having the airfoil inverted. To say the observers were dumfounded is putting it mildly. The ship climbed in a tight circle and glided the same. Although the flight pattern was not perfect, it flew. What happened?

-DICK EVERETT.

## Dope Can

(Continued from page 47)

the way from the meet director down to properly qualified timers.

"Aside from the serious business of flying our models in stiff competition, we are at the meet on vacation and out for a good time. We want to blow off steam and raise a little rumpus when and where we please. Don't throw military S.O.P. at us.

"Rumor had it that this year's affair was to be held near a site which saw two of the best Nationals so far; an area that is ideally situated and in a part of the country virtually infested with model fliers. Here was a chance to give new blood to events that were lacking in participation only because of the regions selected for previous Nationals. What happened to this ideal location? The Navy found it inconvenient to have it there and had only one site available—Dallas.

"Who are we trying to please, the Navy or the licensed model builders? We say, 'Give the Nationals back to the model builders.'"

## Edwards' Hobbies

108 E. CASS ST.

TAMPA, FLA.


Fast service



to Dealers

**STAR OF THE HOBBY FIELD**

## AMERICA'S HIT KITS



**FLIP-FLAP**

**\$3.50**


Revolutionary full stunt job  
Big 24" wing, 2" operating flaps  
Takes any engine from  
.074-.099-23, 29



**PRIMER**

**\$1.40**

Realistic profile type for stunt,  
training or sport. 16" span, 4"  
chord. .020-.099 displ.



**S.E.-5**

**\$2.50**

First completely prefabricated scale  
control-liner for half-A's. One piece  
fuselage, big 17" span, 95 sq. in.



**SKYLARK**  
**\$2.00**

Sensational contest freeflight. .020-  
.049 displ. 31" span, 105 sq. in.  
wing area.



**WING DINGUS**

Expert's choice for stunt and sport  
flying. Span 16" area 90 sq. in.  
.020-.099 displ. **\$2.25**



**WING DING** **\$2.25**

Taps for contest flying in 1/2 A. Span  
18", chord 4". .020-.099 engines.

Get your dealers—add 25¢ per mail  
**MASTER MODEL CRAFT**  
727 Westchester Ave., N. Y. 55, N. Y.



PRESENTING... the first in MONARCH'S new "SPITTING IMAGE" control line series.

**CURTISS P40F**

**\$3.45** by mail — add 20c

**COMPLETELY PRE-FABRICATED**

For engines .049 to .099

**WINGSPAN — 20"**

**MONARCH MODEL AIRCRAFT CO. Inc.** Brooklyn 33, N. Y.

So completely pre-fabricated that it will assemble in a few minutes. No glue, no soldering, no painting. It's there in everything like it at any price! A truly beautiful kit with all the line controls — and, terrifically PRE-FABRICATED in every detail.

**HAW-KI**  
**HOBBY SUPPLY CO.**  
**WHOLESALE ONLY**

ALL NATIONALLY ADVERTISED BRANDS OF:

- ★ MODEL AIRPLANES
- ★ RACE CARS
- ★ RAILROAD EQPT.
- ★ CRAFTS AND TOYS

**WRITE**  
for current  
catalog today!

**PROMPT**  
and speedy  
delivery

**HAW-KI HOBBY SUPPLY CO.**  
DEPT. AT-2 521 WEST 4TH  
Davenport, Iowa

Before we tear into some of those remarks, we better quote from the A.M.A. bulletin, "Model Aviation":

"The site (for the Nationals) has been cleared by the sponsoring, cooperating and sanctioning bodies' The National Exchange Club, Navy, and A.M.A. Contest Board... "In locating the (meet), there were a number of factors taken into consideration. Foremost was the necessity of holding (it) at a Naval Air Station where Navy activities could be conveniently adjusted. The Navy feels that NAS Dallas would best suit our needs and, in addition, Captain Nieman (base CO) ... has expressed a desire to have the meet there."

"Also of great importance is the necessity of holding the meet in a city where a qualified local Exchange Club exists. The Dallas Exchange Club desires to conduct the contest again and, with last year's experience, feels they will be able to better the meet in many, many ways."

"Among the improvements planned for the Nats are a reduction of expenses to contestants, meals on the Station with more food available, changes in contest procedure, and many others which will make a better meet for all."

Having been to every National contest during the past 14 years as a contestant, official or observer, we think we have a few words of wisdom for the Balsa Bugs.


First—the Nationals will be slow to improve until the licensed modeler insists on fewer events and the elimination of many local modelers who would not travel 100 miles to enter a contest, but who pile into the Nationals in alarming number only because it's held in or near their home town. Notice that we don't say these restrictions should be applied; we merely state that improvement in contest procedure is dependent upon both points. You want a better Nationals each year? Then you want less events and fewer participants. Will this ever happen? We wonder.

Second point—it is entirely unfair to blame the Navy, the sponsoring Exchange Clubs of Dallas or the meet directors for any slip-ups last year. Hundreds of Navy men were to have been trained as timers and recorders. It all shaped up as an excellent meet. Who could have expected we'd be involved in the Korean conflict just a short time before the contest went on? Another consideration: the weather was terrible and completely foreign to what one could expect in Texas at that time of the year.

The Bugs want a Nats "scheduled to suit all model flyers." We say it is absolutely impossible to schedule anything to suit everybody. As for the separate events in different locations, that must refer to the indoor meet in Ft. Worth and the outdoor events at NAS. What's the Bugs' answer? Run the contest an extra day? Maybe running off the indoor events at night might be the partial answer.

Most National meet contenders have little appreciation or understanding of the mammoth task involved in organizing such a meet, handling the large crowd of flyers and spectators, keeping the results, making the awards, handling publicity, listening to gripes—to mention a few of the major operations. We imagine there has not been a single National meet contest director to date who would not be very happy to "give the Nationals back to the model builders."

But, unfortunately, it is not that easy. Somebody has to do the work. The surprising thing is that there are such organizations as the public-spirited, air-minded, young-in-heart Exchange Club to carry the burden for a five-year period. And to think that after all these years the Navy was the service to open up its facilities to the modeler—when right along it should have been



"Three thousand turns should be sufficient, Jeeves."

## ENGINEERING DEGREE

### Graduates in Demand

• Speed-up training in Engineering — Aeronautical, Chemical, Civil, Electrical, Mechanical and Radio (including Television). B.S. degree in 27 months. Frequent trips to outstanding industrial plants. Modern lab facilities.

Earn part or all of your expenses in this large industrial center. Low tuition.

If you are called into service while still a student, you will be prepared for a specialized military job, AND can return to school without losing credits. Approved for veterans. Enter Sept., Dec., Mar. or June. Send for free catalog today.

### INDIANA TECHNICAL COLLEGE

381 E. Washington Blvd., Fort Wayne 2, Indiana

**27**  
MONTHS

## SOUTHERN DEALERS

model planes, boats, trains

race cars, crafts

WEEKLY ITEM- AND PRICE LISTS...

1st in service  
and quality merchandise

LEITZSEY  
MODEL DISTRIBUTORS

1802 Oak St., Columbia, S. C.

Ask Your Dealer For

**Airlane CEMENT**

EXTRA STRONG! Best for All Model Planes!

- Quick Set
- Crystal Clear
- Holds Tight
- Flexible

5c and 10c Sizes

The ONE Cement that does All your jobs!

**Airlane COMPANY**  
318 W. 29th St. Chicago 16

**DARWIN**  
**SHAKE-PROOF TANKS**

A tank for every plane and engine size

Poo Wee Series

- B Series
- S Series
- M Series
- L Series

EXPERIAL #8  
1 OZ. SPEED

All tanks constructed of hot fuel proof brass.  
All tanks soldered so they will not shake loose at the tube or seams.  
Sold only at Your Dealers. Distributors' Samples and Discounts on Request

**DARWIN MODEL AIRCRAFT CO.**  
Ann Arbor, Michigan



# AIR TRAILS



# Hobby Shop Directory

Model Builders! Here's a listing of the nation's leading hobby shops. You'll want to file it away—and when you're in the neighborhood, drop in and browse around. They're expecting you.

## CALIFORNIA—LOS ANGELES

Nationally advertised model planes, boats, trains, kits and supplies.  
Weekdays and Mon.-Wed.-Fri. Even

PICO MODEL CO.

2540 W. Pico Blvd. DUunkirk 7-5894

## INDIANA—INDIANAPOLIS (19)

Model Planes, Trains, Race Cars  
Motor Parts  
Lionel—American Flyer Repairing  
10:30 to 7 P.M. Daily

BOB STEELE HOBBY CENTER

1008 No. Emerson Ave.  
Irvington 1617

## KENTUCKY—LOUISVILLE

Model Airplanes—Motors—Race Cars  
& Supplies. Complete Parts & Service  
Repair shop with South Bend Lathes.

FISCHER'S HOBBY SERVICE

618 S. Fourth Clay 3213

## LOUISIANA—NEW ORLEANS

Airplanes — Boats — Supplies  
TT-HO-S-O Railroad  
Open 9-5; Sat. 9-3

CRESS MODEL SHOPPE

1134 St. Charles Ave. Ra 4873

## LOUISIANA—SHREVEPORT

Louisiana, Arkansas, and East Texas  
most complete supply of Model Planes,  
Trains, Cars, and Boats

WEISMAN'S TOY STORE

717-719 Milon St. Phone 3-4345

## MASSACHUSETTS—CAMBRIDGE

Model planes, motors, railroads, ships  
and accessories  
9 to 6 daily and Thurs., Sat. evenings

CROSBY'S HOBBY CENTRE

1704A Mass. Ave. KI 7-4389

## MISSOURI—KANSAS CITY

Model Airplane, Boat, Race Car,  
Railroad and Hobby Supplies  
Open 9:30 A.M. to 9:00 P.M.  
and Sundays

NORTHEAST HOBBY CENTER

4825 Independence Ave. BE 7849

## NEBRASKA—LINCOLN

Model Airplanes — Race Cars — Rail-  
roads — Boats — Handicrafts — Tools  
Repair Parts  
9:00 to 5:30 & Thursday Evenings

LINCOLN HOBBY SUPPLY

1123 F STREET 2-4692

## NEW JERSEY—HADDONFIELD

South Jersey's Complete Model Shop  
Largest Stock  
Planes Engines Supplies  
Open noon till nine daily

HIGHWAY HOBBY HOUSE

20 Tanager St. Haddonfield 9-6860

## OHIO—DAYTON

Convince yourself! Since 1928  
folks traveled many miles to shop  
our mammoth stock; Open Sunday

GOOD'S HOBBY SHOP

1729 N. Main St. Taylor 5578

## NEW YORK—BROOKLYN

HEADQUARTERS!

Everything for model airplane builders  
Accessories our specialty  
Engines, parts and service  
Everything in Air Trails.

PARK HOBBY CENTER

8120 Seventh Ave. Shore Rd. 5-2972

## NEW YORK—JAMAICA (3)

HOBBIES — THAT'S ALL!  
Regular Hours 9 a.m. to 7 p.m.  
9 a.m. to 8 p.m. Mon. & Fri.  
9 a.m. to 7 p.m. Saturdays  
Holiday Hours (Nov. to Feb.)  
11 a.m. to 8 p.m. daily

JAMCO (Jamaica Co. Hobbies, Inc.)  
90-04 168th St., Phone JA 3-9140

## NORTH CAROLINA—CHARLOTTE

Ask Anyone!  
In the Carolinas  
It's

CHARLOTTE HOBBY CENTER

131 W. Fourth Phone 4-4188

## WASHINGTON—SEATTLE

Good Service—Helpful Advice  
Complete Stock  
Planes—Boats—Cars—H O Trains  
10-6 P.M. W-F 10-9 P.M.

BUZZ & DOUG'S HOBBY SHOP

701 E. Pike at Boylston Ea 8650

the Air Force! Thank goodness for the Navy and its far-sighted leaders, not to mention a CO like Capt. Nieman who actively sought to have the contest returned to his station.

We don't condone laxity in processing in any meet, particularly the National championship competition, but we have yet to see a meet where a contestant couldn't have shaded or broken some or many rules if he was so minded. And many a National meet prior to the '50 affair was run off in a slipshod manner because of various reasons. We recall with a shudder the Minneapolis-Monticello massacre where modelers were timing each other's flights and a leading contender for the high-point prize, a light-plane, was disqualified.

If the Bugs didn't like the '50 Nats they certainly couldn't be counted as favoring the '46 competition—the "Victory Nationals." Yet that was perhaps the most remarkable meet of them all. After Chicago interests had backed out of sponsoring the affair almost at the last minute, with modelers all packed and ready to leave for the contest, a Boeing engineer and a Y.M.C.A. branch manager in Wichita, Kans., put a meet together that was a modeling miracle. Sure, there were a lot of shortcomings, but better that than no contest at all.

Now, how best to avoid these last-minute meets? Certainly the Nationals deserve something better than that. Well, why not enlist the aid of some national organization like the Exchange Club which has demonstrated its interest in model aviation over a long period, and let that group take over the active sponsorship (in conjunction with its local units) of the Nats? And tell us, please, what better location can you imagine for a model meet than a military airfield?

We think the Balsa Bugs are entirely justified in asking for better run Nationals. Ever since this competition went to Detroit in 1936 and began to increase in size there

have been numerous problems associated with such a large operation run for the most part by volunteer help who, instead of being paid, are asked to take time off from their work to handle the contest.

We say again, as long as the Nationals are open to anyone (and that usually means 750 to 1,000 entrants) and as long as the number of events and competitive age groups is close to 60, then your contest will always produce a certain amount of confusion.

**Speaking of Big Meets.** You'll recall the Tangerine Internationals in Orlando, Fla., last winter? Well, the 2nd Annual T.I. contest has been set for Dec. 28-30, 1951—same spot, same sponsor according to Thomas Mickler, president of the Exchange Club of Orlando. The contest featured 37 events; just about the most of any meet other than the Nats and Plymouth Internats. James Monroe, Miami, was crowned meet champ, by the way. Roger Barron, Springfield, Va., was runner-up. Ten states and Mexico were represented. If you're planning to be in Florida next winter you can request data on the meet from Box 123, Orlando, Fla.

**Hail to American.** If an enthusiastic and ever-growing membership is indicative of a successful organization, the American Airlines Gas Model Club of Cleveland, Ohio, is outstanding. If the ability to earn and hold on to trophies and medals shows that a group has great ability, then that club is "tops" in the Midwest.

Founded and chartered March 30, 1938, the organization is the oldest active model airplane club in Ohio. Originally a gas model club, the group's present activities include all phases of model building and flying—indoor and outdoor.

Original sponsors were Harry D. McCall of Mac's Model Shop, Ed Clarke, then Aviation Editor and now Travel Editor of The Cleveland Press, and George Cussins, then district sales manager for American Air-

lines in Cleveland. Successive Cleveland sales managers for A. A., including Gerry Hawes who is in Cleveland at the present time, have continued active sponsorship, together with Clarke of The Press.

Outstanding and famous members of the Cleveland club include: Lyman Slack, Jr., an outstanding high-point champion who, in 1949, was high-point junior champion in the Junior National Air Races held in Cleveland.

Jack Norris, club champion for six consecutive years and senior high point champion of National Meet, Wichita, Kansas, in 1946.



**MODEL Builders!**

**You can get this New O&R 1951 CATALOG!**

Model Aircraft Engines • Marine Engines • Model Racers • Glow Plugs • Fuels • Accessories

**MAIL THIS COUPON TODAY!**

OHLSSON & RICE, INC.  
3344 Emery St., Los Angeles 23, Calif.  
Please RUSH... copies of the NEW 1951 O&R Catalog at 15c each for which I am enclosing... in stamps or coins to cover handling and mailing.

Name.....  
Address.....  
City.....Zone.....State.....



**August, 1951**

Acme Model Eng. Co.	64	K & B Mfg. Co.	16
Aeromarine Co.	70	Leitzsey Model Dist.	78
Airplane Model Co.	78	Lincoln Hobby Supply.	79
A-J Aircraft Co.	8		
All American Model Motor Exchange	16		
America's Hobby Center	6, 7, 9	Machine Products	76
American Telasco Ltd.	73	Mailcraft	16
Mel Anderson Mfg. Co.	30	Margo Kraft Dist., Inc.	16
Atwood Mfg.	68	Master Modelcraft	77
Austin-Craft Co.	74	Mercury Model Airplane Co.	68
		Miniature Aircraft Corp.	88
Berkeley Models, Inc.	82	Mod-Ad Agency, Inc.	8
Buzz & Doug's Hobby Shop	79	Mod Kraft Co.	74
		Model & Hobby Industry	77
Cal-Aero Technical Institute	5	Model Aircraft Control Co.	80
California Flyers	Second Cover	Model Craft Hobbies, Ltd.	71
Campbell's Model Air Depot	79	Monarch Model Co., Inc.	78
Champion Boats	81	Monitor Pylon Controls, Div. of Linden Products	60
Charlotte Hobby Center	79	Monogram Models	55
Cleveland Model & Supply Co.	65	Mutual Broadcasting System	72
Comet Model Hobby Craft, Inc.	62		
Consolidated Model Engineering Co.	67	National Broadcasting Company	66
Corr's	72	National Model Distributors	72
Cress Model Shoppe	79	North American Model Products	74
Crosby's Hobby Centre	79	Northeast Hobby Center	79
		Northeast Hobby Dist.	69
		Northrop Aeronautical Institute	56
Dallas School of Aviation	13		
Darwin Model Aircraft Co.	78	Ohlsson & Rice	79
Dealers Hobby Supply	81		
deBolt Model Engineering Co.	57	PDQ Products Co.	77
Desert Model Co.	10	Pactra Chemical Co.	12
Dooling Bros.	62	Park Hobby Center	79
Dumas Products	10	Parks College of St. Louis University	3
Dyna-Model Products Co.	74	Perfect Quality Model Accessories	63
		Pico Model Co.	79
Edwards' Hobbies	77		
The E and H Stores	81	Radio Control Headquarters	16
Embry-Riddle School of Aviation	18	Raphael Model and Hobby Supplies	74
Engineered Toys (Rite Pitch)	67	Russell Bros. Products	76
Enterprise Model Aircraft & Supply Co. Inc.	58		
		Scientific Model Airplane Co.	17
F & B Model Aircraft	73	Scranton Hobby Center	81
Fader Mfg. Corp.	77	Sky Hobby, Inc.	81
Fischer's Hobby Service	79	Southland Hobby Shop	72
Flo-Torque	66	Spartan School of Aeronautics	15
Forster Brothers	75	Speed-O-Leg Products Co.	64
Francisco Laboratories	61	Bob Steele Hobby Center	79
		Sterling Models	70
Good's Hobby Shop	79		
Gotham Hobby Corp.	74	Testor Chemical Co.	3rd cover, 42, 43
Paul K. Gullow	53	Thomas Products	72
		Teterboro School of Aeronautics	81
Haw-Ki Hobby Supply Co.	78	Top Flite Models, Inc.	60, 71
Henry Engineering Co.	10	Trust Modelcraft Hobbies	77
Herkimer Tool & Model Works, Inc.	Back Cover		
		United States Army and United States Air Force Recruiting Service	54
Highway Hobby House	79	United States Rubber Co.	59
Hobby Decal Specialists	10		
		Vic's Hobby Supply	79
Indiana Technical College	78		
International Correspondence Schools	11	Western Model Distributors	70
		Weisman's Model Distributors	79
Jameco (Jamaica Co. Hobbies, Inc.)	79	Wildhead Paper Works, Inc.	79
Joy Products	68		
Junior Aeronautical Supply Co.	81		

John Humphreys, junior high point champion of Nationals, Olathe, Kansas, 1849

William Schwab, originator in Cleveland of control line flying.

Harold Coover, chief designer for Peerless Model Airplane Co.

Chester Lanzo and daughter, Sylvia, a famous father-daughter team. Sylvia was the girl champion of the International Meet, Detroit, 1949.

William Mickelsen, runner-up in the 1950 Wakefield Elimination Meet at Akron, Ohio.

In 1947, the American Airlines Gas Model Cadets—the junior division of the club—was formed for boys and girls 11 years old and younger. Members are picked from model classes conducted at Cleveland's Crafts and Art Center every Saturday morning under the supervision of older members of the American Airlines Gas Model Club.

There also is a Women's Auxiliary of the club, made up of the mothers, wives, sisters and friends of members. The Auxiliary assists at model meets, parties, banquets and other functions of the club. Mrs. Harry D. McCall is the present chairman.

W. Earl Allen is the present chairman. He is a member of the American Volunteer Squadron and won the Berryloid trophy for the best flying model at the National Meet held in Chicago in 1941. He is the present president of the club. Hubert and his brother, Jack, own the Merritt Finishing Company in Cleveland, which sponsors the team trophy each year at the Junior National Air Races. This trophy, awarded to the five-man team which accumulates the highest number of points during the meet, has been won by the American Airlines Gas Model Club in 1946, 1947, 1949 and 1950.

**Oldest Club East of—etc.** "Sorry to put a hole in their (the Long Island Gas Monkeys') gas tank, but the Bridgeport, Conn., Aero-nuts have been darn active since 1936 and have never missed meeting at least every two weeks for all these years," pens Earl "Bud" Gay, publicity chairman for the 'Nuts. "We are not a 'powerful' club but we have been very consistent in state and out-of-state contests. Our club is one of the few that has held state championships in control, line stunt, speed and free flight. We have just added radio control and hope to be the first club in the New England states to have a radio meet sanctioned by A.M.A. "I might also add that the Bridgeport Aero Engineers can lay claim to a better active since before 1936. The 'Nuts now have 33 members and are looking for more. We're proud of our original group which has scattered to the four winds. Lou 'National Stunt Champ' Andrews built and flew his first control line model as a member of our club."

**Lending St. Loole Club.** As many old-timers will recall, prewar St. Louis was very active in free flight and indoor and Stix, Baer & Fuller's Mississippi Valley meets were second only to the Nationals. During this "Brown Jr." period the Kirkwood, Mo., *Thermalizers* were organized by modelers from suburban Kirkwood, Glendale, and Webster Groves. The active membership stayed at about 25 until the war came along and tore up modeling by the roots. With the disbanding of the huge club sponsored for more than a decade by the Stix department store, the area was left with but a few small and scattered clubs, most of them exclusively control line

The nucleus of old-timers from the *Thermaleers*, still active in rubber gas and indoor microfilm flying (and even with a few stunt models, on the sly, of course) decided to reorganize the club on a city-wide basis, open to all ages and categories of model builders. Biggest surprise was how the old

# MAECO TANKS

**MINI TANKS**

**4 CC PROFILE**  
**50c**

**CLEAR TANKS**

**MODEL AIRCRAFT CONTROL CO**  
Box 333 Sta. D New York City 3

**SEE YOUR DEALER**

**MODEL AERO ENGINEERING CO.**  
Box 536 Reseda, Calif

**CURTISS P40F GAS MODEL**



48" Span. Free flight or U Control  
Improved with new 2 1/2" alum. spinner and F Veco  
alum. disk semi-pneumatic rubber wheels. Planked  
type body, parts printed on balsa, and all **\$9.00**  
parts Set .....

**Add 20c for postage.**

Many other models, motors, etc.

Send for Illustrated Catalog.....10c coin

**MINIATURE AIRCRAFT CORP.**

83 Low Terrace, Staten Island I, N. Y.



## DO YOU LIVE IN?

New York Pennsylvania  
New Jersey Delaware  
Connecticut Maryland

## ARE YOU OVER 17?

If so you will want to take advantage of training at Teterboro School Of Aeronautics where you are surrounded by AIRCRAFT activities—Maintenance—Aircraft—Passengers—Private Flying—Executive Transport—Manufacturing. Here you will train on live aircraft in completely approved aircraft and engine mechanics including jet engines. FLYING COURSES include private pilot, commercial pilot, flying instructor, instrument flight rating, multi engine, and airline transport rating.

**FREE**—Write today for big aviation training catalog #AT-8. Please give age.

**TETERBORO SCHOOL OF AERONAUTICS**  
Teterboro Airport, New Jersey

WE PAY POSTAGE AND INSURANCE

Write Dept. 50 **SMSAT E AND H** means "SUPER MAIL SERVICE" Write Dept. 50

### Important Announcement

The leading Mail Order House in the Model Railroading Industry now invades the Model Airplane Field. Large and complete stock of kits, accessories and tools. We offer you the best and fastest "Super Mail Service"! Our complete catalog is 25c (no stamps), or use Air Trails as your catalog. Try us today!

**TERMS**  
Minimum Order \$1.00. No C.O.D.'s! No Stamps! Send Check or Money Order to E and H STORES, Dept. 50, 324 W. Chelton Ave., Philadelphia 44, Penn.

**THE E AND H STORES**

324 W. CHELTON AVE. PHILADELPHIA 44

## WORLD'S FASTEST BOATS!



**BUILD and DRIVE your own HIGH SPEED RACING BOAT** as hundreds of others are doing! Easy to follow our simplified plans for newest types of racing craft. Large selection of full race hydroplanes ranging from 6 ft. to 20 ft. lengths. Service, Racing, Utilities, and 3 Points. Both inboard and outboards.



### Send 25c for Catalogue

containing pictures and descriptions of Champion Boats for which plans are designed and distributed exclusively by CHAMPION BOATS, P. O. Box 9030, Dept. 43-H, Long Beach, California, U.S.A.

## "YOUR SUPPLIERS—NEVER YOUR COMPETITORS!"

100% WHOLESALE  
**SKY HOBBY, INC.**

523 SOUTHWEST BLVD.  
KANSAS CITY, MISSOURI

and  
**DEALERS HOBBY SUPPLY**

POST OFFICE BOX 594-E  
OTTUMWA, IOWA

gang, now all family men and successful engineers, turned out almost to a man. Now, with members from all over the Greater St. Louis area, the Thermaleers have brought together all of the outstanding free fighters under one banner—the red and white sailplane. The year-round program of contests and activities continues to draw good turnouts at every bi-weekly meeting, regardless of the weather or season.

Last year the Thermaleers adopted a point system to determine its annual Junior and Senior-Open Champions. This competition was an unqualified success in that it served to greatly stimulate the building and flying of all types of models, and not merely those for which events were scheduled at local meets. The point system based on ideas brought back from Boston by George DeLaMater in brief gives credit for club records, flight times, speeds, and stunt points at contests, new members brought to meetings, new planes built and for attendance at regular meetings.

The way the point system had people broadening their interests to include vastly different types of models (stunt men building Wakefield, and C free fighters covering flimsy models with microfilm) and the way Sunday flying sessions went through regardless of wind and weather was a sight to make any old dope dauber's eyes light up. The Thermaleers heartily recommend something similar for every club, particularly for those which happen to be located where good contests aren't within reach every week end.


Details on the all-inclusive point system may be obtained from Thermaleer president Parnell Schoenky, 125 East Maple Ave., Kirkwood, Mo.

**It's Rough in Rochester.** "This letter," pens John F. Wolff of Rochester, N. Y., "is to let everyone know that the Rochester MAA is still alive and kicking. We have had some rough times in the past year but our club is still intact and we will welcome any new members. Meetings are held the 1st and 3rd Friday of each month at the Rochester Museum on East Ave.

"Last summer the City banned flying of model aircraft in the city parks. Of course we protested in a gentlemanly way and offered to help the city fathers in any way we could to provide a place for our hobby. Several letters were exchanged between our organization and City Hall along these lines. As a result all we got was a lot of political promises for an 'investigation' and an attempt to arrive at a satisfactory arrangement for all concerned." So far as I have been able to find out there has been no investigation and certainly there has been no attempt made to arrive at the said 'conclusion.' The only thing we know is that you can't toss a Jim Walker glider into the air in any one of the city parks.

"It is really irritating that the newspaper releases on the subject gave the excuse for the ban as the danger involved—yet in the correspondence carried on later it was admitted by the city officials that the real reason was not the danger but the noise. Still the damage has been done and many parents are of the opinion that a model airplane is as dangerous as a case of dynamite. We would like to hear from other clubs or individuals with suggestions as to what we can do. It would be swell if anyone living in a city where facilities have been provided would write a letter directly to Mayor S. B. Dicker, City Hall, Rochester, N.Y. and explain their set-up to him.

"In spite of this bit of tough luck model airplanes seem to be weathering the storm. With the aid of a friendly farmer we were able to work with Half-A free flight and towline gliders during the winter. A local airport has let us have a corner of the field and we are trying to shape it up into a control line site. It's quite a project for a small club and we are having the usual financial difficulties. We are going to try very hard to complete this field this summer as it looks



"My new fuse dethermalizer never fails!"



Class A/B (19-24)  
Area 180 in.

\$4.50

By Mail \$4.75

The SUPER FLASH is designed for tough flying competition. Construction is strong. Its flying ability is ready to make a name for itself. To get the utmost of its speedy climbing ability, adjustable wing slats have been added to the wing.

### PHOENIX SKIPPER



Class A/2  
Sailplane

\$2.25

By Mail \$2.50

The PHOENIX SKIPPER quickly hops off the water, climbs high and comes down in a flat glide. The floats can be put on or off in a jiffy. Without floats the model makes a hot contest land plane with an exceptional flat floating glide. It can be therefore used in two contest events.

### FLOATER



Scoring Glider  
Wing Span 73 in.

\$3.00

By Mail \$3.25

"It takes a Floater to beat a Floater." The new Floater should continue making and breaking glider records just like the original Floater. Towing on a 280 foot towline should be easy even in a 25 mile wind with the detachable tow rudder control. Bites are die cut.



TEUBNER DART

25¢

By Mail 33¢

JUNIOR AERONAUTICAL SUPPLY CO.  
203 East 15th St. New York 3, N. Y.

## Easy-to-"OLD TIMERS" Build

Recapture Memories of Early Auto Days!

DURING your idle hours in the "good old summertime" turn to "Old Timers" for the fun of building these famous gas buggies of yesteryear! Authentic in detail, colorful, historic—each of these 1/4" scale models are the delight of collectors and hobbyists!

ALL parts are completely prefabricated. Each of our 15 "Old Timers" miniatures comes with die-cast plastic parts, cast wheels, lights, horns, radiators, and easy-to-follow instructions.



1910 Model "T"  
Ford — \$2.50



1909 Stanley  
Steamer — \$2.95



1904 Olds \$1.95  
1911 Buick \$2.50  
1903 "A" Ford \$2.50  
1909 "T" Ford \$2.95  
1903 Cadillac \$2.50  
1900 Packard \$2.50  
1903 Rambler \$2.50  
1902 Franklin \$2.50  
1910 Intern'l  
Harvester \$2.95  
1913 Mercer  
Raceabout \$3.95  
1906 "Old 16"  
Locomobile \$3.95



1914 Stutz  
Bearcat — \$3.95



1911 Maxwell  
\$2.50

1906 "Old 16"  
Locomobile \$3.95

SEE them at your hobby, toy, or department store, or write to us. Add 25c for postage, handling. No C.O.D.'s, please.

### Hudson Miniatures' "OLD TIMERS"

SCRANTON HOBBY CENTER, Dept. 8  
315 Adams Ave., Scranton 10, Pa.



# KEITH STOREY'S QUEST

## Berkeley's newest TEAM RACER-



### "THE QUEST"

30" Wingspan — For .23 to .36 Engines

"The Quest" is the newest addition to our line of Team Racers. The design features a readily assembled sheet planked fuselage assembled on a basic fuselage box structure.

A metal cowling, celluloid canopy; formed sheet metal gear; wheels; Jim Walker "U-Control" System; all necessary hardware; and die-cut parts are included. Plans cover installation for McCoy, Ohlsson, Dooling and Torpedo engines.

**\$4.95**



### "A & B" Team Racers-

**\$5.95**



### "THE KEY"

29" Wingspan—For .23 to .36 Engines

Features completely carved and hollowed all balsa fuselage; all balsa shaped wing and tail surfaces; sheet metal gear; wheels and all necessary hardware.

18" Wingspan—For .074 to .099 Engines

Features completely carved and hollowed all balsa fuselage; all balsa shaped wing and tail surfaces; sheet metal gear; wheels and all necessary hardware.

### "THE KEY-DET"

**\$2.95**



1951 CATALOG AVAILABLE - 25¢  
Complete and up-to-date, with all the latest kits and accessories —  
At Your Dealers, - or write direct.

SOLD THRU  
**BERKELEY**  
DEALERS & DISTRIBUTORS

IF NO LOCAL DEALER IS CONVENIENT, MAIL ORDERS WILL BE FILLED BY BERKELEY MODEL SUPPLIES, DEPT. AT, WEST HEMPSTEAD, L. I., N. Y. PLEASE INCLUDE 25¢ PACKING AND POSTAGE.

like team racing is going to be a big thing around here. There are several under construction and several more 'on paper' at this time. It looks very interesting and I think it will be a real shot in the arm for the hobby, particularly from the spectator standpoint. We have a set of ground rules permitting only stock engines which really makes it a sport flyer's event. We also have an inter-club deal cooking with the Buffalo Flying Bisons—but more on that later."

**Schoenky Speaking.** Parnell Schoenky of Kirkwood, Mo., a mighty fine model designer-flyer - contestant - contest director, submits the following as a workable and fair formula for fitting Wakefield flying into the general contest picture. The floor is his: "There has been much talk of making the Wakefield our chief rubber event. Feeling that a mere substitution of Wakefield for outdoor cabin would be impractical and unfair, I have worked out the following re-alignment of rubber events; this proposed set-up preserves the plurality of events necessary to please many tastes and to fit all contest circumstances, and it is eminently fair in the light of four separate free flight gas events and four C-L speed events to have at least two major rubber events at every meet.

"1. Basic Rubber. Status: The general rubber event, allowing sufficient design leeway to keep it interesting and simple enough as to rules to make for rapid processing. (The thousands of rubber fans deserve a better break than the proposed chaotic 'unlimited' event could possibly provide.) Age classes: Senior and Open only, assuming the adoption of the Kitty Hawk type of simplified rubber for Junior flyers. Size classes: C and D to be flown together at small meets, and separately at larger contests; separate record listing. Class C, 90 to 180; D, 181 to 360; or C, 125 to 250; D, 251 to 400. Rules: Same wing loading, 4 oz. per 100 sq. in. For rapid processing, with no sacrifice in cross-sectional area control, use the rule—maximum perimeter of fuselage must be equal to or greater than one half of the fuselage length. Check with a piece of string, no scale or slide rules. Wheel diameter requirement retained. Only R.O.G. flights eligible for records, but HL flights permitted at meets if circumstances warrant.

"2. Wakefield Cabin. Status: The specialized event for advanced modelers and for the larger meets (where more experienced processing personnel are likely to be available). The Wakefield event is worthless without careful processing and strict adherence to flight rules, both of which require more work and experience than is available at the average small meet. Age classes: Strictly for the two upper age groups. There is no point whatever in opening an advanced event to youngsters who have their hands full with ordinary rubber models. Rules: S.M.A.E. rules for Wakefield competition.

"3. Kitty Hawk Rubber Event. Status: A simplified event would be a very good thing for Juniors because good rubber models are at least as hard to learn to build and fly as are good gas-powered models. With the uncomplicated models required under Kitty Hawk rules, the Juniors of 11 or 12 would have a fairer chance of success in competition with their 15 year old brothers. Age class: Junior. Rules: As set forth in Air Trails, with possible revisions in the light of further experience with the event. Again I emphasize that the event should be tailored to the abilities of the average 12-year-old, as younger children are not suited to contest flying and older Juniors should be held to fundamentally gadget-free models on a par flightwise with the 8th-graders.

"Note: The first set of wing-area size classes suggested for Basic Rubber was taken from a new over-all classification system worked out for outdoor models by old-timer Art Beskington; the system is as follows—Class A, 0 to 90 sq. in.; B, 91 to 180; C, 181 to 360; D, 361 and up. Hand launched gliders would include A&B; Rubber, B&C; towline gliders C&D, and free flight gas, B&C&D."

And says Lo Salisbury of Huntington Park, Calif.: "You quote a 'well-known Eastern leader' to the effect that the Wakefield is 'out of date and uninteresting.' Kill it, switch to Half-A, etc., sez he. Isn't he being just a bit presumptuous? It is the British who have the say of whether it is killed or switched to Half-A. Now if he meant that the U. S. drop participation in the event—O.K. That would leave us with no international prestige. If he plans to originate an international event for Half-A—fine. I'll enter, but I doubt if any other nations besides U. S. would participate. You can't fly just any old type, you have to enter types there's an event for, right?"

Main point of contention as we see it, Lo, is that one group honors the Wakefield for its magnificent history, while the other feels that model progress has passed the big rubber jobs by and we should attempt to bring our International competitions 'up to date,' so to speak. TWT—time will tell.



SETTING A NEW STANDARD OF QUALITY IN AUTHENTIC SCALE MODEL AIRPLANE KITS

**TESTORS**

**F-86  
SABRE JET**

ALL PARTS SHAPED AND  
READY FOR ASSEMBLING

Now! Presenting Testor's F-86 Sabre Jet... second in an outstanding new series of authentic scale model all-balsa airplane kits that truly top their field for quality and value. It's a sleek, impressively realistic beauty right out of the headlines of Korea... a timely and appealing model that you'll be proud to display to your friends. Construction is fast, easy because all parts are shaped and ready for assembling. Testor's exclusive Key-Lock Assembly (patents pending) and *molded-to-shape* fuselage and wing half-sections also simplify building... save you time and work. Model has a wing span of 17" ... overall length is 19". See your dealer ... get started on your F-86 Sabre Jet right away. Be one of the first to discover what an out-of-this-world kit we've developed for you!

**\$2<sup>00</sup>**



TESTOR CHEMICAL COMPANY (WOODWORKING DIVISION) ROCKFORD, ILLINOIS





Meet "Herky," the "OK" Cub  
... he's a BEAR for Power!


**for power...price...performance  
you can't beat "OK"!**

## OK CUB

Packs a wallop! Most powerful engine in its class! Patented part design — an "OK" exclusive — provides greater turbulence, effective scavenging, higher power/weight ratio.

Displ. — .074  
Bore — .479  
Stroke — .415  
RPM — 3,000 to 15,000  
Weight — 1½ oz.

Only  
**\$5.95**



## OK

### GLOW FUEL

Unlike some fuels, "OK" Glow Fuel operates over a wide range of climatic conditions.

**85c**



## OK CUB

**.049**

### power kit

A \$6.15 value — assemble it yourself and save \$1.20! How's that for value!

ONLY **\$4.95**



CUB .039  
**\$4.95**



CUB .049  
**\$5.25**



CUB .099  
**\$6.95**



### COMBINATION PACKAGE

(Includes assembled engine, prop and tank.)

CUB .049 ..... **\$5.75**  
CUB .074 ..... **\$6.75**  
CUB .099 ..... **\$7.75**



"HERKY" says ... "See Your Dealer—Say 'OK'." Or write us direct:

## HERKIMER TOOL & MODEL WORKS

18 Harter Street

Herkimer, N. Y.

Manufacturers of Famous "OK" CO<sub>2</sub> • "OK" Bantam • "OK" Hothead • "OK" Super 60 • "OK" Twin